

A UNIFIED FRAMEWORK FOR HARMONIC BALANCE SIMULATION
AND SENSITIVITY ANALYSIS

J.W. Bandler, Q.J. Zhang and R.M. Biernacki

Optimization Systems Associates Inc.
163 Watson's Lane
Dundas, Ontario, Canada L9H 6L1

ABSTRACT

In this paper, a novel theory for exact sensitivity analysis of nonlinear circuits based on harmonic balance simulation is derived. A framework unifying many existing concepts of the frequency domain simulation and sensitivity analysis of linear/nonlinear circuits is established. The proposed sensitivity analysis is verified by a MESFET mixer example exhibiting 98% saving of CPU time over the prevailing perturbation method.

INTRODUCTION

In this paper, we present a unified approach to the simulation and sensitivity analysis of linear/nonlinear circuits in the frequency domain. The linear part of the circuit can be large and can be hierarchically decomposed, highly suited to modern microwave CAD. Analysis of the nonlinear part is performed in the time domain and the large signal steady-state periodic analysis of the overall circuit is carried out by means of the harmonic balance (HB) method.

The HB method has become an important tool for the analysis of nonlinear circuits. The work of Rizzoli et al. [1], Curtice and Ettenberg [2], Curtice [3], Gilmore and Rosenbaum [4], Gilmore [5], Camacho-Penalosa and Aitchison [6] stimulated work on HB in the microwave CAD community. The excellent paper of Kundert and Sangiovanni-Vincentelli [7] provided systematic insight into the HB method. Many others, e.g., [8-11], have also contributed substantially to the state-of-the-art of the HB technique. The first step towards design optimization was made by Rizzoli et al. [1] who used the perturbation method to approximate the gradients.

In our paper, we extend to nonlinear circuits the powerful adjoint network concept, a standard sensitivity analysis approach in linear circuits. The concept involves solving a set of linear equations whose coefficient matrix is available in many existing HB programs. The solution of a single adjoint system is sufficient for the computation of sensitivities w.r.t. all parameters in both the linear and nonlinear subnetworks, as well as in bias, driving sources and terminations. No parameter perturbation or iterative simulations are required.

The sensitivities we propose are exact in terms of the harmonic balance method itself. Our exact adjoint sensitivity analysis can be used with various existing HB simulation techniques, e.g., the basic HB [7], the modified HB [5] and the APFT HB [11]. Computational effort includes solving the adjoint linear equations and calculating the Fourier transforms of all time domain derivatives at the nonlinear element level. Significant CPU time savings are achieved over the perturbation method. A MESFET mixer example is used to verify our theory.

NOTATION

Real vectors containing voltages and currents at time t are denoted by $v(t)$ and $i(t)$. Capitals $V(k)$ and $I(k)$ are used to indicate complex vectors of voltages and currents at harmonic k . A subscript t at $V_t(k)$ indicates that the vector contains the nodal voltages at all N_t nodes (both internal and external) of a linear subnetwork. If there is no subscript then the vector corresponds to the port voltages (currents) at all N ports of the reduced linear subnetwork. A bar denotes the split real and imaginary parts of a complex vector. In particular, \bar{V} or \bar{I} are real vectors containing the real and the imaginary parts of $V(k)$ or $I(k)$ for all harmonics k , $k = 0, 1, \dots, H-1$. The total number of harmonics taken into consideration, including DC, is H . The hat distinguishes quantities of the adjoint system.

LINEAR AND NONLINEAR SIMULATION

Consider the arbitrary circuit hierarchy of Fig. 1. A typical subnetwork containing internal and external nodes is shown in Fig. 2. An unpartitioned or nonhierarchical approach is a special case of Fig. 1 when only one level exists. In any case, however, we consider an unterminated N -port circuit at the highest level of hierarchy because of the importance of the reference plane in microwave circuits. On the other hand the N -port description is needed for the harmonic balance equations.




Fig. 1 An arbitrary circuit hierarchy. Each thick line represents a group of nodes. Each rectangular box represents a connection block for a subcircuit. Each bottom circular box represents a circuit element and the top circular box represents the sources and loads.




Fig. 2 A typical subcircuit connection block: (a) as seen from Fig. 1, (b) detailed representation of all the nodes of the subnetwork.

By unifying various existing approaches, we have derived a comprehensive set of formulas, systematically computing voltage responses at any nodes (internal or external) for any linear subnetwork at any level. For example, to compute all (both internal and external) nodal voltages $V_i(k)$ of a subnetwork using the result of a higher level simulation, i.e., using the external voltages $V(k)$, we solve

$$A(k) \begin{bmatrix} V_i(k) \\ I(k) \end{bmatrix} = \begin{bmatrix} 0 \\ V(k) \end{bmatrix}, \quad (1)$$

where the matrix $A(k)$ is a modified nodal admittance matrix of the subnetwork.

Following [7], the simulation of the overall nonlinear circuit is to find a \bar{V} such that

$$\bar{F}(\bar{V}) \triangleq \bar{I}_{NL}(\bar{V}) + \bar{I}_L(\bar{V}) = 0, \quad (2)$$

where the vectors \bar{I}_L and \bar{I}_{NL} are defined as the currents into the linear and nonlinear parts at the nodes of their connection. The Newton update for solving (2) is

$$\bar{V}_{new} = \bar{V}_{old} - \bar{J}^{-1} \bar{F}(\bar{V}_{old}), \quad (3)$$

where \bar{J} is the Jacobian matrix.

ADJOINT SYSTEM SIMULATION

Suppose \bar{V}_{out} is the real or imaginary part of output voltage V_{out} and can be selected from the voltage vector \bar{V} by a vector \bar{e} as

$$\bar{V}_{out} = \bar{e}^T \bar{V}. \quad (4)$$

The adjoint system is the linear equation

$$\bar{J}^T \hat{\bar{V}} = \bar{e}, \quad (5)$$

where \bar{J} is the Jacobian at the solution of (2). Notice that the LU factors of \bar{J} is available from the last iteration of (3). Therefore, to obtain $\hat{\bar{V}}$ from (5), we need only the forward and backward substitutions.

The adjoint voltages can be computed even if the output port is suppressed from the harmonic equation (2). In this case we first compute the adjoint voltages at the external nodes of the linear subnetwork. This can be done by disconnecting the nonlinear part and then solving the linear part for individual harmonics separately. The resulting vector, denoted by $\hat{\bar{V}}_L$, is then transformed to the actual adjoint excitations

of the overall circuit (including both linear and nonlinear parts) to be incorporated in (5) instead of \bar{e} . The final equation takes the form

$$\bar{J}^T \hat{\bar{V}} = \bar{Y}^T \hat{\bar{V}}_L, \quad (6)$$

where \bar{Y} is the split real/imaginary nodal Y matrix for all harmonics. The solution of (5) or (6) provides the adjoint voltages at the external ports at the highest level of the hierarchy. Then, we determine the internal adjoint voltages from the equation

$$A^T(k) \begin{bmatrix} \hat{V}_i(k) \\ \hat{I}(k) \end{bmatrix} = \begin{bmatrix} 0 \\ -V(k) \end{bmatrix}. \quad (7)$$

Equation (7) is used iteratively down the levels of the hierarchy until all desired adjoint voltages are found. Notice that the LU factors of $A(k)$ are already available from (1).

SENSITIVITY EXPRESSIONS

Suppose a variable x belongs to branch b . We have derived the following formula for computing the exact sensitivity of V_{out} w.r.t. x ,

$$\frac{\partial \bar{V}_{out}}{\partial x} = \begin{cases} -\sum_k \text{Real} [\hat{V}_b(k) V_b^*(k) G_b^*(k)] & (8a) \\ -\sum_k \text{Real} [\hat{V}_b(k) G_b^*(k)] & (8b) \\ -\sum_k \text{Imag} [\hat{V}_b(k) G_b^*(k)] & (8c) \end{cases}$$

where: (8a) if $x \in$ linear subnetwork; (8b) if $x \in$ nonlinear VCCS or nonlinear resistor or real part of a complex driving source; (8c) if $x \in$ nonlinear capacitor or imaginary part of a complex driving source; and $*$ denotes the complex conjugate. Complex quantities $V_b(k)$ and $\hat{V}_b(k)$ are the voltages of branch b at harmonic k and are obtained from vectors \bar{V} and $\hat{\bar{V}}$, respectively. $G_b(k)$ denotes the sensitivity expression of the element containing variable x . A list of various cases of $G_b(k)$ is given in Table I.

Our sensitivity formula (8) has no restrictions on the selection of harmonic frequencies or the time samples. In a multi-tone case, the index k in (8) corresponds to all the harmonics used in the harmonic equation (2). When the multidimensional Fourier transform is used, we place a multi-dimensional summation in (8).

Discussion

To approximate the sensitivities using the traditional perturbation method, one needs a circuit simulation for each variable. The best possible situation for this method is that all simulations finish in one iteration. For our exact adjoint sensitivity analysis, the major computation, i.e., solving the adjoint equations, is done only once for all variables. A detailed comparison reveals that the worst case for our approach takes less computation than the best situation of the perturbation method. In our experiment, we used only 1.6% of the CPU time required by the perturbation method to obtain all sensitivities.

The novel formula (8) can be used as a key to formulate the gradient vectors for design optimization and yield maximization of nonlinear circuits. Table II lists the gradients of a FET mixer conversion gain w.r.t. various variables, expressed as simple functions of $\partial V_{out}/\partial x$.

TABLE I. SENSITIVITY EXPRESSIONS

Type of Element*	Expression for $G_b(k)$	Applicable Equation
linear G	1	(8a)
linear R	$-1/R^2$	(8a)
linear C	$j\omega_k$	(8a)
linear L	$-1/(j\omega_k L^2)$	(8a)
nonlinear VCCS or resistor $i = i(v(t), x)$	[kth Fourier coefficient of $\partial i/\partial x$]	(8b)
nonlinear capacitor $q = q(v(t), x)$	ω_k [kth Fourier coefficient of $\partial q/\partial x$]	(8c)
current driving source	1	(8b) or (8c)+
voltage driving source	$\frac{1}{\text{source impedance}}$	(8b) or (8c)+

* element is in branch b and contains x

+ (8b) for the real part and (8c) for the imaginary part of the driving source

ω_k is the kth harmonic angular frequency

A MESFET MIXER EXAMPLE

The MESFET mixer example reported in [6] was used to verify our theory. Fig. 3 shows the large-signal MESFET model. The frequencies are $f_{LO} = 11$ GHz, $f_{RF} = 12$ GHz and $f_{IF} = 1$ GHz. The DC bias voltages are $V_{GS} = -0.9$ V and $V_{DS} = 3.0$ V. With LO power $P_{LO} = 7$ dBm and RF power $P_{RF} = -15$ dBm, the conversion gain was 6.4 dB. 26 variables were considered including all parameters in the linear as well as the nonlinear parts, DC bias, LO power, RF power, IF, LO and RF terminations. Exact sensitivities of the conversion gain w.r.t. all the variables are computed using our novel theory.




Fig. 3 A large signal MESFET model [6].

TABLE II. GRADIENTS OF MIXER CONVERSION GAIN

Variable x	Gradient Expression
RF power	$c \text{ Real}((\partial V_{out}/\partial x)/V_{out}) - 1$
$R_g(f_{RF})$	$c \text{ Real}((\partial V_{out}/\partial x)/V_{out}) + c/(2R_g(f_{RF}))$
$R_d(f_{IF})$	$c \text{ Real}((\partial V_{out}/\partial x)/V_{out} - 1/(R_d(f_{IF}) + jX_d(f_{IF}))) + c/(2R_d(f_{IF}))$
$X_d(f_{IF})$	$c \text{ Real}((\partial V_{out}/\partial x)/V_{out} - j/(R_d(f_{IF}) + jX_d(f_{IF})))$
any other parameter	$c \text{ Real}((\partial V_{out}/\partial x)/V_{out})$

$c = 20/\ln 10$

R and X represent the real and the imaginary parts of the impedance terminations, respectively. Subscripts g and d represent the gate and the drain terminations, respectively.

complex quantity $\partial V_{out}/\partial x$ is obtained by solving (5) - (8) twice, once for the real part and the other for the imaginary part. The LU factors of J and the Fourier transforms of element sensitivities are common between the two operations.

The results were in excellent agreement with those from the perturbation method, as shown in Table III. The circuit was solved in 22 seconds on a VAX 8600. The CPU time for sensitivity analysis using our method and the perturbation method are 3.7 seconds and 240 seconds, respectively.

The dangling node between the nonlinear elements C_{gs} and R_i , a case which could cause trouble in HB programs, is directly accommodated in our approach.

Fig. 4 shows selected sensitivities vs. LO power. For example, as LO power is increased, conversion gain becomes less sensitive to changes in gate bias V_{GS} .




Fig. 4 Sensitivities of conversion gain w.r.t. bias voltages as functions of LO power.

TABLE III. NUMERICAL VERIFICATION

Variable	Exact Sensitivity	Numerical Sensitivity	Difference (%)
Linear subnetwork:			
C_{ds}	2.23080	2.23042	0.02
C_{gd}	-29.44595	-29.44659	0.00
C_{de}	0.00000	0.00000	0.03
R_g	3.17234	3.17214	0.01
R_d	6.42682	6.42751	0.01
R_s	11.50766	11.50805	0.00
R_{de}	-0.02396	-0.02412	0.66
L_g	-0.50245	-0.50346	0.20
L_d	-0.20664	-0.20679	0.07
L_s	1.15334	1.15333	0.00
Nonlinear subnetwork*:			
C_{gs0}	-6.17770	-6.17786	0.00
τ	0.49428	0.49414	0.03
V_ϕ	-20.85730	-20.85758	0.00
V_{p0}	-26.48210	-26.48041	0.01
V_{dss}	0.01064	0.01028	3.33
I_{dsp}	9.93696	9.93680	0.00
Bias and driving sources:			
V_{GS}	-31.62080	-31.62423	0.01
V_{DS}	-2.17821	-2.17823	0.00
P_{LO}	2.76412	2.76412	0.00
P_{RF}	-0.05401	-0.05392	0.16
Terminations:			
$R_g(f_{LO})$	0.06671	0.06657	0.22
$X_g(f_{LO})$	0.37855	0.37854	0.00
$R_g(f_{RF})$	0.78812	0.78798	0.02
$X_g(f_{RF})$	0.45120	0.45119	0.00
$R_d(f_{IF})$	0.71451	0.71436	0.02
$X_d(f_{IF})$	0.10886	0.10871	0.14

* Nonlinear elements are characterized by

$$C_{gs}(v_1) = C_{gs0} / \sqrt{1 - v_1 / V_\phi},$$

$$R_i(v_1)C_{gs}(v_1) = \tau$$

and the function for $i_m(v_1, v_2)$ is consistent with [6]. V_ϕ , V_{p0} , V_{dss} and I_{dsp} are parameters in the function $i_m(v_1, v_2)$.

CONCLUSIONS

Our formula (8a) encompasses the adjoint network approach in the frequency domain [12,13], a standard for exact sensitivity analysis of linear circuits, as a special case. Since the simulation of nonlinear circuits is expensive, gradient approximations for nonlinear circuits using repeated simulation is very costly. Consequently, the adjoint sensitivity analysis becomes far more significant for nonlinear circuits than for linear ones. Our theory will greatly facilitate the design optimization and yield maximization of nonlinear circuits.

REFERENCES

- [1] V. Rizzoli, A. Lipparini and E. Marazzi, "A general-purpose program for nonlinear microwave circuit design", *IEEE Trans. Microwave Theory Tech.*, vol. MTT-31, pp. 762-769, 1983.
- [2] W.R. Curtice and M. Ettenberg, "A nonlinear GaAs FET model for use in the design of output circuits for power amplifiers", *IEEE Trans. Microwave Theory Tech.*, vol. MTT-33, pp. 1383-1394, 1985.
- [3] W.R. Curtice, "Nonlinear analysis of GaAs MESFET amplifiers, mixers, and distributed amplifiers using the harmonic balance technique", *IEEE Trans. Microwave Theory Tech.*, vol. MTT-35, pp. 441-447, 1987.
- [4] R.J. Gilmore and F.J. Rosenbaum, "Modelling of nonlinear distortion in GaAs MESFETs", *IEEE Int. Microwave Symp. Digest* (San Francisco, CA), pp. 430-431, 1984.
- [5] R. Gilmore, "Nonlinear circuit design using the modified harmonic balance algorithm", *IEEE Trans. Microwave Theory Tech.*, vol. MTT-34, pp. 1294-1307, 1986.
- [6] C. Camacho-Penalosa and C.S. Aitchison, "Analysis and design of MESFET gate mixers", *IEEE Trans. Microwave Theory Tech.*, vol. MTT-35, pp. 643-652, 1987.
- [7] K.S. Kundert and A. Sangiovanni-Vincentelli, "Simulation of nonlinear circuits in the frequency domain", *IEEE Trans. Computer-Aided Design*, vol. CAD-5, pp. 521-535, 1986.
- [8] F. Filicori, V.A. Monaco and C. Naldi, "Simulation and design of microwave class-C amplifiers through harmonic analysis", *IEEE Trans. Microwave Theory Tech.*, vol. MTT-27, pp. 1043-1051, 1979.
- [9] R.G. Hicks and P.J. Khan, "Numerical analysis of subharmonic mixers using accurate and approximate models", *IEEE Trans. Microwave Theory Tech.*, vol. MTT-30, pp. 2113-2120, 1982.
- [10] M.S. Nakhla and J. Vlach, "A piecewise harmonic balance technique for determination of periodic response of nonlinear systems", *IEEE Trans. Circuits Syst.*, vol. CAS-23, pp. 85-91, 1976.
- [11] K.S. Kundert, G.B. Sorokin and A. Sangiovanni-Vincentelli, "Applying harmonic balance to almost-periodic circuits", *IEEE Trans. Microwave Theory Tech.*, vol. MTT-36, pp. 366-378, 1988.
- [12] S.W. Director and R.A. Rohrer, "The generalized adjoint network and network sensitivities", *IEEE Trans. Circuit Theory*, vol. CT-16, pp. 318-323, 1969.
- [13] L.O. Chua and P.M. Lin, *Computer-Aided Analysis of Electronic Circuits*. Englewood Cliffs, NJ: Prentice-Hall, 1975.