

No. SOC-232

ADVANCES IN SIMULATION AND OPTIMIZATION OF ELECTRICAL NETWORKS

M.R.M. Rizk

August 1979

ADVANCES IN SIMULATION AND OPTIMIZATION
OF ELECTRICAL NETWORKS

ADVANCES IN SIMULATION AND OPTIMIZATION
OF ELECTRICAL NETWORKS

by

M.R.M. RIZK, M.ENG.

A Thesis

Submitted to the School of Graduate Studies

in Partial Fulfilment of the Requirements

for the Degree

Doctor of Philosophy

McMaster University

May 1979

DOCTOR OF PHILOSOPHY (1979)
(Electrical Engineering)

McMASTER UNIVERSITY
Hamilton, Ontario

TITLE: ADVANCES IN SIMULATION AND OPTIMIZATION OF
 ELECTRICAL NETWORKS

AUTHOR: Mohamed Rizk Mohamed Rizk, B.Sc. (E.E.)
 (Alexandria University)

 M.Eng.
 (McMaster University)

SUPERVISOR: J.W. Bandler, Professor of Electrical Engineering

 B.Sc. (Eng.), Ph.D., D.Sc. (Eng.)

 (University of London)

 D.I.C. (Imperial College)

 P.Eng. (Province of Ontario)

 C.Eng., F.I.E.E. (United Kingdom)

 Fellow, I.E.E.E.

NUMBER OF PAGES: xv, 208

ABSTRACT

This thesis addresses itself to two main veins of computer-aided design of electrical networks, namely, simulation and optimization. A critical review of the state of the art in simulation approaches to networks for analysis and sensitivity evaluation, design concepts and optimization algorithms, is presented. A new approach for the simulation and design of lumped networks in the time domain is presented. The approach is based on the transmission-line matrix method of numerical analysis. The exploitation of general simulators which can be used as a tool in the integrated design process of electrical networks is given with specific examples. A new approach for the analysis and design of cascaded networks has been developed. This approach proves to be efficient and very useful for sensitivity and tolerance analysis. The approach has also been generalized to 2p-port cascaded networks.

ACKNOWLEDGEMENTS

The author wishes to express his sincere appreciation to Dr. J.W. Bandler for his constant and expert guidance and supervision throughout the course of this work. He also thanks Dr. E. Della Torre and Dr. P.C. Chakravarti, members of his supervisory committee, for their continuing interest.

Thanks are due to my former colleague, Dr. H.L. Abdel-Malek for many stimulating discussions, the use of his multidimensional approximation algorithms in the example of Chapter 5, and the verification of the CSEF circuit analysis by the state-space approach. The author is grateful to Dr. P.B. Johns of the University of Nottingham, England, for his cooperation in the work presented in Chapter 3. Thanks are also due to Z.S. Elrazaz for his contribution to the ideas in Chapter 4 and for obtaining the numerical results for the active filter example.

The author acknowledges useful discussions with Dr. W. Kinsner of the University of Manitoba. Discussions with Dr.S. Chisholm concerning the use of the general analysis program SPICE2 are also acknowledged.

It is the author's pleasure to acknowledge the inspiring discussions with his colleagues M. Abu-El-Magd, S. Azim, Dr. R.M. Biernacki, M. El-Kady, H. El-Sherief, O. Ibrahim, A.E. Salama and Dr. H. Tromp.

The financial assistance provided by the Natural Sciences and Engineering Research Council of Canada through grant A7239 and the Department of Electrical Engineering through a Teaching Assistantship is gratefully acknowledged.

Thanks are due to G. Kappel for his excellent drawings. Ms. N. Sine and Miss P. Dillon are thanked for their expert typing of this manuscript.

TABLE OF CONTENTS

	PAGE
ABSTRACT	iii
ACKNOWLEDGEMENTS	iv
LIST OF FIGURES	x
LIST OF TABLES	xiv
CHAPTER 1: INTRODUCTION	1
CHAPTER 2: SIMULATION AND OPTIMIZATION OF ELECTRICAL NETWORKS: A CRITICAL REVIEW	5
2.1 Introduction	5
2.2 Methods of Analysis	6
2.2.1 Linear Networks in the Frequency Domain (the A.C. Case)	6
2.2.2 Linear Networks in the Time Domain	9
2.2.3 Nonlinear Networks: the D.C. Case	10
2.2.4 Nonlinear Networks in the Time Domain	12
2.3 Response Function Derivatives	13
2.4 Large-change Sensitivity	16
2.5 Design Specifications and Error Functions	19
2.6 Optimization Approaches in Circuit Design	29
2.6.1 Nonlinear Programming Approach	29
2.6.2 The GRG Method	31
2.6.3 Least pth Optimization	33
2.6.4 Generalized Least pth Objective	34
2.6.5 Least pth Objective and Nonlinear Programming	39
2.6.6 Minimax Approximation via Linear Programming	42
2.6.7 Minimax Optimization of Constrained Problems	46

TABLE OF CONTENTS (continued)

	PAGE
2.6.8 Other Methods	47
2.7 Centering, Tolerancing and Tuning	48
2.7.1 Definitions	49
2.7.2 Worst-case Design	53
2.7.3 Fixed Tolerance Problem	54
2.7.4 Variable Tolerance Problem	55
2.7.5 Tolerancing and Tuning	57
2.7.6 Uncertainties	60
2.7.7 Design with Yield Less than 100 Percent	62
2.7.8 Related Work and Extensions	64
CHAPTER 3: TRANSMISSION-LINE MODELING AND SENSITIVITY EVALUATION FOR LUMPED NETWORK SIMULATION AND DESIGN IN THE TIME DOMAIN	67
3.1 Introduction	67
3.2 Transmission-line Modeling	68
3.2.1 Link Modeling	68
3.2.2 Stub Modeling	75
3.3 Discussion	79
3.4 Example	81
3.5 Compensation of Errors	83
3.6 Sensitivity Evaluation	85
3.6.1 First-order Sensitivities	88
3.6.2 Second-order Sensitivities	90
3.7 Examples	90
3.8 Sensitivities w.r.t. Time and T	92
3.9 Conclusions	101

TABLE OF CONTENTS (continued)

	PAGE
CHAPTER 4: EFFICIENT USE OF SIMULATION PROGRAMS IN THE ANALYSIS OF COMPLICATED NETWORKS	102
4.1 Introduction	102
4.2 The Use of General Simulators	103
4.3 Examples	106
4.3.1 An Active Filter	106
4.3.2 A Current Switch Emitter Follower	113
4.4 Conclusions	121
CHAPTER 5: ANALYSIS AND SENSITIVITY EVALUATION FOR CASCADED STRUCTURES	122
5.1 Introduction	122
5.2 Theoretical Foundation	124
5.2.1 Reference Planes	128
5.3 Network Functions in Terms of Elements Under Consideration	131
5.4 First- and Second-order Sensitivities	137
5.5 The Evaluation of V_L and its Sensitivities w.r.t. Design Parameters at all Vertices of the Tolerance Region	138
5.6 Branched Circuits	140
5.7 Algorithms	144
5.7.1 Two Algorithms for Evaluation of Large Changes	144
5.7.2 First- and Second-Order Sensitivities	151
5.7.3 Response Value and its Derivatives w.r.t. all Variable Parameters, at all Vertices of the Tolerance Region	156
5.8 Numerical Example	158
5.9 Cascaded Networks of 2p-Port Elements	166

TABLE OF CONTENTS (continued)		PAGE
5.10	Conclusions	173
CHAPTER 6:	CONCLUSIONS	177
APPENDIX A	CENTRAL DIFFERENCE FORMULA APPROXIMATING FIRST-ORDER DERIVATIVE	180
APPENDIX B	DATA SUPPLIED TO SPICE2 FOR THE CSEF CIRCUIT	181
B.1	With the Equivalent Circuit of the Emitter Junction	181
B.2	With Built-in Transistor Models	182
APPENDIX C	FORMULAS RELATING THE LOAD VOLTAGES OF THE BRANCHES TO THE VARIABLE ELEMENTS	183
C.1	To Obtain V_{BL} as a Function of V_S and B	183
C.2	To Obtain V_{BL} as a Function of V_S and C	185
C.3	To Obtain V_{CL} as a Function of V_S and C	186
C.4	To Obtain V_{CL} as a Function of V_S and B	187
REFERENCES		188
AUTHOR INDEX		199
SUBJECT INDEX		204

LIST OF FIGURES

FIGURE		PAGE
2.1	A cascaded network, consisting of two-port sub-networks connected in cascade, with conventional directions of currents and voltages	8
2.2	An amplifier design problem indicating (a) an applied voltage $V_1(j\omega)$ and output voltage $V_2(j\omega)$, where ω is the frequency and $j = \sqrt{-1}$, (b) a possible gain specification for the amplifier	20
2.3	The response function of a bandpass filter violating upper and lower specifications	22
2.4	An example of multiple objectives in filter design, (a) the insertion loss specification in the frequency domain of a lowpass filter, (b) an impulse response specification in the time domain of the lowpass filter	24
2.5	Multidimensional specifications, (a) a possible specification for a two-dimensional digital filter, (b) upper and lower specifications for an amplifier to be designed to operate over a specified temperature range	28
2.6	A tolerance region R_c inscribed in the constraint region R_c . If $\epsilon = 0$ the conventional nominal design problem is implied	52
2.7	An illustration of the constraint, tolerance and tuning regions and a possible outcome ϕ . If $t = 0$ we recover the essential features of Fig. 2.6	59
3.1	Lossless transmission-line models of a series inductor and a shunt capacitor	69
3.2	Lumped network and link transmission-line model	72
3.3	Stub models of an inductor and a capacitor	77
3.4	Lumped network and transmission-line stub model	78
3.5	Example of two simple subnetworks	80

FIGURE	LIST OF FIGURES (continued)	PAGE
3.6	LC lowpass filter and different types of models (a) the filter, (b) link model, (c) stub model, (d) mixed model	82
3.7	An inductor with two capacitors representing modeling error	85
3.8	Chebyshev filter with 7 elements	87
3.9	Optimization using TLM analysis. Starting point a: $L_2 = L_4 = 0.5$, $C_3 = 1.0$. Starting point b: $L_2 = L_4 = 0.8$, $C_3 = 2.2$	91
3.10	Optimization using TLM analysis. Starting point $L_2 = L_4 = C_3 = 1.0$. Solution $L_2 = L_4 = 0.76646$, $C_3 = 2.3739$	93
3.11	Representation of response w.r.t. t and T	96
4.1	Arrangement of the base points w.r.t. the centers of interpolation regions in (a) two dimensions and (b) three dimensions	105
4.2	A circuit supplied to SPICE2, which is the original circuit repeated $(k+1)(k+2)/2$ times with appro- priate parameter values	107
4.3	Tunable active filter with $R_g = 50 \Omega$, $R = 75 \Omega$ and one-pole roll-off for $A(\frac{g}{s})$	108
4.4	Equivalent circuit for nodal analysis of the circuit of Fig. 4.3	110
4.5	Equivalent circuit for SPICE2 analysis of the circuit of Fig. 4.3	111
4.6	Response of the active filter at a point in the interpolation region	112
4.7	Current switch emitter follower (CSEF) circuit	114
4.8	The transistor model	115
4.9	Transistor model described to SPICE2	119

LIST OF FIGURES (continued)

FIGURE		PAGE
4.10	Input voltage and responses of CSEF with different methods of analysis	120
5.1	Notation for an element in the chain, indicating reference directions and voltage and current variables	124
5.2	Forward and reverse analyses of a cascaded network with source and load impedances assumed constant	126
5.3	Subnetwork i cascaded with subnetworks k (at source end) and j (at load end)	126
5.4	Forward iteration for Fig. 5.3, transferring an equivalent source accounting for design variables from subnetwork k from one reference plane to the other	130
5.5	Reverse iteration for Fig. 5.3, transferring an equivalent source accounting for design variables from subnetwork j from one reference plane to the other	130
5.6	An example of a cascaded circuit with a branch connected in series and a branch connected in parallel. Branches are represented in the cascade by their equivalents. Reference planes where different analyses are initiated are labelled	141
5.7	Illustration for a cascade of 6 two-ports of the principal stages in the calculations involved in the multiple pairwise changes algorithm. Three variable elements are considered, hence three sets of simultaneous analyses are effectively performed	147
5.8	Illustration of the principal stages in the calculation of first- and second-order sensitivities w.r.t. three variable elements $g_i \triangleq \partial Q_{11} / \partial \phi_i, \quad i = 1, 2, 3$ $S_{ij} \triangleq \partial^2 Q_{11} / \partial \phi_i \partial \phi_j, \quad i, j = 1, 2, 3$	153
5.9	Illustration of the principal stages of Algorithm 4	157

LIST OF FIGURES (continued)

FIGURE		PAGE
5.10	Seven-section filter containing unit elements and stubs. All sections are quarter-wave at 2.175 GHz	159
5.11	A 2p-port element: a generalization of Fig. 5.1	168
5.12	Equivalent Thevenin voltages and impedances for a subnetwork consisting of 2p-port elements	174

LIST OF TABLES

TABLE		PAGE
2.1	Types of electrical networks and numerical methods of solution	11
3.1	Incident and reflected pulses of the circuit in Fig. 3.6(b)	84
3.2	Comparison between different methods of integration and TLM modeling with and without compensation	86
3.3	Component values of the filter shown in Fig. 3.8 before and after compensation	87
3.4	$1/k \left. \frac{\partial f}{\partial T} \right _k$ obtained from the TLM routine versus $\frac{\partial f}{\partial t}$ by central differences where $T = 0.1$	97
3.5	A comparison between $\frac{\partial f}{\partial T}$ for constant k obtained by TLM and perturbation	99
3.6	Using $\Delta f / \Delta T$ to predict response for $T = 0$	99
3.7	Using $\frac{\partial f}{\partial T}$ to predict response for $T = 0$	100
4.1	The center base point and the size of the interpolation region for the quadratic approximation of the response of the active filter of Fig. 4.3	113
4.2(a)	Circuit parameter values	116
4.2(b)	Diode model parameters	116
4.2(c)	Transistor model parameters	117
4.2(d)	Transmission-line parameters	117
5.1	Principal concepts involved in the analyses	125
5.2	Notation and implied initial conditions	134
5.3	Analyses required by certain terms	135

LIST OF TABLES (continued)		PAGE
TABLES		
5.4	Functions of input current I_S and output voltage V_L for changes in A only	136
5.5	Comparison of second-order sensitivities with different approaches	166
5.6	The response V_L and its sensitivities at the vertices of the tolerance region at normalized frequency 0.7	167

CHAPTER 1

INTRODUCTION

Methods of analysis and sensitivity evaluation for electrical circuits in the time domain and cascaded circuits in the frequency domain are the subjects of this thesis. Analysis and sensitivity evaluation form an integral part of any computer-aided circuit design scheme.

The circuit design problem can be classified into two types. The first is the classical type, used during the last decade, from which we obtain one set of circuit parameter values. This set of parameter values let the desired circuit response (or responses) meet optimally the given specifications. Converting the results obtained to the real world can be either very difficult or very expensive especially if mass production is anticipated. This is due to the high price of elements, if they are available, with very precise values. This suggests the second type which considers the problem more seriously from the manufacturing point of view. In this case tolerances on design parameters, post-production tuning of certain components and yield maximization can be considered. This in turn leads to a more sophisticated problem where a nominal set of parameters and their associated manufacturing tolerances (and/or tuning) are the outcomes. Both types of design have these steps in common

- a) numerical circuit analysis,
- b) first-order sensitivities (needed for the optimization process),
- c) large-change sensitivities.

This thesis addresses the time-domain analysis of linear lumped networks and the sensitivity of the response w.r.t. design variables, the use of general simulators to obtain the quadratic approximation of a circuit response which is further used in the design procedure, and the response and sensitivity analysis for cascaded networks in the frequency domain.

Chapter 2 presents a review of existing methods of circuit analysis, sensitivity analysis and optimization. Different problem formulations are also given. A section in the chapter is devoted to the presentation and formulation of the problem with practical considerations. Similar problem formulations and methods, which were not developed by electrical engineers but which deal with the same type of problem, are briefly discussed.

A new approach for time-domain analysis and first-order sensitivities of lumped networks is presented in Chapter 3. The lumped elements are modeled by transmission-line sections or stubs and the modeled network is analyzed by the transmission-line matrix (TLM) method, which provides an exact solution to the model. Compensation of errors arising in modeling the network elements is discussed in this chapter. Sensitivities of the model's response w.r.t. design variables, time and time step are

derived. Advantages of this method over existing methods are mentioned.

Chapter 4 deals with the use of general simulators and their exploitation to obtain the response (of any general network) at different points in the parameter space. These response values are subsequently used to obtain a multidimensional polynomial approximating the response function within an interpolation region. The design is then performed using the polynomials instead of the real response. For this approach the sensitivities w.r.t. design variables are obtained from the polynomial approximation directly. Two specific examples are given in this chapter.

An exact and efficient approach to network analysis for cascaded structures is presented in Chapter 5. It is very useful for differential and large-change sensitivity evaluations. It facilitates the exploitation of symmetry to reduce computational effort for the analysis. Algorithms for evaluating first- and second-order sensitivities, the effect of a multiple of simultaneous large changes in the variable parameters, and the evaluation of the response, as well as the sensitivity of the response, at the vertices of a tolerance region are given in this chapter. It is also shown how responses at different loads in branched networks, which may be connected in series or in parallel with the main cascade, can be obtained analytically in terms of the variable elements. The approach has also been generalized to

deal with 2p-port cascaded elements.

Appendix A includes a finite difference formula used to approximate the first-order derivative of the time-domain response w.r.t. time needed in Table 3.7.

The data supplied to the general simulator SPICE2 for the analysis of the current switch emitter follower example in Chapter 4 is shown in Appendix B. Appendix C includes the derivations for the formulas in Chapter 5, Section 5.6, for the branched circuits.

Original contributions claimed for this thesis are:

- (1) A complete exposition of the design problem of electrical circuits and suitable methods of formulation.
- (2) A critical review of optimization methods, used in the design of circuits, developed by electrical engineers.
- (3) The development of a new method for analysis and sensitivity evaluation of lumped linear circuits in the time domain.
- (4) The illustration of efficient exploitation of general circuit simulators in the design procedure.
- (5) A new approach to the analysis and sensitivity evaluation of cascaded networks.
- (6) Algorithms which employ this new approach and their use in the design of cascaded networks.

CHAPTER 2

SIMULATION AND OPTIMIZATION OF ELECTRICAL NETWORKS:

A CRITICAL REVIEW

2.1 Introduction

The classical computer-aided circuit design problem can be stated as follows: after choosing the appropriate circuit topology (configuration) with known components, find a single set of designable parameter values which let the circuit response or performance optimally meet some given specifications.

The problem may be reformulated as a nonlinear programming problem (minimizing an objective function subject to constraints) where the objective and constraints embody the design criteria. The objective function itself is usually of the least squares, least pth or minimax form.

The evaluation of a suitable objective function involves the evaluation of the response function $F(\underline{\phi}, \underline{\psi})$, which is a function of the network parameters $\underline{\phi}$ (resistors, capacitors, inductors, emitter area of integrated circuits transistor, etc.) and of other independent variables $\underline{\psi}$ (frequency, time, temperature, tunable network elements, etc.). The function $F(\underline{\phi}, \underline{\psi})$ is usually assumed to be continuous in the ranges of $\underline{\phi}$ and $\underline{\psi}$ of interest. Performance specifications are usually functions of $\underline{\psi}$ only, whereas design constraints are generally functions of $\underline{\phi}$.

This chapter reviews the methods and techniques of each step involved in the design procedure, namely the response evaluation (or circuit analysis), derivative evaluation (differential sensitivity), large-change sensitivity, objective formulation and design specification, and optimization approaches used in the design of electronic circuits.

The last section deals with optimal design when certain additional practical engineering problems are considered. The centering problem formulated in a nonlinear programming form is presented. Further practical considerations such as tuning, tolerance assignment under model and environmental uncertainties are discussed.

The difficulties facing the designer wishing to avail himself of efficient nonlinear programming aids are elaborated on. Further development of available algorithms and problem formulations which can improve the state of the art are suggested in Chapter 6.

2.2 Methods of Analysis

2.2.1 Linear Networks in the Frequency Domain (the A.C. Case)

A linear network is described by a set of linear equations of the form

$$\underline{A} \underline{x} = \underline{b}, \quad (2.1)$$

where \underline{A} is the matrix describing the circuit (with complex

coefficients) and can be the nodal admittance matrix \tilde{Y} , the mesh impedance matrix \tilde{Z} or the tableau matrix (Hachtel, Brayton and Gustavson 1971). \tilde{x} is the unknown vector consisting of voltages, currents or both, \tilde{b} is a known vector consisting essentially of sources exciting the circuit. An important feature of the matrix \tilde{A} is that it is sparse for large networks. The sparsity of the matrix increases with the size of the network. Sparse matrix techniques (see Duff 1977) for storing the matrix \tilde{A} and for the near-optimum ordering of the equations, are usually used. The reordering of the equations is performed so as to preserve the sparsity and to reduce the number of fill-ins (created nonzero elements which were formerly zeros) during the LU decomposition, which is often used to solve these equations. At each frequency point of interest the matrix \tilde{A} is rebuilt and the set of equations resolved. Only the numerical values of the entries of the \tilde{L} and \tilde{U} matrices, where $\tilde{A} = \tilde{L}\tilde{U}$, are changing but their structures remain fixed.

For certain circuits special methods may be more efficient than general methods of analysis. As an example, cascaded networks, such as the one shown in Fig. 2.1, are analyzed by the transmission or chain matrix, where each element is considered as a two-port subnetwork described by a 2x2 matrix of the form

$$\begin{bmatrix} V_1 \\ I_1 \end{bmatrix} = \begin{bmatrix} A & B \\ C & D \end{bmatrix} \begin{bmatrix} V_2 \\ -I_2 \end{bmatrix}, \quad (2.2)$$

which relates the input to the output of each two-port subnetwork.




Fig. 2.1 A cascaded network, consisting of two-port subnetworks connected in cascade, with conventional directions of currents and voltages.

The analysis is carried out by assuming a current through the load with a value of one (hence the voltage across the load can be known) and by successive matrix multiplication we can obtain the information at the input (the source) end. Suppose that the computed voltage at the source end is V_{Sc} and the actual source voltage is V_{Sa} . Since the network is linear, the actual values for all voltages and currents are found by multiplying the computed values by the factor V_{Sa}/V_{Sc} (Bandler, Rizk and Tromp 1976, Bandler, Popović and Jha 1974, Green 1969, Parker 1969).

A special case of the linear A.C. analysis is the D.C. analysis of resistive networks. The equations, which are real in this case, are set up in the same way as in the A.C. case and then solved once.

2.2.2 Linear Networks in the Time Domain

In some problems we are interested in the transients of the circuit and the analysis has to be carried out in the time domain. The network equations describing the linear network, using the state-variable approach (Chua and Lin 1975) which is commonly used, are

$$\dot{\underline{x}} = \underline{A}\underline{x} + \underline{B}\underline{u}, \quad (2.3)$$

$$\underline{y} = \underline{C}\underline{x} + \underline{D}\underline{u}, \quad (2.4)$$

where \underline{A} is a coefficient matrix relating the state vector \underline{x} (capacitor voltages and inductor currents, for example) to its time derivative $\dot{\underline{x}}$, and \underline{B} is a coefficient matrix coupling the effects of the independent source vector \underline{u} . Equation (2.4) gives the output vector \underline{y} , where \underline{C} and \underline{D} are coefficient matrices. Equation (2.3) is a set of first-order differential equations whose solution is given by

$$\underline{x}(t) = e^{\underline{A}t} \int_{t_0}^t e^{-\underline{A}\tau} \underline{B} \underline{u}(\tau) d\tau + e^{\underline{A}(t-t_0)} \underline{x}(t_0), \quad (2.5)$$

and the output vector is

$$\underline{y}(t) = \underline{C} e^{\underline{A}(t-t_0)} \underline{x}(t_0) + \left\{ \underline{C} e^{\underline{A}t} \int_{t_0}^t e^{-\underline{A}\tau} \underline{B} \underline{u}(\tau) d\tau + \underline{D} \underline{u}(t) \right\}. \quad (2.6)$$

Different approaches to evaluating $e^{\underline{A}t}$ and the integrals in (2.5)

and (2.6) exist (Calahan 1972, Chua and Lin 1975, DeRusso, Roy and Close 1966).

A new method for analyzing lumped, linear networks in the time domain has been developed by Bandler, Johns and Rizk (1977). The lumped elements are modeled by their equivalent distributed transmission-line models. The transmission-line network is then analyzed using the TLM (transmission-line matrix) method. This approach avoids the formulation of the state equations of the original network and the evaluation of $e^{\underline{A}t}$ or any integrals.

2.2.3 Nonlinear Networks: the D.C. Case

In the nonlinear D.C. case the network equations are expressed in the form

$$\underline{f}(\underline{x}) = \underline{0}. \quad (2.7)$$

These equations are usually solved by the Newton-Raphson algorithm (see Table 2.1).

Another method, which is equivalent to the Newton-Raphson method, is to linearize the equations describing the nonlinear elements of the circuit. The linearized formulas are then represented by linear elements, called the discrete or the companion elements (Calahan 1972, Chua and Lin 1975) and the resulting linear circuit is analyzed successively until convergence is reached.

Piecewise-linear analysis is also used in solving nonlinear networks (Chua 1971). Other approaches dealing with circuits with

Table 2.1

TYPES OF ELECTRICAL NETWORKS AND NUMERICAL METHODS OF SOLUTION

Network Type	Analysis	Network Equations	Methods of Solution	Features	
Broad electrical network classifications are indicated in this column	D.C. (direct current)			Comments are made relating to the physical, mathematical and numerical nature of the analysis problem	
	A.C. (alternating current)				
	Transient				
	Steady state				
	Linear algebraic				
	Nonlinear algebraic				
	Linear O.D.E.				
	Nonlinear O.D.E.				
	Partial differential equations				
	Gauss, LU factorization				
	State equations				
	Newton-Raphson				
	Piecewise-linear				
	Numerical integration				
Transmission-line Method					
Lumped model					
Fast-Fourier transform					
Special purpose techniques					
linear resistive	X	X	X	X	no energy storage
analog linear dynamic	X	X	X	X	energy storage, time and complex frequency domains are related by Laplace transform
lumped nonlinear resistive	X	X	X	X	no energy storage, contains nonlinear resistors
nonlinear	X	X	X	X	energy storage, contains nonlinear capacitors
dynamic	X	X	X	X	and/or nonlinear inductors
analog distributed linear commensurate and non-commensurate	X	X	X	X	time and complex frequency domains are related by Laplace transform
nonlinear	X	X	X	X	

multiple solutions are described in Branin (1972), Chao, Liu and Pan (1975), and Chua and Ushida (1976).

2.2.4 Nonlinear Networks in the Time Domain

Nonlinear transient networks may be analyzed by different methods. One method is to formulate the state equations of the network, which are ordinary differential equations in the normal form

$$\dot{\underline{x}} = \underline{f}(\underline{x}, t), \quad (2.8)$$

where \underline{x} is the vector of state variables. Equation (2.8) is then solved by a numerical integration scheme. Stability of the integration and its ability to deal with stiff equations (Gear 1971) are some criteria for choosing the integration scheme for the analysis. The tableau approach (Hachtel, Brayton and Gustavson 1971) is another method for solving nonlinear networks. The method discretizes, at the circuit component (branch) level, the derivative operator d/dt , obtaining nonlinear algebraic difference equations solved by the Newton-Raphson algorithm. The process proceeds in two loops, one for solving the nonlinear algebraic difference equations and the next for the time iteration. In the Newton-Raphson iteration a set of linear equations are repeatedly solved and the sparsity of the coefficient matrix of these equations should be taken into consideration.

The nonlinear network problem in the time domain may be reduced to a sequence of D.C. analyses. This is achieved by discretizing the time derivative operator, then replacing the nonlinear elements by their corresponding companion (linearized) elements and solving a D.C. network. The tableau approach and the companion approach have advantages over the state-space approach in the case of large networks. The reason is that formulating the state equations of a large network requires tremendous effort. The TLM method when used for analyzing nonlinear networks shares this advantage with the former two approaches.

This presentation of different types of networks and methods of solutions is summarized in Table 2.1.

2.3 Response Function Derivatives

It is well known that optimization techniques which use derivatives are superior to nongradient techniques if first-order sensitivities are readily available. In order to get the derivatives of the response function $F(\phi, \psi)$, which is a function of certain voltages and/or currents of the circuit, sensitivities of these voltages and/or currents with respect to the variable parameters have to be evaluated. One of the most commonly used approaches to evaluate these sensitivities is the adjoint-network approach (Director and Rohrer 1969a). In this approach an adjoint network is constructed, having the same topology as the original network, and analyzed. The results of both analyses are used to

evaluate the required sensitivities.

As an example, in the frequency domain, if the network is represented by its admittance matrix Y at a frequency point and the equations are $\tilde{Y} \tilde{V} = \tilde{I}$, then the equations representing the adjoint network are

$$\tilde{Y}^T \hat{\tilde{V}} = \hat{\tilde{I}}, \quad (2.9)$$

where

T denotes transpose,

$\hat{\tilde{V}}$ is the vector of node voltages of the adjoint network,

$\hat{\tilde{I}}$ is the current excitation vector of the adjoint network.

\tilde{V} and $\hat{\tilde{V}}$, for example, are substituted into some derived formulas to evaluate the sensitivities (Bandler and Seviara 1970, Director and Rohrer 1969b).

Branin (1973) demonstrated that the sensitivities, in general, can be obtained by matrix manipulation without the need of defining what is termed the adjoint network. Note also that at each frequency two sets of equations are solved. Using the LU decomposition we can achieve some saving by avoiding the decomposition of the matrix transpose (Director 1971). For cascaded networks, an analysis approach newly developed, described in Chapter 5, provides, with little additional computational effort all the information needed to evaluate the required sensitivities. In the linear D.C. case the adjoint network is

linear and both original and adjoint networks are analyzed once to calculate the sensitivities. A nonlinear D.C. network will have an associated linear adjoint network which has to be analyzed.

In the time-domain case sensitivities are much more difficult to evaluate because the equations are in the form of ordinary differential equations. Hachtel and Rohrer (1967) used variational techniques to get an adjoint set of equations which, when solved along with the original set, allow sensitivities to be evaluated. In the adjoint-network approach, if the original network is analyzed in the interval $t = [0, t_f]$, the adjoint network is analyzed in the interval $\tau = [0, t_f]$, where $\tau = [t_f - t]$. The integration involving the adjoint network is backward on the time axis. The formulas for the sensitivities are integral formulas, i.e., in evaluating the sensitivities with respect to k variables, k integrations have to be performed after analyzing the original and adjoint networks. Other methods can be used to evaluate the sensitivities (Parker 1971) but they do not appear easier or more efficient than the adjoint-network approach.

The TLM method can, in parallel with the response evaluation, provide the sensitivity of the time response w.r.t. all the design variables (as is shown in Chapter 3).

An approach developed by Bandler and Abdel-Malek (Abdel-Malek 1977, Bandler, Abdel-Malek, Johns and Rizk 1976, Bandler and Abdel-Malek 1978a) avoids the evaluation of the exact response function derivatives. Multidimensional polynomial

approximations of the response functions are performed using a minimal number of evaluations of the actual functions within an interpolation region. The approximations are used in the optimization process instead of the actual functions. The derivatives of the approximations are efficiently and rapidly obtained. During optimization the approximation is updated in different regions in the space or in smaller interpolation regions as indicated by the optimization or to obtain higher accuracy, respectively.

In some cases the response derivative is evaluated as a second-order sensitivity. An example of such a case is the group delay which is obtained by finding the sensitivity of the output voltage w.r.t. frequency. An approach which makes use of the adjoint-network concept to find the exact group delay sensitivities is described in Rizk (1975) and Bandler, Rizk and Tromp (1976).

2.4 Large-change Sensitivity

Large-change sensitivities are important in the centering and tolerancing problem described in Section 2.7. Here, we are interested in large changes in the variable parameters which often result in a considerable change in the response function.

Fidler (1976) and Schwarz (1977) explored the relationship between large-change and differential sensitivity for bilinear networks (where the network function is a ratio of polynomials).

They showed that two analyses of the network, with the variable element perturbed, in addition to the analysis of the nominal network are required to evaluate any large-change and differential sensitivity of different network functions w.r.t. this element.

Singhal, Vlach and Bryant (1973) expressed the network function (the bilinear function) in terms of the variable parameters explicitly. The approach requires the solution of the network with at most $k+1$ different excitations (where k is the number of variables), evaluation of some of the principal minors of a matrix of order $k+1$ and the solution of two triangular systems of equations. Once the coefficients of the bilinear function is obtained any large change can be easily evaluated.

Gadenz, Rezai-Fakhr and Temes (1973) used the adjoint-network concept for evaluating large-change effects. This approach requires $k+1$ analyses of the adjoint network and the solution of a linear set of equations of order k . For any set of large changes the linear system has to be resolved.

Goddard, Villalaz and Spence (1971) replaced the large change in an element by a current source whose value is identical to the current initially flowing through the change of the element. If the nodal admittance matrix is used for the analysis, only the r.h.s. of the matrix equation is changed. Since the inverse of \underline{Y} (or its LU factorization) is obtained previously for the original analysis, only matrix multiplication by the new current vector (or forward and backward substitution) is required

to obtain the new network response.

Leung and Spence (1975) used matrix inverse modification methods (Householder relations) to evaluate the change in response due to multiparameter large changes.

The new approach presented in Chapter 5 for cascaded networks provides large-change sensitivities without any additional effort (than the analysis). The reason is that the variable parameter can be related explicitly with the network function and hence any change in this function due to a change in the variable can be easily evaluated.

We have to note that the aforementioned approaches are for linear systems in the frequency domain. Rezai-Fakhr and Temes (1975) partitioned the nonlinear network into two parts. The first is the linear nominal circuit described by its pulse-response matrix and the second consists of all independent sources, all element increments and all nonlinear elements pulled out of the network. Combining the circuit relations a reduced set of nonlinear equations is obtained which has to be solved iteratively, at each time step, for each set of large changes.

In the quadratic approximation approach (Bandler and Abdel-Malek 1978a) once the coefficients of the polynomial are obtained (after $(k+1)(k+2)/2$ analyses), any large-change sensitivity can be easily obtained by substituting in the multidimensional polynomial the perturbed parameter value. This value has to lie within the limits of the approximation region,

where the approximation of the response function is assumed to be valid. This approach is approximate but its advantages are that it is very fast and can be applied in the frequency and time domains (Bandler, Abdel-Malek, Dalsgaard, Elrazaz and Rizk 1978).


2.5 Design Specifications and Error Functions

The problem where the response function has to meet a single specification function $S(\psi)$, assuming we have one independent variable ψ , can be demonstrated by an amplifier example. Consider Fig. 2.2(a), in which $V_1(j\omega)$ is the input voltage (voltage of the source) to the amplifier at frequency ω and $V_2(j\omega)$ is the output voltage at the same frequency. The gain of the amplifier, which is a linear circuit, is usually given by


$$F(\phi, \psi) = G(\phi, \omega) \triangleq 20 \log_{10} \left| \frac{V_2(j\omega)}{V_1(j\omega)} \right|. \quad (2.10)$$

The problem is to obtain ϕ which results in a gain as close as possible, in some sense, to a desired gain, for example, such as the one shown in Fig. 2.2(b).

Another situation which is frequently encountered in practice is the problem defined by upper and lower specifications. In filter design, for example, we are generally interested in two band types (consisting of intervals of frequency ω), namely the



(a)



(b)

Fig. 2.2 An amplifier design problem indicating (a) an applied voltage $V_1(j\omega)$ and output voltage $V_2(j\omega)$, where ω is the frequency and $j = \sqrt{-1}$, (b) a possible gain specification for the amplifier.

stopband and the passband. In the stopband the signal is to be prevented from passing through the filter by making the losses as high as possible. This can be expressed by a lower specification (or bound) of large value. In the passband the situation is reversed and it is expressed by an upper specification (or bound) of a small value. Figure 2.3 shows the upper and lower specifications of a bandpass filter and a response function violating these specifications on the interval $[\psi_l, \psi_u]$.

A suitable objective for a problem with upper and lower specifications will reduce the amount by which the actual response fails to meet the specifications, or increase the amount by which the circuit response exceeds the specifications (Bandler 1969).

In electrical circuit design more than one response function might have to meet given specifications. As an example, a circuit can be designed to meet desired specifications in both frequency and time domains. In this case we have more than one independent variable ψ , namely $\psi^1, \psi^2, \dots, \psi^n$, where n is the number of these independent variables. Accordingly, we have n response functions $F^1(\phi, \psi^1), F^2(\phi, \psi^2), \dots, F^n(\phi, \psi^n)$ and n specifications $S^1(\psi^1), S^2(\psi^2), \dots, S^n(\psi^n)$. The corresponding error functions are given by

$$e^j(\phi, \psi^j) = w^j(\psi^j) (F^j(\phi, \psi^j) - S^j(\psi^j)), \quad j = 1, 2, \dots, n, \quad (2.11)$$




Fig. 2.3 The response function of a bandpass filter violating upper and lower specifications.

for the continuous case with w^j as a positive j th weighting function. It is necessary in practice, on a digital computer, to consider a discrete set of samples of ψ , such that satisfying the specification at these sample points implies satisfying them almost everywhere. Thus, for the discrete case, taking I^j as the index set for the j th functions,

$$e_i^j(\phi) \triangleq e^j(\phi, \psi_i^j) = w_i^j(F_i^j(\phi) - S_i^j), \quad i \in I^j \quad (2.12)$$

is the j th error function evaluated at the i th sample point along the ψ^j axis.

In general, we can have upper and lower specifications for each ψ^j . In the design of a lowpass filter, for example, we can have upper and lower specifications in the frequency domain, and a single specification in the time domain. The error functions will be of the form

$$e_u^1(\phi, \psi^1) = w_u^1(\psi^1) (F^1(\phi, \psi^1) - S_u^1(\psi^1)), \quad (2.13)$$

$$e_l^1(\phi, \psi^1) = w_l^1(\psi^1) (F^1(\phi, \psi^1) - S_l^1(\psi^1)), \quad (2.14)$$

$$e^2(\phi, \psi^2) = w^2(\psi^2) (F^2(\phi, \psi^2) - S^2(\psi^2)), \quad (2.15)$$

where the subscripts u and l are for upper and lower specifications, respectively, ψ^1 is the frequency ω and ψ^2 is the time t . Figures 2.4(a) and 2.4(b) show the specifications in the frequency and time domains, respectively.




Fig. 2.4 An example of multiple objectives in filter design, (a) the insertion loss specification in the frequency domain of a lowpass filter, (b) an impulse response specification in the time domain of the lowpass filter.

In the preceding discussion we considered that each response function and each specification is a function of one independent variable ψ^j . In some cases we are confronted with response functions and specifications which are functions of the n independent variables. These variables can for instance, be time and temperature; frequency and a tunable circuit parameter; or frequencies in a two-dimensional frequency response of a two-dimensional digital filter. The response function and the specifications will be $F(\underline{\phi}, \underline{\psi})$ and $S(\underline{\psi})$, respectively, where

$$\underline{\psi} \triangleq \begin{bmatrix} \psi^1 \\ \psi^2 \\ \vdots \\ \psi^n \end{bmatrix}. \quad (2.16)$$

The frequency response function of a two-dimensional lowpass digital filter, for example, of a symmetrically constrained finite impulse response (zero phase) is given by Rabiner, McClellan and Parks (1975), namely,

$$H(e^{j\omega_1}, e^{j\omega_2}) = e^{-j(n_1\omega_1 + n_2\omega_2)} \sum_{k=0}^{n_1} \sum_{\ell=0}^{n_2} a(k, \ell) \cos k\omega_1 \cos \ell\omega_2, \quad (2.17)$$

where the $a(k, \ell)$ are the filter coefficients, and the specifications are

$$S(\omega_1, \omega_2) = \begin{cases} 1 & \omega_1^2 + \omega_2^2 \leq \omega_p^2, \\ 0 & \omega_1^2 + \omega_2^2 \geq \omega_s^2, \end{cases} \quad (2.18)$$

where ω_p and ω_s are the edges of passband and stopband, respectively. In the discrete case the response function evaluated at the i th sample point is denoted by

$$F_i(\underline{\phi}) \triangleq F(\underline{\phi}, \underline{\psi}_i), \quad (2.19)$$

for

$$\underline{\psi}_i = \begin{bmatrix} \psi_i^1 \\ \psi_i^2 \\ \vdots \\ \psi_i^n \end{bmatrix}, \quad i \in I, \quad (2.20)$$

where $\psi_i^1, \psi_i^2, \dots, \psi_i^n$ are the values of the independent variables at the i th sample point in the index set I .

In general, where we have upper and lower specifications, the error functions are generalized to

$$e_{ui}(\underline{\phi}) \triangleq e_u(\underline{\phi}, \underline{\psi}_i) = w_{ui} (F_i(\underline{\phi}) - S_{ui}), \quad i \in I_u, \quad (2.21)$$

$$e_{li}(\underline{\phi}) \triangleq e_l(\underline{\phi}, \underline{\psi}_i) = w_{li} (F_i(\underline{\phi}) - S_{li}), \quad i \in I_l, \quad (2.22)$$

where I_u and I_l are index sets, not necessarily disjoint. These

can be used in a suitable objective for the approximation problem. Figures 2.5(a) and 2.5(b) show two possible cases in two dimensions.

Suppose

$$f_i = \begin{cases} e_{uj}, & j \in I_u, \\ -e_{lk}, & k \in I_l, \end{cases} \quad i \in I, \quad (2.23)$$

where

$$I_u = \{1, 2, \dots, n_u\}, \quad (2.24)$$

$$I_l = \{1, 2, \dots, n_l\}, \quad (2.25)$$

$$I = \{1, 2, \dots, n_u + n_l\}, \quad (2.26)$$

and according to a numbering scheme where the error functions for upper specifications are considered first:

$$j = i \quad \text{if } i \leq n_u, \quad (2.27)$$

$$k = i - n_u \quad \text{if } i > n_u.$$

Let

$$M_f(\phi) \stackrel{\Delta}{=} \max_{i \in I} f_i(\phi). \quad (2.28)$$

Then the sign of $M_f(\phi)$ indicates whether the specifications are satisfied or violated. That is, if

$$M_f(\phi) \begin{cases} > 0 & \text{the specifications are violated,} \\ = 0 & \text{the specifications are just met,} \\ < 0 & \text{the specifications are satisfied.} \end{cases}$$




Fig. 2.5 Multidimensional specifications, (a) a possible specification for a two-dimensional digital filter, (b) upper and lower specifications for an amplifier to be designed to operate over a specified temperature range.

2.6 Optimization Approaches in Circuit Design

Optimization approaches which have been used in circuit design are quite numerous. In this section we review the ones which we feel have been the most significant.

2.6.1 Nonlinear Programming Approach

Optimal design of filters has been treated as a nonlinear programming problem by Lasdon and Waren (1966). By defining an additional independent variable ϕ_{k+1} , where k is the number of variables, Waren, Lasdon and Suchman (1967) formulated the problem as the nonlinear program

$$\text{minimize } \phi_{k+1}$$

subject to

$$\phi_{k+1} \geq e_{ui}, \quad i \in I_u, \quad (2.29)$$

$$\phi_{k+1} \geq -e_{li}, \quad i \in I_l, \quad (2.30)$$

plus all other constraints. At least one of the constraints has to be active at the optimum, otherwise ϕ_{k+1} could be further minimized without violating any of the constraints. If the optimum ϕ_{k+1} is negative then the specifications are satisfied, while if it is positive the specifications are violated. Lasdon

and Waren applied the interior penalty sequential unconstrained minimization technique by Fiacco and McCormick (1968) along with the Fletcher-Powell variable metric method (Fletcher and Powell 1963) to solve this type of problem. This technique has been applied to the design of cascade crystal-realizable lattice filters, linear arrays (Lasdon, Suchman and Waren 1966), planar arrays (Waren, Lasdon and Suchman 1967), and acoustic sonar transducer arrays (Lasdon, Waren and Suchman 1973).

Other penalty functions can also be used along with the Fiacco-McCormick method like the Zangwill penalty function (Zangwill 1967)

$$P(\underline{\phi}, r) = U(\underline{\phi}) + (1/r) \sum_{i=1}^m [X_i(C_i(\underline{\phi}))]^2, \quad (2.31)$$

where

$$X_i(C_i(\underline{\phi})) = [\min(0, C_i(\underline{\phi}))], \text{ if } C_i(\underline{\phi}) = g_i(\underline{\phi}), \quad (2.32)$$

and

$$X_i(C_i(\underline{\phi})) = C_i(\underline{\phi}), \quad \text{if } C_i(\underline{\phi}) = h_i(\underline{\phi}), \quad (2.33)$$

$$m = n_h + n_g, \quad (2.34)$$

which has the advantage of not requiring an initial feasible point and the ability to handle equality constraints. The method is sensitive to the initial choice of r , and ill-conditioning arises when r approaches zero.

Another penalty function is the Powell extension (Powell 1969) to the Zangwill transformation

$$P(\underset{\sim}{\phi}, \underset{\sim}{r}, \underset{\sim}{s}) = U(\underset{\sim}{\phi}) + \sum_{i=1}^m \frac{(X_i(C_i(\underset{\sim}{\phi})) + s_i)^2}{r_i} \quad (2.35)$$

where s_i and r_i are constants during each sequential optimization and $X_i(C_i(\underset{\sim}{\phi}))$ is as defined by (2.32) and (2.33).

The value of s_i is updated by (Powell 1969)

$$s_i^{j+1} = s_i^j + g_i, \quad (2.36)$$

where j is the present iteration number, and the values of r_i form a decreasing set approaching zero.

(The ill-conditioning problem which arises in penalty function methods when r tends to zero has been studied by Charalambous (1975a), where he extended the work by Powell. The approach is based on the simple idea of perturbing the constraints outwards for the interior penalty function, and inwards for the exterior penalty function by a certain amount so that the r parameter does not have to tend to zero at the optimum. The factor by which the constraints are perturbed and the updating formula are similar to the s_i factor and its updating formula in Powell's transformation.)

2.6.2 The GRG Method

Waren et al. (1977) developed a generalized reduced gradient (GRG) algorithm for solving the nonlinear program

$$\text{minimize } U(\tilde{\phi})$$

subject to

$$h_i(\tilde{\phi}) = 0, \quad i = 1, 2, \dots, n_h, \quad (2.37)$$

$$g_i(\tilde{\phi}) \geq 0, \quad i = 1, 2, \dots, n_g, \quad (2.38)$$

by converting it to

$$\text{minimize } U(\tilde{\phi})$$

subject to

$$h_i(\tilde{\phi}) - \phi_{k+i} = 0, \quad i = 1, 2, \dots, n_h, \quad (2.39)$$

$$g_i(\tilde{\phi}) - \phi_{k+n_h+i} = 0, \quad i = 1, 2, \dots, n_g, \quad (2.40)$$

$$\phi_{li} \leq \phi_i \leq \phi_{ui}, \quad i = 1, \dots, k + n_h, \quad (2.41)$$

$$\phi_{li} = \phi_{ui} = 0, \quad i = k + 1, \dots, k + n_h, \quad (2.42)$$

$$\phi_{k+n_h+i} \geq 0, \quad i = 1, 2, \dots, n_g, \quad (2.43)$$

where

n_h is the number of equality constraints,

n_g is the number of inequality constraints,

k is the number of variables,

$\phi_{k+1}, \dots, \phi_{k+n_h+n_g}$ are nonnegative slack variables.

At each stage of the optimization process the variables are separated into dependent and independent variables. The number of natural dependent variables is the number of active constraints

n_a . The slack variables of the nonactive constraints are the additional dependent variables. All the remaining ones are taken as independent variables. The active constraints are then solved for the natural dependent variables n_a in terms of the natural independent ones $k - n_a$. This reduces the objective function to a function of $k - n_a$ variables only. The generalized reduced gradient algorithm solves the original problem as a sequence of reduced problems. The reduced problems are solved using a variable metric gradient method.

Waren et al. used the GRG method in the design of dielectric interference filters. The problem, defined by inequalities, is reformulated as a nonlinear program (as in Section 2.6.1). The numbers of variables and constraints are considerable. The GRG method apparently handles this large problem efficiently and yields satisfactory results.

2.6.3 Least pth Optimization

Temes and Zai (1969) generalized the least squares method of Marquardt (1963) with appropriate damping in the spirit of Levenberg (1944) to a least pth method.

They suggested a simple objective of the form

$$U = \sum_{i \in I} [e_i(\phi)]^p, \quad (2.44)$$

where the $e_i(\phi)$ are special cases of (2.12) when the number of

independent variables is equal to one and $p \geq 2$ is any even number. The method was applied to the optimization of a four-variable RC active equalizer, where p was equal to 10. The maximum deviation from the desired specification for $p = 2$ was found to be 33 percent higher. They also demonstrated the nonuniqueness of the optimum in that particular problem. They obtained different solutions with different starting points.

For large values of p in (2.44) accuracy and convergence problems arise due to very large and very small numbers involved in the calculations. Bandler and Charalambous (1971) alleviated this ill-conditioning by considering the objective

$$U_p = M(\underline{\phi}) \left[\sum_{i \in I} \left| \frac{e_i(\underline{\phi})}{M(\underline{\phi})} \right|^p \right]^{1/p}, \text{ for } 1 < p < \infty, \quad (2.45)$$

where

$$M(\underline{\phi}) \triangleq \max_{i \in I} |e_i(\underline{\phi})|. \quad (2.46)$$

The error functions, in general, can be real or complex functions. Hebden (1971) employed this type of scaling in some related work.

2.6.4 Generalized Least pth Objective

Very recently, Charalambous (1977b) proposed the following generalization of the original generalized least pth objective due to Bandler and Charalambous (1972c) (Charalambous and Bandler

1976)

$$U_p = \begin{cases} M \left[\sum_{i \in K} u_i \left(\frac{\phi_i}{M} \right)^q \right]^{1/q} & \text{for } M \neq 0, \\ 0 & \text{for } M = 0, \end{cases} \quad (2.47)$$

where the ϕ_i are related to n real, nonlinear functions (assumed differentiable), identified by an index set I , such that

$$\phi_i = f_i - \xi, \quad (2.48)$$

and where

$$M = \max_{i \in I} \phi_i, \quad (2.49)$$

$$u_i \geq 0, \quad i = 1, 2, \dots, n, \quad (2.50)$$

and

if $M > 0$ then $K = J$ and $q = p$,

if $M < 0$ then $K = I$ and $q = -p$,

where

$$J = \{i \mid \phi_i \geq 0\}. \quad (2.51)$$

When minimizing (2.47) the values of u_i , ξ and p are kept fixed. At each optimum point reached a change is made to one or more of u_i , ξ and p , such that the sequence of optimum points of U_p tend to a minimax optimum. Depending on which of the parameters we change at each optimum point of U_p , different algorithms can be generated, such as the following.

Algorithm 1 (Bandler and Charalambous 1972c) Here, we keep $u_i = 1$, $i = 1, 2, \dots, n$, and let $\xi = 0$ and strictly increase the value of p at each optimum point of U_p w.r.t. ϕ such that $p \rightarrow \infty$. It should be noted that if $f_i(\phi) \geq 0$, $i = 1, 2, \dots, n$, this algorithm turns out to be the well known Polya algorithm (Cheney 1966).

Bandler and Charalambous (1972a, 1973) considered necessary and sufficient conditions for optimality in generalized least p th optimization for $p \rightarrow \infty$ and related them to the conditions for minimax optimality (Bandler 1971, Dem'yanov and Malozemov 1972).

Algorithm 2 Here, we keep $u_i = 1$, $i = 1, 2, \dots, n$, with p constant and, at each optimum point of U_p , change the value of ξ such that it tends to $M_f(\check{\phi})$, where $\check{\phi}$ is the solution of the minimax problem. Charalambous and Bandler (1973, 1976) considered the following two variations for changing ξ .

Algorithm 2.1

$$\xi^{r+1} \leftarrow M_f(\check{\phi}^r) + \epsilon \quad (2.52)$$

where $\check{\phi}^r$ is the solution point of U_p at the r th optimization and ϵ is a small number.

Algorithm 2.2 This method updates ξ^r as in Algorithm 2.1 if $M_f(\check{\phi}^r, \xi^r) < 0$, otherwise

$$\xi^{r+1} \leftarrow (1 - \lambda^r) \xi^r + \lambda^r M_f(\check{\phi}^r), \quad (2.53)$$

where

$$0 < \lambda^r < 1. \quad (2.54)$$

In both algorithms, for the first optimization the margin ξ^1 is $\min [0, M_f(\check{\phi}^0) + \epsilon]$, where $\check{\phi}^0$ is the starting point. For $r > 1$ the first algorithm will let all the ϕ_i be negative and be considered in the objective function and the maximum is to be moved away from the margin. In the second algorithm, ξ starts with zero and increases approaching $M_f(\check{\phi})$. The small number ϵ is introduced to avoid $M = 0$. It is well known that the minimax solution will not change if a constant is added to all the functions f_i . If this constant is greater than $|M_f(\check{\phi})|$ the second algorithm will be used throughout the whole optimization even if

$$M_f(\check{\phi}) \leq 0.$$

Algorithm 2.3 Charalambous (1975b) and Bandler et al. (1976a, 1976b) took ξ^{r+1} to be the lower bound on the maximum predicted under convexity assumptions after each optimization. The constant ξ^r is used as a lower bound for the (r+1)th optimization so that all the functions less than this constant are discarded and considered inactive. The associated algorithm is called the ξ algorithm. Any combination of Algorithm 1 and Algorithm 2 can, of course, be used.

Algorithm 3 Recently, Bandler et al. (1976b), Chu (1974) used extrapolation to $p = \infty$, after performing least pth approximation with different values of p, with $u_i = 1$, $i = 1, 2, \dots, n$, to obtain the minimax solution.

The main drawback of the above three algorithms is that the unconstrained objective function becomes more and more ill-conditioned as we get closer to the minimax solution.

Algorithm 4 (Charalambous 1977b) Very recently Charalambous introduced the parameters u_i into the least pth objective function to overcome the ill-conditioning problem. Any of the foregoing three algorithms can be used in conjunction with the following updating formula for u_i after each optimum point of U_p is reached,

namely $\check{\phi}^r$. Initially, we set $u_i = 1, i = 1, 2, \dots, n$. Subsequently,

$$u_i \leftarrow \frac{1}{\sum_{j=1}^n v_j} v_i, \quad (2.55)$$

where

$$v_i \leftarrow \begin{cases} u_i \left[\frac{\phi_i(\check{\phi}^r, \xi^r)}{M(\check{\phi}^r, \xi^r)} \right]^{q-1} & i \in K(\check{\phi}^r, \xi^r) \\ 0 & i \in K(\check{\phi}^r, \xi^r) \end{cases} \quad (2.56)$$

From the theoretical and numerical results presented by Charalambous (1977b), it is clear that this algorithm is superior to the other three algorithms.

2.6.5 Least pth Objective and Nonlinear Programming

Bandler and Charalambous (Charalambous 1973, Bandler and Charalambous 1974) suggested that the nonlinear programming problem could be solved using minimax techniques by transforming the problem to minimizing w.r.t. $\check{\phi}$ the unconstrained function

$$M(\check{\phi}, \alpha) = \max_{1 \leq i \leq n_g} [U(\check{\phi}), U(\check{\phi}) - \alpha_i g_i(\check{\phi})], \quad (2.57)$$

where

$$\tilde{\alpha} = \begin{bmatrix} \alpha_1 \\ \alpha_2 \\ \cdot \\ \cdot \\ \cdot \\ \alpha_{n_g} \end{bmatrix} \quad (2.58)$$

and

$$\alpha_i > 0, \quad i = 1, 2, \dots, n_g. \quad (2.59)$$

(Equality constraints can be transformed to two inequality constraints). They related the Kuhn-Tucker necessary conditions for optimality of the nonlinear programming problem to the necessary conditions for optimality of $M(\phi, \alpha)$. These conditions require that the α parameters be positive and satisfy

$$\sum_{i=1}^{n_g} \frac{\mu_i}{\alpha_i} < 1, \quad (2.60)$$

where the μ_i are the Kuhn-Tucker multipliers (not known a priori). Sufficiently large values should be assigned to α to ensure that the inequality (2.60) is satisfied.

This minimax problem can be solved by least pth optimization (Charalambous 1974a), with large values of p, by letting

$$\Phi_1 = U(\phi), \quad (2.61)$$

$$\Phi_{j+1} = U(\underline{\phi}) - \alpha_j g_j, \quad j = 1, 2, \dots, n_g, \quad (2.62)$$

$$M = M(\underline{\phi}, \underline{\alpha}). \quad (2.63)$$

Ill-conditioning can arise when the minimax solution is approached because of the tendency of the first partial derivatives to be discontinuous. Charalambous (1977a) attacked the problem by defining a sequence of least pth optimizations where the objective function to be minimized w.r.t. $\underline{\phi}$ is

$$U_p = U_p(\underline{\phi}, \underline{\alpha}^r, \underline{\xi}^r), \quad (2.64)$$

where

$$u_i = 1, \quad i = 1, 2, \dots, n_g+1, \quad (2.65)$$

$$\Phi_1 = \Phi_1(\underline{\phi}, \underline{\xi}^r) = U(\underline{\phi}) - \underline{\xi}^r, \quad (2.66)$$

$$\Phi_{j+1} = \Phi_{j+1}(\underline{\phi}, \underline{\alpha}^r, \underline{\xi}^r) = \Phi_1 - \alpha_j^r g_j, \quad j = 1, 2, \dots, n_g, \quad (2.67)$$

$$M = M(\underline{\phi}, \underline{\alpha}^r, \underline{\xi}^r) = M(\underline{\phi}, \underline{\alpha}^r) - \underline{\xi}^r, \quad (2.68)$$

where r is the optimization number. He proved that if

$$\underline{\alpha} = \underline{\alpha}^r = (n_1 + 1) \underline{\check{\mu}}, \quad (2.69)$$

the point $\underline{\check{\phi}}$ is a stationary point of the function $U_p(\underline{\phi}, \underline{\alpha}^r, \underline{\xi}^r)$ for any p and $\underline{\xi}$, where $\underline{\check{\phi}}$ is the optimum of the nonlinear programming problem, $\underline{\check{\mu}}$ are the multipliers at the optimum $\underline{\check{\phi}}$, n_1 is the number of constraints with multipliers greater than or equal to a certain small number ϵ_1 .

An approximation to the multipliers which is an estimate to $\check{\mu}$ (since $\check{\mu}$ cannot be known beforehand) is used in updating α .

2.6.6 Minimax Approximation via Linear Programming

Ishizaki and Watanabe (1968) had the objective function $M = \max |e_i(\phi)|$, $i \in I$. They transformed the problem to a nonlinear program of the form of (2.29) and (2.30), with the difference that the upper and lower specifications coincide, and an additional constraint

$$\phi_j / \phi_j^0 \geq 0, \quad j = 1, 2, \dots, k. \quad (2.70)$$

The last constraint is to prevent ϕ_j from changing sign during the iteration process. By taking the first-order approximation to the constraints at a point $\check{\phi}^r$, the problem is reduced to a linear program, which is given by

$$\text{minimize } \chi_{k+1}$$

subject to

$$w_i \sum_{j=1}^k \phi_j \frac{\partial F_i(\check{\phi}^r)}{\partial \phi_j} \chi_j - \chi_{k+1} + e_i(\check{\phi}^r) \leq 0, \quad i \in I, \quad (2.71)$$

$$-w_i \sum_{j=1}^k \phi_j \frac{\partial F_i(\check{\phi}^r)}{\partial \phi_j} \chi_j - \chi_{k+1} - e_i(\check{\phi}^r) \leq 0, \quad i \in I, \quad (2.72)$$

$$- \chi_j \leq 1, \quad j = 1, 2, \dots, k, \quad (2.73)$$

where

$$x_j = \frac{\Delta\phi_j}{\phi_j}, \quad x_{k+1} = \phi_{k+1}$$

and $F_i(\phi)$ is the approximating function (or the response function).

The superscript r denotes the iteration number of a sequence of linear programming problems. The linear program is solved by the simplex method. Some examples which include the design of attenuation and group delay equalizers have been presented. A discussion of this method is also presented by Temes and Calahan (1967).

Bandler, Srinivasan and Charalambous (1972) developed the grazor search method for nonlinear minimax optimization. The method is based on a linear programming problem which uses gradient information of one or more near maximum functions to produce a downhill direction followed by a linear search to find a minimum in that direction. They first define a subset $J \subset I$ such that

$$J(\phi^j, \epsilon^j) = \{i \mid M_f(\phi^j) - f_i(\phi^j) \leq \epsilon^j, i \in I\}, \quad (2.74)$$

$$\epsilon^j \geq 0, \quad (2.75)$$

where ϕ^j denotes a feasible point at the beginning of the j th iteration and ϵ^j is the tolerance with respect to the current

$M_f(\phi^J)$ within which the f_i for $i \in J$ lie. Linearizing f_i at ϕ^J

$$\delta f_i(\phi^J) = \nabla^T f_i(\phi^J) \Delta \phi^J, \quad i \in J(\phi^J, \epsilon^J). \quad (2.76)$$

To get $\Delta \phi^J$ in the descent direction for $M_f(\phi^J)$

$$\nabla^T f_i(\phi^J) \Delta \phi^J < 0, \quad i \in J(\phi^J, \epsilon^J). \quad (2.77)$$

Considering

$$\Delta \phi^J = - \sum_{i \in J} \alpha_i^J \nabla f_i(\phi^J), \quad (2.78)$$

$$\sum_{i \in J} \alpha_i^J = 1, \quad (2.79)$$

$$\alpha_i^J \geq 0, \quad (2.80)$$

(2.77) can be written as

$$- \nabla^T f_i(\phi^J) \sum_{i \in J} \alpha_i^J \nabla f_i(\phi^J) < 0. \quad (2.81)$$

This inequality suggests the linear programming problem

$$\text{maximize } \alpha_{k_r+1}^J(\phi^J, \epsilon^J) \geq 0$$

subject to

$$- \nabla^T f_i(\phi^J) \sum_{i \in J} \alpha_i^J \nabla f_i(\phi^J) \leq - \alpha_{k_r+1}^J \quad (2.82)$$

and subject to (2.79) and (2.80). k_r denotes the number of elements of $J(\phi^J, \epsilon^J)$. A golden section search follows each linear program to obtain ϕ^{j+1} .

Madsen et al. (1975a, 1975b) developed two minimax algorithms based on successive linearizations of the nonlinear functions and the resulting linear systems are solved in the minimax sense. At the r th stage of the first algorithm a minimax solution $\Delta\phi^r$ to the linearized system is found subject to the constraints

$$||\Delta\phi^r|| = \max_j |\Delta\phi_j^r| \leq \lambda^r, \quad (2.83)$$

where λ^r is automatically adjusted during the process to satisfy the inequality

$$M_f(\phi^r + \Delta\phi^r) < M_f(\phi^r), \quad (2.84)$$

so that the new point becomes

$$\phi^{r+1} = \phi^r + \Delta\phi^r. \quad (2.85)$$

The choice of λ^r gives the flexibility of taking a large step if the linear approximations represent the nonlinear functions well enough. If the decrease in the maximum function (the nonlinear one) does not exceed a small multiple of the decrease predicted by the linear approximations (the maximum of the linearized functions) then ϕ^{r+1} remains ϕ^r .

The second algorithm is similar to the first one but does not require derivatives. It uses the Broyden updating formula (Broyden 1965) to approximate the derivatives, where the initial

approximation is obtained by perturbation.

Comparison by Madsen et al. of the new algorithms with existing ones has been reported. Design of microwave reflection amplifiers was also carried out. Madsen and Schjaer-Jacobsen (1976) treated common singularities in nonlinear minimax problems by modifying the first algorithm. They developed an automatic procedure to detect ill-conditioning and singularities in a given problem which slow convergence. Intuitively, the reason for slow convergence is that the upper bound on the step taken in each iteration is very small when a narrow valley is reached. However, a common feature of these algorithms is that they have a quadratic final convergence (Madsen and Schjaer-Jacobsen 1978a).

2.6.7 Minimax Optimization of Constrained Problems

Bandler and Srinivasan (1974) suggested an unconstrained minimax objective for a constrained minimax problem. The constrained problem is to minimize M_f of (2.28) subject to

$$g_j(\underline{\phi}) \geq 0, \quad j = 1, 2, \dots, n_g. \quad (2.86)$$

The problem is reduced to

$$\text{minimize } \phi_{k+1}$$

subject to

$$\phi_{k+1} - f_i(\underline{\phi}) \geq 0, \quad i \in I \quad (2.87)$$

and (2.86). The problem is then reformulated as an unconstrained minimax problem. We may, for example, minimize M of (2.49) (with $\xi = 0$) w.r.t. ϕ and ϕ_{k+1} , where

$$\phi_1 = \phi_{k+1} \quad (2.88)$$

$$\phi_{i+1} = \phi_1 - \alpha_1(\phi_1 - f_i(\phi)), \quad i = 1, 2, \dots, n, \quad (2.89)$$

$$\phi_{n+i+1} = \phi_1 - \alpha_{i+1} g_i(\phi), \quad i = 1, 2, \dots, n_g, \quad (2.90)$$

where

$$\alpha_i > 0, \quad i = 1, 2, \dots, n_g + 1 \quad (2.91)$$

and sufficiently large.

Dutta and Vidyasagar (1977) developed two algorithms for solving the nonlinear constrained minimax problem. They are principally a generalization of Morrison's least squares algorithm (Morrison 1968) and are quite similar to Algorithm 2.3 as proposed by Charalambous.

2.6.8 Other Methods

Charalambous and Conn (1975, 1978) proposed a minimax optimization algorithm which overcomes the difficulty of discontinuities in the minimax objective's first derivatives. Their approach is direct, unlike the generalized least pth approach.

Einarsson (1975) employed the modified Lagrangians (Rockafellar 1974) (augmented Lagrangians) in solving minimax problems. In his formulation an assumed active function is to be minimized w.r.t. $\underline{\phi}$ subject to $n-1$ nonlinear constraints. If this function is, for example, $f_1(\underline{\phi})$ the constraints will be

$$f_i(\underline{\phi}) - f_1(\underline{\phi}) \leq 0, \quad i = 2, \dots, n. \quad (2.92)$$

The Hestenes-Powell (Hestenes 1969, Powell 1969) method is used for updating the multipliers. This method requires the constraints to be equalities. The algorithms developed are thus based on knowing the active set of constraints in advance.

2.7 Centering, Tolerancing and Tuning

In the classical design problem we are interested in finding one single point in the feasible region. This kind of solution is impractical from the manufacturing point of view. Many other points (design outcomes) can also meet the required specifications. The designer can take advantage of this fact and assign tolerances on component values (Bandler 1974, Geher 1971, Hersom 1971, Karafin 1971, Seth 1972) so as to minimize production cost. The cost of a component may be assumed, for example, to be inversely proportional to the tolerance associated with it.

The formulation of the design problem considering manufacturing tolerances, post-production tuning and model

uncertainties, besides the objective of reducing the cost, renders the design more practical and tends to alleviate realization problems.

In practice, during circuit fabrication components are either specially made, chosen randomly or selectively from stock. These components usually have statistical distributions which have to be considered during the design process for electrical circuit components. The aim of tolerance assignment is, consequently, to obtain a region in which every point represents an outcome optimally taking into consideration the aforementioned concepts. All the outcomes, or at least a large percentage, have to meet the specifications, after tuning if necessary.

2.7.1 Definitions

Consider the vector of nominal design parameters

$$\tilde{\phi}^0 \triangleq \begin{bmatrix} 0 \\ \phi_1 \\ 0 \\ \phi_2 \\ \vdots \\ 0 \\ \phi_k \end{bmatrix}, \quad (2.93)$$

defining a nominal point and a vector of associated manufacturing tolerances

$$\tilde{\varepsilon} = \begin{bmatrix} \varepsilon_1 \\ \varepsilon_2 \\ \vdots \\ \varepsilon_k \end{bmatrix}, \quad (2.94)$$

described as the tolerance vector and let

$$I_\phi \triangleq \{1, 2, \dots, k\}, \quad (2.95)$$

where k represents the number of network design parameters, assumed independent for simplicity in the ensuing presentation.

A nominal point $\tilde{\phi}^0$ will have a tolerance region R_ε associated with it defined, under the assumption of independent variables, as

$$R_\varepsilon \triangleq \{\tilde{\phi} \mid \tilde{\phi}^0 - \tilde{\varepsilon} \leq \tilde{\phi} \leq \tilde{\phi}^0 + \tilde{\varepsilon}\}. \quad (2.96)$$

This region is a convex regular polytope of k dimensions with sides of length $2\varepsilon_i$, $i \in I_\phi$, and centered at $\tilde{\phi}^0$. The extreme points of the tolerance region, the vertices, are

$$R_v \triangleq \{\tilde{\phi} \mid \phi_i = \phi_i^0 + \varepsilon_i \mu_i, \mu_i \in \{-1, 1\}, i \in I_\phi\}, \quad (2.97)$$

and the index set of the vertices

$$I_v \triangleq \{1, 2, \dots, 2^k\}. \quad (2.98)$$

Any point in the tolerance region is a possible outcome given by a point $\tilde{\phi}$, which is

$$\tilde{\phi} = \tilde{\phi}^0 + \tilde{E} \tilde{\mu}, \quad (2.99)$$

where

$$\tilde{E} \triangleq \begin{bmatrix} \epsilon_1 & & & \\ & \epsilon_2 & & \\ & & \ddots & \\ & & & \epsilon_k \end{bmatrix} \quad (2.100)$$

and $\tilde{\mu} \in R_{\mu}$, where

$$R_{\mu} = \{\tilde{\mu} \mid -1 \leq \mu_i \leq 1, i \in I_{\phi}\}. \quad (2.101)$$

Figure 2.6 depicts a tolerance region inscribed in the constraint region for a two-dimensional case. In general,

$$R_c \triangleq \{\tilde{\phi} \mid g_i(\tilde{\phi}) \geq 0, i \in I_c\}, \quad (2.102)$$

where

$$I_c \triangleq \{1, 2, \dots, m_c\}, \quad (2.103)$$

is the index set for the performance specifications (response constraints) and other parameter constraints, m_c being the total number of constraints.




Fig. 2.6 A tolerance region R_ϵ inscribed in the constraint region R_c . If $\epsilon = 0$ the conventional nominal design problem is implied.

2.7.2 Worst-case Design

In worst-case design the whole tolerance region has to lie in the constraint region, i.e., it is required that

$$R_{\epsilon} \subset R_c. \quad (2.104)$$

This is design with 100% yield, where the yield Y is given by

$$Y \stackrel{\Delta}{=} \frac{\text{number of outcomes which meet specifications}}{\text{total number of outcomes}}.$$

The 2^k vertices of the tolerance region are usually the points considered as candidates for worst case. There are two main reasons. The first is that it is impractical, or even impossible, to consider explicitly the infinite number of points contained in the tolerance region. The second is that one-dimensional convexity of the constraint region may be assumed. Bandler (1974) proved, in this case, that it is sufficient for worst-case design to require that

$$R_v \subset R_c. \quad (2.105)$$

Bandler and Liu (1975) investigated the validity of these assumptions for networks which possess bilinear dependence on each parameter. In their investigation they studied the behaviour of the modulus squared of the bilinear network function, which is a biquadratic function given by

$$\frac{c\phi^2 + 2d\phi + e}{\phi^2 + 2a\phi + b}, \quad (2.106)$$

and they proved that the worst case assumptions they considered are often valid in the frequency-domain case.

Brayton, Hoffman and Scott (1977) proved, for linear D.C. networks, that if each parameter is at its extreme value the currents and voltages of the network will be at their local or global extrema. The investigation of this kind of problem in nonlinear networks or in the time domain has not yet been reported.

2.7.3 Fixed Tolerance Problem

In this problem we want to find ϕ^0 , the center of the tolerance region, where the manufacturing tolerances on the components are held fixed. The problem is basically a centering problem.

Let us consider a problem with upper and lower performance specifications. The error functions in this case are

$$e_{ui}(\phi^j) \triangleq w_{ui}(F_i(\phi^j) - S_{ui}), \quad i \in I_u, \quad j \in I_v, \quad (2.107)$$

$$e_{li}(\phi^j) \triangleq w_{li}(F_i(\phi^j) - S_{li}), \quad i \in I_l, \quad j \in I_v, \quad (2.108)$$

where j denotes the j th vertex contained in I_v , and ϕ^j is this

vertex. According to a specified vertex numbering scheme, each j will have a corresponding μ . Any suitable objective function can be formulated to incorporate these error functions and then minimized to obtain the optimal ϕ^0 . We have to note that a worst-case design, in this case, is not necessarily achievable since we might not be able to inscribe the whole tolerance region, with preselected fixed edges, in the constraint region.

2.7.4 Variable Tolerance Problem

In many cases the manufacturing tolerances are considered as variables instead of fixed. The larger they are the cheaper the circuit components will be. The design problem is reformulated as a nonlinear program (Bandler 1974, Bandler 1977, Bandler and Liu 1974, Pinel and Roberts 1972) as follows:

$$\text{minimize } C(\phi^0, \epsilon)$$

w.r.t. ϕ^0 and ϵ subject to

$$\phi \in R_c \text{ for all } \mu \in R_\mu, \quad (2.109)$$

where ϕ is as given in (2.99), and

$$\phi^0, \epsilon \geq 0. \quad (2.110)$$

The objective function C is directly related to the component cost, and generally possesses the properties

$$C(\underline{\phi}^0, \underline{\varepsilon}) \rightarrow \text{constant} \quad \text{as } \underline{\varepsilon} \rightarrow \infty, \quad (2.111)$$

$$C(\underline{\phi}^0, \underline{\varepsilon}) \rightarrow \infty \quad \text{as } \varepsilon_i \rightarrow 0. \quad (2.112)$$

A common form of this objective is

$$\sum_{i=1}^k c_i \frac{\phi_i^0}{\varepsilon_i}, \quad (2.113)$$

where the c_i are constant weights. The number of variables for the optimization is $2k$, namely, k independent nominal variables and k associated tolerances.

For large problems, with a large number of variables, the number of vertices of the tolerance region becomes enormous. Selection schemes which include purging (dropping of constraints or vertices) as well as addition of vertices of the tolerance region during the optimization process alleviate the need for considering the 2^k vertices (Bandler, Liu and Chen 1975, Bandler, Liu and Tromp 1976b). One of these schemes is based on the iterative solution of necessary conditions for the worst vertex derived from the Kuhn-Tucker conditions. Efficient selection schemes relevant to the tolerance problem are still not well developed.

The tolerance problem described here implicitly solves the centering problem, in which we are interested in finding a "center" of the constraint region. Other centering approaches include the performance contours approach developed by Butler

(1971, 1973), and the simplicial approximation approach (Director and Hachtel 1977).

Madsen and Schjaer-Jacobsen (1978b, 1978c) extended their earlier work on minimax approximation (see Section 2.6.6) to minimax optimization with fixed tolerances and the maximization of a single variable tolerance. (A single degree of freedom in tolerances has also been considered by Bandler et al. (1975).) Centering is implicit in these formulations.

2.7.5 Tolerancing and Tuning

Tuning some of the components after production is quite common in electrical circuit fabrication. Considering independent tuning in the design procedure, a tuned design will imply ϕ such that

$$\tilde{\phi} = \tilde{\phi}^0 + \tilde{E} \tilde{\mu} + \tilde{T} \tilde{\rho}, \quad (2.114)$$

for some $\tilde{\rho} \in R_{\rho}$, with

$$\tilde{T} \triangleq \begin{bmatrix} t_1 & & & \\ & t_2 & & \\ & & \dots & \\ & & & t_k \end{bmatrix}. \quad (2.115)$$

An example of R_{ρ} is

$$R_{\rho} = \{\tilde{\rho} \mid -1 \leq \rho_i \leq 1, i \in I_{\phi}\}. \quad (2.116)$$

The corresponding tuning region is defined as

$$R_t(\underline{\mu}) = \{ \underline{\phi} \mid \underline{\phi}^0 + \underline{\epsilon} \underline{\mu} - \underline{t} \leq \underline{\phi} \leq \underline{\phi}^0 + \underline{\epsilon} \underline{\mu} + \underline{t} \}, \quad (2.117)$$

which is centered at $\underline{\phi}^0 + \underline{\epsilon} \underline{\mu}$. Figure 2.7 illustrates the constraint, tolerance and the tuning regions.

The design problem in this case is

$$\text{minimize } C(\underline{\phi}^0, \underline{\epsilon}, \underline{t})$$

subject to (2.109), where, $\underline{\phi}$ is as given in (2.114), and the constraints

$$\underline{\phi}^0, \underline{\epsilon}, \underline{t} \geq 0 \quad (2.118)$$

for all $\underline{\mu} \in R_\mu$ and some $\underline{\rho} \in R_\rho$. C is a function which represents the component cost, for example,

$$\sum_{i=1}^k c_i \frac{\phi_i^0}{\epsilon_i} + \sum_{i=1}^k c_i' \frac{t_i}{\phi_i}, \quad (2.119)$$

where the c_i and c_i' are constants. These may be set to zero if the corresponding element is not to be tolerated or tuned, respectively. The worst-case solution of the problem must satisfy

$$R_t(\underline{\mu}) \cap R_c \neq \emptyset \quad (2.120)$$




Fig. 2.7 An illustration of the constraint, tolerance and tuning regions and a possible outcome ϕ . If $t = 0$ we recover the essential features of Fig. 2.6.

for all $\mu \in R_{\mu}$, where \emptyset denotes a null set.

The problem can be reduced by separating the components into effectively tuned and effectively toleranced parameters. Bandler et al. (1976a), Liu (1975) proved that the solution of the reduced problem is the solution of the original one under certain conditions.

2.7.6 Uncertainties

The values of ϕ sufficient to give an acceptable design depend on other uncertainties influencing design performance. In the simulation of actual circuits models or equivalent circuits are used, where uncertainties are associated with the model parameters. In microwave circuit design, for example, parasitic effects exist due to electromagnetic coupling. Models available for common parasitic elements normally include empirical uncertainties on the values of the model parameters. These uncertainties are due to the fact that the model itself is necessarily approximate and that further approximations often have to be made in the implementation of existing model formulas. Non-ideal terminations also alter the performance, i.e., mismatches at the source and the load of the circuit (Bandler, Liu and Tromp 1976c).

In modeling a physical circuit the vector of nominal model parameters p^0 will have a vector of model uncertainties associated with it, such that the model parameters are described by (Bandler

1977)

$$\tilde{p} = \tilde{p}^0(\tilde{\phi}) + \tilde{\Delta}(\tilde{\phi}) \tilde{\mu}_\delta, \quad (2.121)$$

where

$$\tilde{\Delta} \equiv \begin{bmatrix} \delta_1 & & & \\ & \delta_2 & & \\ & & \dots & \\ & & & \delta_n \end{bmatrix} \quad (2.122)$$

and for example

$$-1 \leq \tilde{\mu}_\delta \leq 1,$$

where n is the number of model parameters with uncertainties and, in general, $n \neq k$. Although the model parameters and the uncertainties are explicit functions of the physical parameters $\tilde{\phi}$, it is difficult to map the tolerance region from the $\tilde{\phi}$ space to the \tilde{p} space in selecting candidates for the worst-case design.

Let $\tilde{g}(\tilde{\psi})$ denote a set of nonlinear constraint functions such that

$$\tilde{g}(\tilde{\psi}) \geq 0 \quad (2.123)$$

represents an acceptable situation for a particular setting of $\tilde{\psi}$. The nominal performance of the design under ideal environmental effects will be denoted by $\tilde{g}^0(\tilde{\psi})$. The measured performance might be described by

$$g_i = g_i^0(\tilde{p}, \tilde{\psi}) + \mu_{g_i}(\tilde{p}, \tilde{q}, \tilde{\psi}), \quad i=1,2,\dots,m(\tilde{\psi}), \quad (2.124)$$

where μ_{g_i} is the deviation from the ideal performance and \tilde{q} is a vector of external parameters, e.g., ones affecting our ability to measure the performance.

2.7.7 Design with Yield Less Than 100 Percent

In worst-case design the yield is restricted to 100%. This may render the circuit very expensive due to tight tolerances. The restriction of 100% yield may be relaxed in order to increase the tolerances and reduce the cost of the elements. The overall cost, in this case, although failing circuits are discarded, will have to be lower than the one obtained by worst-case design.

The design problem with a restricted yield can be set up as

$$\text{minimize } C(\tilde{\phi}^0, \tilde{\epsilon})$$

subject to

$$Y \geq X, \quad (2.125)$$

where X is the specified percentage. For unrestricted yield the problem might, for example, have the objective function

$$C = \sum_{i=1}^k \frac{1}{\epsilon_i} / Y. \quad (2.126)$$

In both formulations the yield has to be estimated.

The yield when the parameters are statistically distributed is defined by

$$Y = \int_{R_c} P(\underline{\phi}) d\phi_1 d\phi_2 \dots d\phi_k, \quad (2.127)$$

where $P(\underline{\phi})$ is the probability distribution function of the variable parameters. This k-fold integration is not very attractive, especially when the yield estimation is incorporated in an optimization process. Karafin (1974) approximated the yield by computing upper and lower bounds on Y using truncated Taylor series approximations for the constraints. He assumed that each constraint is normally distributed for all choices of component tolerances. The yield estimation problem itself has been treated largely by the Monte Carlo analysis (Elias 1975).

Becker and Jensen (1974) used pattern search for maximizing the yield by finding a set of nominal variables which is optimal for specified tolerances. A feasible solution search precedes the yield optimization.

In the simplicial approximation approach (Director, Hachtel and Vidigal 1978) while finding the center of the constraint region an approximation to this region is also obtained. A crude estimate of the yield can be obtained by performing the Monte Carlo analysis directly in the parameter space. The yield estimation procedure can be improved by testing a sample point (of the Monte Carlo analysis) which lies outside the approximate

region to determine whether or not it lies outside the actual region. If it lies inside the actual region it can be used to improve the approximate region.

Bandler and Abdel-Malek (1978a) derived exact formulas for the yield and its sensitivities w.r.t. design parameters. The formulas are based upon multidimensional linear cuts of the tolerance orthotope and uniform distributions of outcomes between tolerance extremes in the orthotope.

This approach has been generalized to estimate the yield when components have arbitrary statistical distributions (Abdel-Malek 1977, Abdel-Malek and Bandler 1978a, 1978b, 1978c).

2.7.8 Related Work and Extensions

Tromp (1977, 1978) has generalized the tolerance assignment problem so that physical tolerances, model uncertainties, external disturbing effects and dependently tolerated parameters can be considered in a unified manner. In essence, the approach begins with the definitions of the k_{0i} -dimensional vector ϕ^{0i} , the k_i -dimensional vector ϕ^i and the $k_{\mu i}$ -dimensional vector μ^i so that ϕ^i is a function of ϕ^{0i} and μ^i for all $i = 1, 2, \dots, n$, and ϕ^{0i} itself depends on all ϕ^{i-1} for $i = 2, 3, \dots, n$.

Input parameters, e.g., the physical parameters available to the manufacturer might be identified as ϕ^1 , whereas ϕ^n would be the output vector, e.g., the sampled response of a system or the vector of constraints g , which defined R_c of (2.102). The

quantities $\phi^2, \dots, \phi^{n-1}$ can be identified, for example, as intermediate or model parameters. The variables $\mu^i, i = 1, 2, \dots, n$, create the unavoidable or undesirable fluctuations and generally embody the unknown or intangible.

The tolerance region in the ϕ -space is obviously no longer restricted to be an orthotope in this formulation.

Polak and Sangiovanni-Vincentelli (1978) recently formulated the design centering, tolerancing and tuning problem as a mathematical programming problem in the form

$$\text{minimize } C(\phi^0, \underline{\varepsilon}, \underline{t})$$

subject to

$$\min_{i \in I_c} \min_{\underline{\mu} \in R_\mu} \max_{\underline{\rho} \in R_\rho} g_i(\phi) \geq 0 \quad (2.128)$$

and the constraints (2.118), where ϕ is as given in (2.114). They demonstrated that their formulation is equivalent to the one of Bandler, Liu and Tromp (1976a). They suggested a new algorithm which deals with the nondifferentiable constraints (2.128). The algorithm solves the problem as a sequence of approximating problems with $R_\mu^j \subset R_\mu$ as a discrete set. They showed that, under certain conditions, the accumulation points of the sequence of stationary points of the approximating problems are stationary points of the original problem.

Bandler and Abdel-Malek (1978b) introduced a generalized least pth function of the form of (2.47) to convert a tolerance

and tuning problem to an equivalent tolerance problem. An expanded constraint region, namely the tunable constraint region R_{ct} , replaces the original region R_c . The region is given for $p=\infty$ by

$$R_{ct} \stackrel{\Delta}{=} \{ \phi \mid \max_{\rho \in R_\rho} \min_{i \in I_c} g_i(\phi + T\rho) \geq 0 \}, \quad (2.129)$$

where ϕ is given by (2.99). They based some definitions of yield upon R_{ct} and described worst-case design and worst-case centering.

Madsen and Schjaer-Jacobsen (1978b, 1978c) proposed the use of interval arithmetic to determine the worst case within the tolerance region. In this case the one-dimensional convexity assumption is not required, and the worst case can lie at an edge of the tolerance region instead of a vertex.

CHAPTER 3
TRANSMISSION-LINE MODELING AND SENSITIVITY
EVALUATION FOR LUMPED NETWORK SIMULATION
AND DESIGN IN THE TIME DOMAIN

3.1 Introduction

The transmission-line matrix (TLM) method of numerical analysis provides a new approach to the time-domain analysis of lumped networks. The method has previously been extensively used for solving electromagnetic vector field problems in two and three dimensions (Akhtarzad and Johns 1975). The technique has also been used for solving the diffusion equation (Johns 1975).

In its application to lumped networks (Bandler, Abdel-Malek, Johns and Rizk 1976, Johns 1976), the TLM method has some advantages because it provides an exact solution to the transmission-line networks used to model the actual networks. This chapter demonstrates how the transmission-line models for lumped networks can be obtained and how to compensate for modeling errors in terms of additional network elements.

Unlike the methods mentioned in Section 2.3 the TLM method provides exact sensitivities for the model w.r.t. design variables with some additional effort. No integration schemes are involved. A symmetrical LC lowpass filter has been optimized in the time domain using TLM analysis, the required gradients being obtained

from the sensitivities derived.

Sensitivities with respect to the time step are also derived, from which an approximation to the time sensitivities is obtained. Using these formulas and the TLM results, we can extrapolate to the near exact impulse response.

3.2 Transmission-line Modeling

The time-domain response of a lumped network can be found using the TLM method, after choosing an appropriate transmission-line model for the network. Inductors and capacitors are represented either by transmission lines or by stubs.

3.2.1 Link Modeling

First consider the modeling of a series inductor and a shunt capacitor, each by a transmission line. To simplify the analysis, certain assumptions must be made. We will let all the transmission-line models have the same length, and let the time taken by a pulse to travel along each transmission line be the same, namely, T . The lumped inductor L shown in Fig. 3.1(a) can have the transmission-line model shown in Fig. 3.1(b) with an inductance per unit length L_d , where

$$L_d \ell = L. \quad (3.1)$$




Fig. 3.1 Lossless transmission-line models of a series inductor and a shunt capacitor.

The velocity of propagation on the transmission line may be expressed as

$$\frac{1}{\sqrt{L_d C_d}} = \frac{\ell}{T} \quad (3.2)$$

and hence the distributed capacitance C_d is given by

$$C_d = \left(\frac{T}{\ell}\right)^2 \frac{1}{L_d} . \quad (3.3)$$

The basic parameter which determines how pulses are scattered throughout a transmission-line network is the characteristic impedance Z_0 , which for the model of inductor, is obtained from (3.1) and (3.3). Thus,

$$Z_0 = \sqrt{\frac{L_d}{C_d}} = \frac{L}{T} . \quad (3.4)$$

The error associated with the model of the inductor is due to the distributed capacitance given in (3.3). This may be approximated in the lumped circuit by a lumped shunt capacitor C_e representing the error, which is given by

$$C_e = C_d \ell = \left(\frac{T}{\ell}\right)^2 \frac{\ell}{L_d} = \frac{T^2}{L} . \quad (3.5)$$

This lumped capacitor is shown dotted in Fig. 3.1(b).

The characteristic impedance for a transmission line modeling a lumped capacitor (Fig. 3.1(c)) may be derived in the same way, the result being

$$Z_0 = \frac{T}{C}, \quad (3.6)$$

and the error this time will be represented by a series lumped inductor L_e (Fig. 3.1(d)) of value

$$L_e = \frac{T^2}{C}. \quad (3.7)$$

It is clear that if T is small then for the model of the inductor Z_0 and L_d are large while the unwanted shunt distributed capacitance C_d is small. On the other hand, for the model of the capacitor Z_0 and the unwanted L_d will be small if T is small. So, as T becomes smaller, the transmission-line model represents more closely the lumped element.

Consider the lumped network shown in Fig. 3.2(a). It is composed of M simple resistive networks with scattering matrices S_1, S_2, \dots, S_M , connected either by a simple pair of wires or a pair of wires containing a series inductor or a shunt capacitor or both. In the transmission-line model these connections are




Fig. 3.2 Lumped network and link transmission-line model.

replaced by transmission-line sections of propagation time T as shown in Fig. 3.2(b). In this case the model is called a link transmission-line model (Johns 1976).

The numerical method operates by considering a pulse to be injected into the input terminals of the whole network. The pulse scatters on reaching the first subnetwork being partly reflected and partly transmitted. This scattering occurs at every subnetwork, pulses racing to and fro between subnetworks. The output impulse function is the stream of pulses at the output terminals.

If the m th network has N ports with incident and reflected voltages given by (Johns 1976)

$$\tilde{V}_m^i = \begin{bmatrix} V_{m1}^i \\ V_{m2}^i \\ \vdots \\ V_{mN}^i \end{bmatrix}, \quad \tilde{V}_m^r = \begin{bmatrix} V_{m1}^r \\ V_{m2}^r \\ \vdots \\ V_{mN}^r \end{bmatrix} \quad (3.8)$$

then the scattering equation is

$$\tilde{V}_{k\sim m}^r = S_m \tilde{V}_{k\sim m}^i, \quad (3.9)$$

where the subscript k denotes the k th time step. If all the incident and reflected pulses are assembled into the partitioned vectors

$$\tilde{V}^i = \begin{bmatrix} \tilde{V}_1^i \\ \tilde{V}_2^i \\ \vdots \\ \tilde{V}_M^i \end{bmatrix}, \quad \tilde{V}^r = \begin{bmatrix} \tilde{V}_1^r \\ \tilde{V}_2^r \\ \vdots \\ \tilde{V}_M^r \end{bmatrix} \quad (3.10)$$

then the scattering equation for the entire network is

$$\tilde{V}_k^r = \tilde{S}_k \tilde{V}_k^i, \quad (3.11)$$

where \tilde{S} in this case is a block diagonal partitioned matrix with $\tilde{S}_1, \tilde{S}_2, \dots, \tilde{S}_M$ on the diagonal.

The reflected pulses are the incident pulses at the next time step and they are related by

$$\tilde{V}_{k+1}^i = \tilde{C}_k \tilde{V}_k^r, \quad (3.12)$$

where \tilde{C} is the connection matrix indicating the transmission of reflected pulses from one subnetwork to become incident pulses on a neighbouring subnetwork. The iteration equation is

$$\tilde{V}_{k+1}^i = \tilde{C}_k \tilde{S}_k \tilde{V}_k^i. \quad (3.13)$$

The method will be unconditionally stable for a passive RLC lumped network and, therefore, it will be useful for stiff networks (Johns 1976).

3.2.2 Stub Modeling

A lumped network consisting of resistive, inductive and capacitive elements may also be modeled by stub transmission-lines. In this case, the time taken by a pulse to travel to the end of the stub and back again is T . Following the same procedure used in the link transmission-line models, an inductor is modeled by a short-circuit stub with characteristic impedance

$$Z_0 = \frac{2L}{T} . \quad (3.14)$$

and the modeling error is a capacitor given by

$$C_e = \frac{T^2}{4L} . \quad (3.15)$$

A capacitor is modeled by an open-circuit stub with an impedance

$$Z_0 = \frac{T}{2C} , \quad (3.16)$$

and the modeling error is an inductor given by

$$L_e = \frac{T^2}{4C} . \quad (3.17)$$

The elements with these models are shown in Fig. 3.3.

Consider the lumped network in Fig. 3.4(a), which is represented by a resistive network with N pairs of terminals to which all of the inductors and capacitors are connected as shown. A transmission-line model for the circuit is shown in Fig. 3.4(b) in which all of the inductors are replaced by short-circuit stubs and all the capacitors are replaced by open-circuit stubs. The reflected pulses

$$\tilde{V}^r = \begin{bmatrix} V_1^r \\ V_2^r \\ \vdots \\ V_N^r \end{bmatrix}, \quad (3.18)$$

will be scattered instantaneously into the N stubs. These pulses will travel to the ends of the stubs and be reflected or reflected and inverted for capacitive or inductive stubs, respectively. The pulses then return to the resistive network and become incident pulses

$$\tilde{V}^i = \begin{bmatrix} V_1^i \\ V_2^i \\ \vdots \\ V_N^i \end{bmatrix}. \quad (3.19)$$

If the scattering matrix of the resistive network is the N x N matrix \tilde{S} then, at the kth iteration,




Fig. 3.3 Stub models of an inductor and a capacitor.




Fig. 3.4 Lumped network and transmission-line stub model.


$$\tilde{V}_k^r = \tilde{S}_k \tilde{V}_k^i. \quad (3.20)$$

Reflection of the pulses at the end of the stubs gives the incident pulses at time $k+1$, obtained using the same formula as (3.12), where C , in this case, is an $N \times N$ diagonal matrix with an entry of 1 for a capacitive stub and -1 for an inductive stub. The iteration routine is therefore exactly as (3.13).


To enable the incident pulses \tilde{V}_k^i to converge simultaneously it is sufficient that the propagation time T be the same for all the stubs. This propagation time is therefore the same as the iteration time. This method is also unconditionally stable for a lumped network of positive resistors, inductors and capacitors.

3.3 Discussion

It should be noted that the stub modeling leads to an implicit routine. The reason is that the scattering matrix \tilde{S} involves the entire resistive network. Thus, to calculate \tilde{S} it is necessary to invert a set of simultaneous equations describing the network. If the network is nonlinear, then this inversion is required before every iteration. In link transmission-line modeling, however, the iteration routine is explicit, the complexity of equations being independent of the number of subnetworks or nodes. The scattering matrices of the networks are small enough to be calculated by simple formulas, for example, the scattering matrix of the subnetwork in Fig. 3.5(a) is given by



(a)



(b)

Fig. 3.5 Example of two simple subnetworks.

$$\frac{1}{R+Z_1+Z_2} \begin{bmatrix} \frac{R(R+Z_1+Z_2)+2Z_1(Z_2-Z_1)}{R+2Z_1} & 2Z_1 \\ 2Z_2 & \frac{R(R+Z_1+Z_2)+2Z_2(Z_1-Z_2)}{R+2Z_2} \end{bmatrix} \quad (3.21)$$

and the scattering matrix of the subnetwork in Fig. 3.5(b) is

$$\frac{1}{Z_1Z_2+Z_1Z_3+Z_2Z_3} \begin{bmatrix} Z_2Z_3-Z_1Z_2-Z_3Z_1 & 2Z_1Z_3 & 2Z_1Z_2 \\ 2Z_2Z_3 & Z_1Z_3-Z_1Z_2-Z_2Z_3 & 2Z_1Z_2 \\ 2Z_2Z_3 & 2Z_1Z_3 & Z_1Z_2-Z_1Z_3-Z_3Z_2 \end{bmatrix} \quad (3.22)$$

In general, a network may be modeled by either one or both types of model. The LC lowpass filter in Fig. 3.6(a) can have the link model of Fig. 3.6(b) or the stub model of Fig. 3.6(c) or the mixed model of Fig. 3.6(d).

3.4 Example

The following example illustrates the TLM routine for link modeling. Consider the circuit of Fig. 3.6(a) (Bandler, Abdel-Malek, Johns and Rizk 1976) and its link transmission-line model in Fig. 3.6(b). Let the time step T be 0.1 second and the component values $L_2 = L_4 = 1$, $C_3 = 2$ and $R_1 = R_5 = 1$. The characteristic impedances Z_2 , Z_3 and Z_4 are 10, 0.05 and 10, respectively. An incident pulse of value 0.5 is launched into the




Fig. 3.6 LC lowpass filter and different types of models (a) the filter, (b) link model, (c) stub model, (d) mixed model.

transmission line representing the source resistance and hits the first junction at time $t = 0$. The pulse scatters producing reflected and transmitted pulses. The transmitted pulses travel towards the output, being scattered at the other junctions. The pulses propagate forward and backward between the junctions. Table 3.1 gives the incident and reflected pulses at the junctions of Fig. 3.6(b) at different times.

3.5 Compensation of Errors

Errors in the TLM method arise only from how well the transmission-line model represents the actual circuit. Errors do not arise from the numerical solution of the model. In certain cases the unwanted distributed elements are reduced when the step size T is reduced. A distributed capacitor in modeling an inductor is an example of such a case. We have to note that this capacitor is known before any calculation is started, since T has to be chosen. If the distributed error capacitor is taken to be two lumped capacitors placed at each end of the transmission line, each of these lumped capacitors will have a value of $C_d \ell/2$. The inductor and the two capacitors representing modeling errors are shown in Fig. 3.7. To compensate for modeling error (to some degree) we can subtract the error capacitor from the original neighbouring network components. As T increases the amount to be subtracted increases and it becomes obvious that there may be a limit to such compensation.

TABLE 3.1

INCIDENT AND REFLECTED PULSES OF THE CIRCUIT IN FIG. 3.6(b)

t (s)	$1V_1^i$	$1V_2^i$	$1V_2^r$	$2V_1^i$	$2V_1^r$	$2V_2^i$	$2V_2^r$
0.0	0.5	-	0.90909	-	-	-	-
0.1	-	-	-	0.90909	-0.90004	-	0.00904
0.2	-	-0.90004	0.73639	-	-	-	-
0.3	-	-	-	0.73639	-0.71125	0.00895	0.01619
0.4	-	-0.71125	0.58193	-	-	-	-
0.5	-	-	-	0.58193	-0.54452	0.01589	0.02151

t (s)	$3V_1^i$	$3V_1^r$	$3V_2^i$	$3V_2^r$	$4V_1^i$	$4V_1^r$	$4V_2^r$
0.0	-	-	-	-	-	-	-
0.1	-	-	-	-	-	-	-
0.2	0.00904	0.00895	-	0.01800	-	-	-
0.3	-	-	-	-	0.01800	-0.01472	0.00327
0.4	0.01619	0.01589	-0.01472	0.04680	-	-	-
0.5	-	-	-	-	0.04680	-0.03829	0.00851




Fig. 3.7 An inductor with two capacitors representing modeling error.

The impulse response of the Chebyshev filter shown in Fig. 3.8 (Matthaei, Young and Jones 1964) was found by Kutta-Simpson, Euler, TLM and TLM with compensation. The results are shown in Table 3.2. The advantage of compensation is clear from the table comparing the percentage error between the Kutta-Simpson integration method and other methods. The actual components and the new components after compensation are given in Table 3.3.

3.6 Sensitivity Evaluation

One of the features of the TLM method is that simple calculation of exact sensitivities w.r.t. design variables are possible. Sensitivities are calculated iteratively in the same iteration process for calculating the impulse response.

TABLE 3.2
COMPARISON BETWEEN DIFFERENT METHODS OF INTEGRATION
AND TLM MODELING WITH AND WITHOUT COMPENSATION

t (s)	Kutta Simpson	Percentage Error for T = 0.1		
		Euler	Link Modeling	Link Modeling With Compensation
1.1	0.003981	- 38.5	- 8.3	- 6.9
2.1	0.035665	- 12.8	- 2.3	- 1.4
3.1	0.101499	0.0	- 0.9	0.1
4.1	0.160644	8.2	- 0.3	0.3
5.1	0.161516	13.1	0.3	0.2
6.1	0.094384	11.1	1.3	- 0.3
7.1	0.002772	520.3	48.9	-21.8
8.1	-0.054462	57.9	- 1.2	0.5
9.1	-0.051167	45.6	0.7	- 0.7




Fig. 3.8 Chebyshev filter with 7 elements.

TABLE 3.3

COMPONENT VALUES OF THE FILTER SHOWN IN
FIG. 3.8 BEFORE AND AFTER COMPENSATION

Component Values in Ohms, Henries and Farads							
State	R_1	L_2	C_3	L_4	C_5	L_6	R_7
No Compensation	1.0	1.7058	1.2296	2.5408	1.2296	1.7058	1.0
With Compensation	1.0	1.7017	1.2247	2.5327	1.2247	1.7017	1.0

3.6.1 First-order Sensitivities

Equations (3.11) or (3.20) describe the relationship between appropriate incident and reflected voltages for the whole network and the derivatives w.r.t. the κ parameters of the whole network can be written as

$$\begin{bmatrix} V_{k\sim}^r \\ \frac{\partial V_{k\sim}^r}{\partial \phi_1} \\ \vdots \\ \frac{\partial V_{k\sim}^r}{\partial \phi_\kappa} \end{bmatrix} = \begin{bmatrix} S_{\sim} & 0 & \dots & 0 \\ \frac{\partial S_{\sim}}{\partial \phi_1} & S_{\sim} & & 0 \\ \vdots & 0 & \ddots & 0 \\ \frac{\partial S_{\sim}}{\partial \phi_\kappa} & 0 & & S_{\sim} \end{bmatrix} \begin{bmatrix} V_{k\sim}^i \\ \frac{\partial V_{k\sim}^i}{\partial \phi_1} \\ \vdots \\ \frac{\partial V_{k\sim}^i}{\partial \phi_\kappa} \end{bmatrix} \quad (3.23)$$

The r.h.s. vector is obtained from an equation of the form of (3.12) after differentiating it w.r.t. the j th parameter, viz.,

$$\frac{\partial V_{k\sim}^i}{\partial \phi_j} = C_{\sim} \frac{\partial}{\partial \phi_j} V_{k-1\sim}^r, \quad (3.24)$$

where C_{\sim} is constant.

It is clear that the matrix in (3.23) is very sparse since, for example, $\partial S_{\sim} / \partial \phi_j$ vanishes if S_{\sim} does not contain the j th parameter. Although this matrix is sparse, the two vectors on the left and right hand sides are full and all the information has to be transferred in each iteration. So in calculating the

sensitivities, we have to find the sensitivity of all the incident pulses w.r.t. all the parameters. The sensitivity of the impulse response will be the sensitivity of the stream of pulses at the output port w.r.t. the parameters.

Consider a subnetwork which simply connects two transmission lines having Z_1 and Z_2 as their characteristic impedances. The scattering matrix $S_{\sim m}$ is given by

$$S_{\sim m} = \frac{1}{Z_1 + Z_2} \begin{bmatrix} Z_2 - Z_1 & 2Z_1 \\ 2Z_2 & Z_1 - Z_2 \end{bmatrix}. \quad (3.25)$$

Let

$$Z_1 = \phi_j, \quad Z_2 = \phi_{j+1}. \quad (3.26)$$

Then

$$\frac{\partial S_{\sim m}}{\partial \phi_j} = \frac{2Z_2}{(Z_1 + Z_2)^2} \begin{bmatrix} -1 & 1 \\ -1 & 1 \end{bmatrix},$$
$$\frac{\partial S_{\sim m}}{\partial \phi_{j+1}} = \frac{2Z_1}{(Z_1 + Z_2)^2} \begin{bmatrix} 1 & -1 \\ 1 & -1 \end{bmatrix}. \quad (3.27)$$

The expressions (3.25)-(3.27) can be fitted into the scheme of (3.23) for this subnetwork.

3.6.2 Second-order Sensitivities

Differentiating (3.11) or (3.20) w.r.t. the j th parameter, we get

$$\frac{\partial_{k\sim} V^r}{\partial \phi_j} = \frac{\partial \tilde{S}}{\partial \phi_j} k\sim V^i + \tilde{S} \frac{\partial_{k\sim} V^i}{\partial \phi_j}, \quad (3.28)$$

where $\partial_{k\sim} V^i / \partial \phi_j$ is found from (3.24).

If we differentiate (3.24) and (3.28) w.r.t. ϕ_ℓ we get, respectively,

$$\frac{\partial^2_{k\sim} V^i}{\partial \phi_\ell \partial \phi_j} = C_{\sim} \frac{\partial^2_{k-1\sim} V^i}{\partial \phi_\ell \partial \phi_j}, \quad (3.29)$$

$$\frac{\partial^2_{k\sim} V^r}{\partial \phi_\ell \partial \phi_j} = \frac{\partial^2 \tilde{S}}{\partial \phi_\ell \partial \phi_j} k\sim V^i + \frac{\partial \tilde{S}}{\partial \phi_j} \frac{\partial_{k\sim} V^i}{\partial \phi_\ell} + \frac{\partial \tilde{S}}{\partial \phi_\ell} \frac{\partial_{k\sim} V^i}{\partial \phi_j} + \tilde{S} \frac{\partial^2_{k\sim} V^i}{\partial \phi_\ell \partial \phi_j}. \quad (3.30)$$

Equation (3.30) holds for subnetworks when subscript m is applied to both sides but some of the derivatives of $S_{\sim m}$ are zero.

3.7 Examples

The symmetrical LC lowpass filter shown in Fig. 3.6(a) has been optimized in the time domain. Fig. 3.9 shows a specified impulse response for $L_2 = L_4 = 1.0$, $C_3 = 2.0$. Taking 100 sample




Fig. 3.9 Optimization using TLM analysis. Starting point a: $L_2 = L_4 = 0.5$, $C_3 = 1.0$. Starting point b: $L_2 = L_4 = 0.8$, $C_3 = 2.2$.

points, using TLM analysis, least 4th approximation yielded the solution in 21 s (24 function evaluations) and 17 s (19 function evaluations) from starting points a and b, respectively, with a maximum error of about 3×10^{-7} . The specifications of Fig. 3.10 were met with a minimax error of .00219992 after 37 s (46 function evaluations) using 33 sample points for optimization. The starting point was $L_2 = L_4 = C_3 = 1.0$ and the optimum point reached was $L_2 = L_4 = .76645547$ and $C_3 = 2.3739403$. The minimax solution was reached using third-order extrapolation, after a sequence of least pth optimizations where the values of p were 4, 16, 64, 256 and 1024. FLOPT2, a program described in Bandler and Chu (1976), was used in these examples. The computer was a CDC 6400.

3.8 Sensitivities w.r.t. Time and T

Differentiating (3.11) or (3.20) w.r.t. T we get

$$\frac{\partial_k V^r}{\partial T} = \frac{\partial S}{\partial T} k V^i + S \frac{\partial_k V^i}{\partial T} . \quad (3.31)$$

Usually the scattering matrix S includes the parameters ϕ which are functions of T as obtained from the modeling.

The term $\partial S / \partial T$ can be obtained from




Fig. 3.10 Optimization using TLM analysis. Starting point $L_2 = L_4 = C_3 = 1.0$.

Solution $L_2 = L_4 = 0.76646$, $C_3 = 2.3739$.

$$\frac{\partial \tilde{S}}{\partial T} = \sum_j \frac{\partial \tilde{S}}{\partial \phi_j} \frac{\partial \phi_j}{\partial T} . \quad (3.32)$$

Suppose ϕ_j is the characteristic impedance of a line modeling an inductor. If $\phi_j = L/T$ then $\partial \phi_j / \partial T = -\phi_j / T$. For the capacitive case, $\partial \phi_j / \partial T = \phi_j / T$. The second term on the r.h.s. of (3.31) is obtained from (3.12), where

$$\frac{\partial \tilde{V}_k^i}{\partial T} = \tilde{C} \frac{\partial}{\partial T} k^{-1} \tilde{V}^r . \quad (3.33)$$

Note that the differentiation is at discrete time steps and the information is transferred iteratively with the original iteration scheme of the TLM method. Thus the above derivatives can only be obtained at points corresponding to fixed numbers of iterations k , i.e., at $t = kT$, where t is time. Let $f(t, T)$ be an interpolation to the approximation of the impulse response obtained at discrete times t_1, t_2, t_3, \dots by the TLM method, where

$$t_j - t_{j-1} = n T, \quad (3.34)$$

where n is an integer. The parameter T is chosen arbitrarily, although it is known that the smaller the T the more accurate is the modeling.

Suppose that the analysis is done twice with two different time steps T_1 and T_2 , respectively. In the first analysis we will

get $f(t, T_1)$ at points, in general, time nT_1 apart, and in the second analysis $f(t, T_2)$ at points nT_2 apart. Fig. 3.11 illustrates the situation.

A first-order change in $f(t, T)$ is given by

$$\delta f = \frac{\partial f}{\partial t} \Delta t + \frac{\partial f}{\partial T} \Delta T, \quad (3.35)$$

where Δt and ΔT are changes in t and T , respectively. Thus,

$$\frac{\delta f}{\Delta T} = \frac{\partial f}{\partial t} \frac{\Delta t}{\Delta T} + \frac{\partial f}{\partial T}. \quad (3.36)$$

From the relation $t = kT$ we have

$$\Delta t = k \Delta T \quad (3.37)$$

therefore, for a particular k ,

$$\left. \frac{\delta f}{\Delta T} \right|_{\Delta T \rightarrow 0} = \left. \frac{\partial f}{\partial T} \right|_k = k \frac{\partial f}{\partial t} + \frac{\partial f}{\partial T}. \quad (3.38)$$

The term $\left. \frac{\partial f}{\partial T} \right|_k$ is obtained from (3.31).

Table 3.4 shows, for the circuit of Fig. 3.6(a), where

$$f_j(T) = \frac{4V^r}{k^2} / 2T,$$




Fig. 3.11 Representation of response with respect to t and T .

TABLE 3.4

$\frac{1}{k} \frac{\partial f}{\partial T} \Big|_k$ OBTAINED FROM THE TLM ROUTINE VERSUS
 $\frac{\partial f}{\partial t}$ BY CENTRAL DIFFERENCES WHERE T = 0.1

t (s)	$\frac{1}{k} \frac{\partial f}{\partial T} \Big _k$	$\frac{\partial f}{\partial t}$ (central differences)	Difference (%)
0.5	0.13999	0.14638	4.56
1.1	0.13649	0.13771	0.89
1.7	0.05300	0.05315	0.28
2.3	-0.03086	-0.03101	0.48
2.9	-0.08180	-0.08206	1.54
3.5	-0.09538	-0.09569	0.32
4.1	-0.08170	-0.08202	0.39
4.7	-0.05493	-0.05521	0.51
5.3	-0.02705	-0.02727	0.81
5.9	-0.00535	-0.00549	2.62

$\frac{1}{k} \frac{\partial f}{\partial T} \Big|_k$ versus $\partial f / \partial t$ calculated by the central difference formula given in Appendix A. There is a difference between the numbers in the two columns which we can attribute to $\frac{1}{k} \frac{\partial f}{\partial T}$ and the inexactness of calculating $\partial f / \partial t$. However, it is clear that this difference is very small.

Table 3.5 compares the results obtained for $\frac{\partial f}{\partial T} \Big|_k$ obtained from the TLM routine, and the ones obtained by perturbing T to 0.101 and 0.099 from its initial value 0.1 (i.e., repeat the analysis with these new values of T), and using central differences.

Two analyses were performed with two different time steps, namely, 0.1 and 0.07143, and $\partial f / \partial T$ at constant time was estimated by perturbation as $\Delta f / \Delta T$. This $\Delta f / \Delta T$ was used to extrapolate to the exact response. The extrapolation formula

$$f_{\text{extrapolated}} = f_{\text{TLM}} - \frac{T}{2} \frac{\Delta f}{\Delta T} . \quad (3.39)$$

Table 3.6 compares the exact response obtained by the inverse Laplace transform and the extrapolated response. Table 3.7, on the other hand, compares the exact response and the extrapolated one, where $\partial f / \partial T$ was calculated using (3.38) for which $\partial f / \partial t$ is calculated by the central difference formula given in Appendix A.

TABLE 3.5

A COMPARISON BETWEEN $\partial f/\partial T$ FOR CONSTANT k OBTAINED
BY TLM AND PERTURBATION

k	f(t,T)		$\left. \frac{\partial f}{\partial T} \right _k$ (central differences)	$\left. \frac{\partial f}{\partial T} \right _k$	Difference (%)
	T=0.101	T=0.099			
11	0.13581327	0.13281062	1.50132	1.50137	0.006
41	0.04989793	0.05659663	-3.34935	-3.34976	0.019
71	-0.01400295	-0.01576903	0.88304	0.88397	0.105
101	0.00345630	0.00371329	-0.12850	-0.129911	0.474
131	-0.00061299	-0.00057152	-0.02073	-0.02050	1.109

TABLE 3.6

USING $\Delta f/\Delta T$ TO PREDICT RESPONSE FOR T=0

t (s)	f(t,T)		$\frac{\Delta f}{\Delta T}$	f _{exact}	f _{extra.}	Diff. (%)
	T=0.1	T=0.5/7				
0.5	0.04255324	0.04333199	-2.72562×10^{-2}	0.044141	0.043916	0.510
1.5	0.17926209	0.17938925	-4.21435×10^{-3}	0.179524	0.179473	0.028
2.5	0.19006031	0.18991132	4.51465×10^{-3}	0.189777	0.189815	0.020
3.5	0.10754101	0.10727105	9.44860×10^{-3}	0.106988	0.107069	0.076
4.5	0.02373052	0.02339983	1.15742×10^{-2}	0.023053	0.023152	0.429

TABLE 3.7

USING $\partial f / \partial T$ TO PREDICT RESPONSE FOR $T=0$

t (s)	f_{exact}	$f_{\text{extrapolated}}$	Difference (%)
0.5	0.044141	0.044152	0.014
1.1	0.134981	0.134992	0.008
1.7	0.193099	0.193111	0.006
2.3	0.198260	0.198272	0.006
2.9	0.162173	0.162183	0.006
3.5	0.106988	0.106994	0.006
4.1	0.052558	0.052561	0.006
4.7	0.011055	0.011054	0.009
5.3	-0.013432	-0.013435	0.022
5.9	-0.022686	-0.022690	0.017

3.9 Conclusions

The TLM method is a new approach to the analysis of lumped networks. The distinct advantage of the TLM method is that the numerical procedure used solves the transmission-line model exactly. Errors arise only from how well the transmission-line model represents the actual circuit. To a certain limit the compensation of these errors by additional elements can improve the results.

Another advantage is that if the transmission-line network is physically stable, which is true in the case of passive linear networks, then the TLM solution will be stable. This means that stiff networks which give rise to instability in most methods do not cause instability in the TLM method. Different transmission-line models can be obtained for the same network, some of the models can be viewed as implicit methods and some as explicit.

The derived formulas permit sensitivity evaluation of the impulse response with respect to design parameters and makes the TLM method suitable for automated network design. Sensitivities with respect to time and time step can be easily obtained and it has been demonstrated how this information is used to improve accuracy.

Possible developments in the method lie in improving the accuracy by using more complicated transmission-line elements and models and the investigation of limitations on modeling general sets of coupled ordinary differential equations.

CHAPTER 4
EFFICIENT USE OF SIMULATION PROGRAMS IN THE
ANALYSIS OF COMPLICATED NETWORKS

4.1 Introduction

Several general purpose simulators have been developed in the last decade. These simulators are designed to be as general as possible, i.e., to handle any circuit configuration, as many types of electrical elements as possible, to perform D.C., A.C. and time-domain analyses. As a result, these simulators are large, requiring a huge memory and CPU time to perform the analysis of a circuit of a reasonable size. The inclusion of such simulators in an optimization program, where it will be called hundreds of times is an obsolete idea. Another handicap for these simulators is that most of them do not provide sensitivities which are needed for the optimization process.

The trend in circuit design is increasingly towards consideration of production yield, design centering, optimal assignment of component tolerances and post-production tuning in an integrated fashion. The scope and size of the resulting design problems have expanded immensely as a result. The circuit designer confronting the design of a reasonably sized circuit which he has to accomplish in a limited time will be forced to avoid developing his own analysis program.

With the use of the multidimensional approximation approach developed by Bandler and Abdel-Malek (1978a) one can exploit general circuit simulators to perform the design without the explicit requirement of sensitivities. Knowing a nominal solution and the associated tolerances, one run of the simulator at $(k+1)(k+2)/2$ preselected sets of k parameter values lead to a set of quadratic models of the response w.r.t. the parameters. Those models are subsequently used to carry out the optimization processes.

Problems also arise when the available simulator does not handle (or does not include) one, or more, of the elements in the circuit to be analyzed. This chapter is concerned with the efficient use of these general simulators in the modeling approach and how to overcome the problem of nonexistent elements in the simulator. Two examples are given, one is an active filter and the second is a current switch emitter follower.

4.2 The Use of General Simulators

Quadratic models (Bandler and Abdel-Malek 1978a) of the circuit response w.r.t. the parameters at appropriate sample points in the frequency or time domains permit the use of general purpose simulators without explicit requirement of sensitivities. These models are subsequently used to carry out the optimization process. The models may be updated and the process repeated depending on the accuracy required and the conditioning of the

problem.

To minimize computational effort, the simulator should provide responses at $(k+1)(k+2)/2$ base points, where k is the dimension of $\underline{\phi}$, suitably arranged within an interpolation region described by Abdel-Malek (1977)

$$\bar{\underline{\phi}} - \delta \leq \underline{\phi} \leq \bar{\underline{\phi}} + \delta, \quad (4.1)$$

where $\bar{\underline{\phi}}$ is the center of the interpolation region and δ defines the size. Figures 4.1(a) and 4.1(b) depict suitable arrangements of the base points for a two-dimensional and a three-dimensional case, respectively.

The program SPICE2 (Nagel 1975), the available simulator, has been used to obtain circuit responses at the base points needed for the modeling and design of different networks (Bandler, Abdel-Malek, Dalsgaard, Elrazaz and Rizk 1978). The program can be run with different sets of parameter values. In order to reduce the overhead time, and assuming that the circuit is not very large, the program can be used only once by supplying the data in such a way that the circuit is repeated with different sets of nodes (where there is no interconnection between each set of nodes except the ground node) with different sets of parameter values. In the frequency-domain case the overall nodal admittance matrix is, consequently, a block diagonal matrix with each block




Fig. 4.1 Arrangement of the base points w.r.t. the centers of interpolation regions in (a) two dimensions and (b) three dimensions.

representing a Y matrix of the circuit. Fig. 4.2 shows such an example. The reordering of the equations to reduce fill-ins, when these equations are solved by LU factorization, would not affect the validity of supplying the data in this way. We have to note here that this can also be done for circuits to be analyzed in the time domain if the companion network or the tableau approach is used for the analysis.

4.3 Examples

4.3.1 An Active Filter

We consider here the analysis of an active filter (Fig. 4.3) to be designed in the worst-case sense everywhere in the range of a tunable parameter, namely, R_4 . The active filter is based on an active bandpass realization considered by Budak and Zeller (1972). The operational amplifiers employed are taken as nonideal, in particular, the one-pole roll-off model given by

$$A(s) = \frac{A_0 \omega_a}{s + \omega_a}, \quad (4.2)$$

where s is the complex frequency variable, $A_0 = 2 \times 10^5$ is the D.C. gain and $\omega_a = 12\pi$ rad/s the 3 dB radian bandwidth. A nonzero output resistance R is assumed for the operational amplifiers.




Fig. 4.2 A circuit supplied to SPICE2, which is the original circuit repeated $(k+1) (k+2)/2$ times with appropriate parameter values.




Fig. 4.3 Tunable active filter with $R_g = 50 \Omega$, $R = 75 \Omega$ and one-pole roll-off for $A(s)$.

Replacing the operational amplifiers by their equivalent circuits we obtain the circuit of Fig. 4.4. Since the program (SPICE2) does not handle a frequency dependent gain of the form of (4.2), the gain had to be represented by the transfer function of an additional small circuit. The transfer function of a series RL circuit driven by a voltage source of $A_0 \omega_a$ can represent equation (4.2). This is achieved by choosing a value of 1 H for the inductance, $(\omega_a - 1)\Omega$ for the first resistor and a value of 1 Ω for the output resistor. The voltage across the output resistor is the output voltage of the first operational amplifier. The ΔV term at the input to the second amplifier can be modeled by a current leaving a node connecting two voltage controlled current sources which are controlled by the voltages to be subtracted. Figure 4.5 shows the equivalent circuit supplied to SPICE2 to perform the analysis. Fifteen circuits connected in cascade were actually supplied once to the program to obtain the response $|V_2|$ at fifteen base points. The variables are R_1 , R_4 , C_1 and C_2 , and R_2 is equal to 26.5 k Ω . The center base point and the sizes of the interpolation region are given in Table 4.1. Figure 4.6 shows the response of the filter with $R_1 = 12.8214$ k Ω , $C_2 = 0.74294$ μ F, $C_1 = 0.70106$ μ F and $R_4 = 188$ Ω (a point in the interpolation region) obtained by SPICE2 and exactly similar to the response obtained by a specially written program.




Fig. 4.4 Equivalent circuit for nodal analysis of the circuit of Fig. 4.3.




Fig. 4.5 Equivalent circuit for SPICE2 analysis of the circuit of Fig. 4.3.




Fig. 4.6 Response of the active filter at a point in the interpolation region.

TABLE 4.1

THE CENTER BASE POINT AND THE SIZE OF THE INTERPOLATION REGION
FOR THE QUADRATIC APPROXIMATION OF THE RESPONSE OF THE
ACTIVE FILTER OF FIG. 4.3

	R_1 (k Ω)	R_4 (Ω)	C_1 (μ F)	C_2 (μ F)
Center Base Point	10	200	0.75	0.75
Size δ	5	100	0.375	0.375

4.3.2 A Current Switch Emitter Follower

The circuit shown in Fig. 4.7 was employed by Ho (1971) for time-domain sensitivity calculations, and for worst-case design and yield optimization by Abdel-Malek and Bandler (1978c). Here we will consider the analysis of this circuit by SPICE2. Figure 4.8 shows the charge-control model to be used for each transistor. The charge-control diode model corresponds to that of the emitter-base junction. Table 4.2 lists the values of the circuit parameters and model parameters, which were obtained from a worst-case design of this network (Abdel-Malek 1977).

The program SPICE2 could not handle the nonlinear capacitance in the form of the one given in the transistor model of Fig. 4.8. In order to overcome this problem (assuming we want to analyze the network with the given transistor model exactly and




Fig. 4.7 Current switch emitter follower (CSEF) circuit.




Fig. 4.8 The transistor model.

TABLE 4.2(a)
CIRCUIT PARAMETER VALUES

R_1	281.33 Ω
R_2	75.00 Ω
R_3	78.24 Ω
R_4	45.53 Ω
E_2	4.03 V
E_3	1.13 V
E_4	1.66 V
C_0	1.25 pF

TABLE 4.2(b)
DIODE MODEL PARAMETERS

I_{SD}	diode saturation current	$0.6 \times 10^{-9} \text{ A}$
C_{JD}	depletion layer capacitance	0.12 pF
TT_D	transit time	0.01 ns
θ	inverse of thermal potential	38.688 V^{-1}

$$I_D = I_{SD}(\exp(\theta V_D) - 1)$$

$$C_D = C_{JD} + TT_D \frac{dI_D}{dV_D}$$

TABLE 4.2(c)
TRANSISTOR MODEL PARAMETERS

I_S	saturation current	$0.6 \times 10^{-9} \text{ A}$
α	common base current gain	0.99
R_B	base resistance	$50.0 \ \Omega$
C_C	collector junction capacitance	0.5 pF
C_{JE}	emitter junction depletion layer capacitance	0.12 pF
TT	base transit time	0.01 ns
θ	inverse of thermal potential	38.668 V^{-1}

$$I_E = I_S (\exp(\theta V_{BE}) - 1)$$

$$I_C = \alpha I_E$$

$$C_E = C_{JE} + TT \frac{dI_E}{dV_{BE}}$$

R_B and C_C are assumed zero for transistor T_3

TABLE 4.2(d)
TRANSMISSION-LINE PARAMETERS

Z_0	characteristic impedance	$92.004 \ \Omega$
τ	delay time	0.25 ns

not with any other model) the current passing through the nonlinear part of the capacitance was represented by the current i_1 of a two-dimensional current controlled current source. The currents controlling this source are i_2 and i_3 in two small additional networks as shown in Fig. 4.9. The coefficients of the polynomial representing i_1 are all zero except the coefficient of the cross terms which has the value one. In the circuit where i_2 is passing $P_0 = P_1 I_S$ so as to let i_2 be equal to $P_1 I_S \exp(V_{BE})$. The current i_3 will represent dV_{BE}/dt . We have to note that the zero valued voltage sources in the additional network have to be introduced since the current controlled sources in SPICE2 can only be controlled by currents passing through independent voltage sources. The results were checked by the companion-network approach (Rizk 1978).

The analysis was also performed by SPICE2 using the built-in models. The parameters of these models were fed in the data to match the model as closely as possible to the given model (Fig. 4.8). Responses obtained by the companion network, by SPICE2 and by the state equations (Abdel-Malek 1977) are shown in Fig. 4.10. Note that the two responses obtained by SPICE2 were almost identical.

The running time of SPICE2, where we modeled the nonlinear capacitance, was 92 s, while using the built-in models the running time was only 7 s. This difference is mainly due to the





Fig. 4.9 Transistor model described to SPICE2.




Fig. 4.10 Input voltage and responses of CSEF with different methods of analysis.

additional elements we have introduced in modeling the nonlinear capacitance which resulted in having 12 additional nodes and node voltages. The data supplied to SPICE2 in the two cases is given in Appendix B.

4.4 Conclusions

The possible exploitation of general purpose simulators to perform the analysis of circuits (even if they can not handle the circuit directly) and obtain the multidimensional approximation models to carry out sophisticated optimal design problems (design centering, tolerance assignment, post-production tuning, worst-case design and yield optimization) has been described.

CHAPTER 5

ANALYSIS AND SENSITIVITY EVALUATION FOR CASCADED STRUCTURES

5.1 Introduction

This chapter presents a new and comprehensive treatment of computer-oriented cascaded network analysis. The analysis of cascaded networks plays a very important role in the design and optimization of microwave circuits, so that an attractive approach which facilitates efficient analytical and numerical investigations of response, first- and higher-order sensitivities of response, simultaneous and arbitrary large-change sensitivity evaluation is highly desirable. As is well-known, first-order sensitivities, for example, are useful in network optimization by gradient methods.

In tolerance assignment, the response and its first-order sensitivity at the vertices of the tolerance region are needed. This information is also very useful if a worst-case search algorithm has to identify the worst vertex.

The approach we have developed permits efficient

- (a) exact analysis of cascaded networks in any direction,
- (b) exact evaluation of first-order response sensitivities at

any location,

(c) exact evaluation of the effects of any number of simultaneous large changes in any elements,

(d) the exploitation of network structure:

1. responses at different loads in branched networks which may be connected in series or in parallel with the main cascade, can be obtained analytically in terms of the variable elements. Sensitivity and large-change effects w.r.t. these variables can be easily evaluated,

2. symmetry can be taken into consideration to reduce computational effort (Bandler, Biernacki and Rizk 1979),

(e) evaluation of the exact effect due to simultaneously growing elements in appropriate locations.

The conceptual advantages enjoyed by our approach and applicable to 2-port elements are

(a) all calculations are applied directly to the given network: no auxiliary or adjoint network is defined,

(b) all calculations involve at most the premultiplication of two by two matrices by row vectors or postmultiplications by column vectors: no explicit matrix inversion is ever required,

(c) response functions, sensitivities or large-change effects are represented analytically in terms of the parameters to

be investigated: all parts of the network to be kept constant are reduced numerically to a few two-element vectors appearing as constants in the formulas,

- (d) calculations can be carried out easily by hand, if appropriate, or are readily programmed.

The approach is not confined to 2-port elements. It has been generalized in this chapter to 2p-port elements.

5.2 Theoretical Foundation

Consider the two-port element depicted in Fig. 5.1. The basic iteration, also summarized by Table 5.1, is $\bar{y} = A y$, where A is the transmission or chain matrix, y contains the output voltage and current and \bar{y} the corresponding input quantities.




Fig. 5.1 Notation for an element in the chain, indicating reference directions and voltage and current variables.

TABLE 5.1
PRINCIPAL CONCEPTS INVOLVED IN THE ANALYSES

Concept	Definition	Implication
Basic iteration	$\bar{y} = A \underline{y}$	$\underline{y} \Rightarrow \bar{y}$
Forward operation	$\underline{u}^T A = \underline{u}^T$	$\underline{u}^T \bar{y} = \underline{u}^T A \underline{y} = \underline{u}^T \underline{y}$
Reverse operation	$\bar{v} = A \underline{v}$	$\underline{y} = c \underline{v} \Rightarrow \bar{y} = c \bar{v}$
Voltage selector	$\underline{e}_1 \triangleq \begin{bmatrix} 1 \\ 0 \end{bmatrix}$	$\underline{e}_1 \Rightarrow \underline{u}_1$ or \underline{v}_1
Current selector	$\underline{e}_2 \triangleq \begin{bmatrix} 0 \\ 1 \end{bmatrix}$	$\underline{e}_2 \Rightarrow \underline{u}_2$ or \underline{v}_2
Equivalent source	$\underline{y} = \begin{bmatrix} V_S - Z_S I_S \\ I_S \end{bmatrix}$	$\underline{e}_1^T \underline{y} = V_S - Z_S I_S, \underline{e}_2^T \underline{y} = I_S$
Equivalent load	$\underline{y} = \begin{bmatrix} V_L \\ Y_L V_L - I_L \end{bmatrix}$	$\underline{y} = V_L \underline{e}_1 + (Y_L V_L - I_L) \underline{e}_2$

Forward analysis (see Fig. 5.2 and Table 5.1) consists of initializing a \bar{u}^T row vector as either [1 0], [0 1] or a suitable linear combination and successively premultiplying each constant chain matrix by the resulting row vector until an element of interest, a reference plane or a termination is reached.




Fig. 5.2 Forward and reverse analyses of a cascaded network with source and load impedances assumed constant.

Reverse analysis, which is similar to conventional analysis of cascaded networks, proceeds by initializing a \underline{v} column vector as either $[1 \ 0]^T$ or $[0 \ 1]^T$ or a suitable linear combination and successively postmultiplying each constant matrix by the resulting column vector, again until either an element of interest, a reference plane or a termination is reached.

In summary, assuming a cascade of n two-ports we have

$$\underline{y}^{-1} = \underline{y}^0 = \underline{A}^1 \underline{A}^2 \dots \underline{A}^i \dots \underline{A}^n \underline{y}^n \quad (5.1)$$

and, applying forward and reverse analysis up to \underline{A}^i , this reduces to an expression of the form

$$d = \underline{u}^{-1T} \underline{y}^{-1} = c \underline{u}^{-iT} \underline{A}^i \underline{v}^i, \quad (5.2)$$

where

$$\underline{y}^n = c \underline{v}^n \quad (5.3)$$

and c and d relate selected output and input variables of interest explicitly with \underline{A}^i .

The typical formula will, therefore, contain factors of the form

$$\text{function evaluation:} \quad \underline{u}^{-T} \underline{A} \underline{v} \implies Q \quad (5.4)$$

$$\text{first-order sensitivity:} \quad \underline{u}^{-T} \delta \underline{A} \underline{v} \implies \delta Q \quad (5.5)$$

$$\text{partial derivative: } \bar{u}^T \frac{\partial A}{\partial \phi} \tilde{v} \implies Q' \quad (5.6)$$

$$\text{large-change sensitivity: } \bar{u}^T \Delta A \tilde{v} \implies \Delta Q \quad (5.7)$$

where the parameter ϕ is contained in A . A full reverse analysis taking

$$\begin{bmatrix} \tilde{v}_1^n & \tilde{v}_2^n \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

yields

$$\begin{bmatrix} \tilde{v}_1^i & \tilde{v}_2^i \end{bmatrix} = \tilde{A}^{i+1} \tilde{A}^{i+2} \dots \tilde{A}^n \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

and a corresponding full forward analysis taking

$$\begin{bmatrix} \bar{u}_1^{-1} & \bar{u}_2^{-1} \end{bmatrix}^T = \begin{bmatrix} \bar{u}_1^0 & \bar{u}_2^0 \end{bmatrix}^T = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

yields

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \tilde{A}^1 \tilde{A}^2 \dots \tilde{A}^{i-1} = \begin{bmatrix} \bar{u}_1^{-i} & \bar{u}_2^{-i} \end{bmatrix}^T.$$

5.2.1 Reference Planes

In considering more than one element in the cascade we divide the network into subnetworks by reference planes. These in

turn are chosen so that no more than one element is to be explicitly considered between any pair of reference planes. In Fig. 5.2 the element \tilde{A} is the only element whose effect is to be considered. In Fig. 5.3 the elements \tilde{A}^k , \tilde{A}^i and \tilde{A}^j are considered in the k th, the i th and the j th subnetworks, respectively. Note that the superscripts of \tilde{A} here, and from now on, denote the subnetwork and not the element. Forward and reverse analyses are initiated at the reference planes. A forward iteration of the structure of Fig. 5.3 is illustrated in Fig. 5.4, where equivalent (Thevenin) sources are iteratively determined. Reverse iteration is shown in Fig. 5.5, where equivalent (Norton) sources are iteratively determined.




Fig. 5.3 Subnetwork i cascaded with subnetwork k (at source end) and j (at load end).




Fig. 5.4 Forward iteration for Fig. 5.3, transferring an equivalent source accounting for design variables from subnetwork k from one reference plane to the other.




Fig. 5.5 Reverse iteration for Fig. 5.3, transferring an equivalent source accounting for design variables from subnetwork j from one reference plane to the other.

5.3 Network Functions in Terms of Elements Under Consideration

Performing forward analysis from the source of the i th subnetwork to the input of A^i and reverse analysis from the load to the output of A^i we have

$$V_S^i = (\bar{u}_1 + Z_S^i \bar{u}_2)^T A^i (V_L^i v_1 + (Y_L^i V_L^i - I_L^i) v_2) = V_L^k + Z_S^i I_S^i \quad (5.8)$$

and the current through the voltage source of the i th subnetwork

$$I_S^i = \bar{u}_2^T A^i (V_L^i v_1 + (Y_L^i V_L^i - I_L^i) v_2) = V_L^k Y_L^k - I_L^k. \quad (5.9)$$

From (5.8), letting $I_L^i = 0$ and $Y_L^i = 0$, we have $I_S^j = 0$ and the Thevenin voltage

$$V_S^j = V_L^i = \frac{V_S^i}{(\bar{u}_1 + Z_S^i \bar{u}_2)^T A^i v_1} = \frac{V_S^i}{Q_{11}^i + Z_S^i Q_{21}^i}, \quad (5.10)$$

where the Q terms have been defined in (5.4). Letting $V_S^i = 0$ and $Y_L^i = 0$, we have $I_S^j = -I_L^i$ and the output impedance

$$Z_S^j = \frac{V_L^i}{I_L^i} = \frac{(\bar{u}_1 + Z_S^i \bar{u}_2)^T A^i v_2}{(\bar{u}_1 + Z_S^i \bar{u}_2)^T A^i v_1} = \frac{Q_{12}^i + Z_S^i Q_{22}^i}{Q_{11}^i + Z_S^i Q_{21}^i}, \quad (5.11)$$

where, again, the Q terms of (5.4) are used to obtain a compact expression. These expressions for V_S^j and Z_S^j permit equivalent Thevenin sources to be moved in a forward iteration.

From (5.8) and (5.9), letting $I_L^i = 0$ and $Z_S^i = 0$ we have $I_L^k = 0$ and the input admittance

$$Y_L^k = \frac{I_S^i}{V_S^i} = \frac{\bar{u}_2^T A^i(v_1 + Y_L^i v_2)}{\bar{u}_1^T A^i(v_1 + Y_L^i v_2)} = \frac{Q_{21}^i + Y_L^i Q_{22}^i}{Q_{11}^i + Y_L^i Q_{12}^i}. \quad (5.12)$$

Letting $V_S^i = 0$ and $Z_S^i = 0$, we have $V_L^k = 0$ and the Norton current

$$I_L^k = -I_S^i = -I_L^i (Y_L^k \bar{u}_1 - \bar{u}_2)^T A^i v_2 = -I_L^i (Y_L^k Q_{12}^i - Q_{22}^i). \quad (5.13)$$

These expressions for I_L^k and Y_L^k permit equivalent Norton sources to be moved (if desired) in a reverse iteration.

The input current I_S^i for $I_L^i = 0$ is obtained via (5.12) as

$$I_S^i = V_S^i / \left[Z_S^i + \frac{\bar{u}_1^T A^i(v_1 + Y_L^i v_2)}{\bar{u}_2^T A^i(v_1 + Y_L^i v_2)} \right]$$

$$= \frac{V_S^i \bar{u}_2^T A^i(v_1 + Y_L^i v_2)}{(\bar{u}_1 + Z_S^i \bar{u}_2)^T A^i(v_1 + Y_L^i v_2)} = \frac{V_S^i (Q_{21}^i + Y_L^i Q_{22}^i)}{Q_{11}^i + Y_L^i Q_{12}^i + Z_S^i Q_{21}^i + Z_S^i Y_L^i Q_{22}^i} \quad (5.14)$$

Tables 5.2 and 5.3 summarize the procedures and the effort required in evaluating the different factors in the derived equations.

Useful special cases of these formulas for I_S and V_L in Fig. 5.2 are, from (5.14) and (5.10), respectively,

$$I_S = V_S \frac{\begin{matrix} \bar{u}_2 \\ \sim 2 \end{matrix} \begin{matrix} T \\ \sim 1 \end{matrix} \begin{matrix} A \\ \sim 1 \end{matrix} v_1}{\begin{matrix} \bar{u}_1 \\ \sim 1 \end{matrix} \begin{matrix} T \\ \sim 1 \end{matrix} \begin{matrix} A \\ \sim 1 \end{matrix} v_1} = V_S \frac{Q_{21}}{Q_{11}} \quad (5.15)$$

and

$$V_L = \frac{V_S}{\begin{matrix} \bar{u}_1 \\ \sim 1 \end{matrix} \begin{matrix} T \\ \sim 1 \end{matrix} \begin{matrix} A \\ \sim 1 \end{matrix} v_1} = \frac{V_S}{Q_{11}} \quad (5.16)$$

Table 5.4 gives some useful formulas which can be obtained for variations in a particular element A . We note, for example, that, since A is arbitrary and at most only one full analysis yields all Q_{11} , δQ_{11} , Q'_{11} and ΔQ_{11} , the corresponding V_L , δV_L , $\partial V_L / \partial \phi$ and ΔV_L w.r.t. all possible parameters anywhere in the cascade can be evaluated exactly for one network analysis. This particular special case is equivalent to the results of previous researchers (Bandler and Seviara 1970, Therrien 1974).

TABLE 5.2

NOTATION AND IMPLIED INITIAL CONDITIONS

Factor	Identification	Initial Conditions	
		Forward	Reverse
$\bar{u}_1^T (*) \tilde{v}_1$	$(+)_{11}$	voltage	voltage
$\bar{u}_1^T (*) \tilde{v}_2$	$(+)_{12}$	voltage	current
$\bar{u}_2^T (*) \tilde{v}_1$	$(+)_{21}$	current	voltage
$\bar{u}_2^T (*) \tilde{v}_2$	$(+)_{22}$	current	current

(*) denotes either \tilde{A} , $\delta\tilde{A}$, $\partial\tilde{A}/\partial\phi$ or $\Delta\tilde{A}$

(+) denotes Q , δQ , Q' or ΔQ , as taken from (5.4), (5.5), (5.6) or (5.7), respectively

TABLE 5.3

ANALYSES REQUIRED BY CERTAIN TERMS

Term	Analysis Required
$\tilde{u}^T \tilde{v}$	Forward and reverse (<u>conventional</u>) cascade analysis to <u>any</u> corresponding reference plane, whichever is convenient
$\tilde{u}_1^T \tilde{v}_1, \tilde{u}_2^T \tilde{v}_2$	Preferably one <u>reverse</u> analysis to source reference plane (avoiding calculation of \tilde{u}_1 and \tilde{u}_2)
$\tilde{u}^T \tilde{v}_1, \tilde{u}^T \tilde{v}_2$	Preferably one <u>forward</u> analysis to load reference plane (avoiding calculation of \tilde{v}_1 and \tilde{v}_2)
$\tilde{u}^T \cdot \tilde{v}$	One forward analysis to input of \tilde{A} and one reverse analysis to output of \tilde{A}
$\tilde{u}_1^T \cdot \tilde{v}_1, \tilde{u}_2^T \cdot \tilde{v}_2$	One full forward analysis to input of \tilde{A} and one reverse analysis to output of \tilde{A}
$\tilde{u}^T \cdot \tilde{v}_1, \tilde{u}^T \cdot \tilde{v}_2$	One full reverse analysis to output of \tilde{A} and one forward analysis to input of \tilde{A}
$\tilde{u}_1^T \cdot \tilde{v}_1, \tilde{u}_1^T \cdot \tilde{v}_2$	One full forward analysis to input of \tilde{A} and one full reverse analysis to output of \tilde{A}
$\tilde{u}_2^T \cdot \tilde{v}_1, \tilde{u}_2^T \cdot \tilde{v}_2$	

TABLE 5.4

FUNCTIONS OF INPUT CURRENT I_S AND OUTPUT VOLTAGE V_L FOR
CHANGES IN \tilde{A} ONLY

Variable	Input	Output
\tilde{A}	$I_S = V_S \frac{Q_{21}}{Q_{11}}$	$V_L = \frac{V_S}{Q_{11}}$
$\delta \tilde{A}$	$\delta I_S = \frac{V_S \delta Q_{21} - I_S \delta Q_{11}}{Q_{11}}$	$\delta V_L = -\frac{V_L^2}{V_S} \delta Q_{11}$
$\frac{\partial \tilde{A}}{\partial \phi}$	$\frac{\partial I_S}{\partial \phi} = \frac{V_S Q'_{21} - I_S Q'_{11}}{Q_{11}}$	$\frac{\partial V_L}{\partial \phi} = -\frac{V_L^2}{V_S} Q'_{11}$
$\Delta \tilde{A}$	$\Delta I_S = \frac{V_S \Delta Q_{21} - I_S \Delta Q_{11}}{Q_{11} + \Delta Q_{11}}$	$\Delta V_L = -\frac{V_L^2}{V_L + V_S / \Delta Q_{11}}$

5.4 First- and Second-order Sensitivities

The first-order sensitivity of V_L w.r.t. a variable parameter ϕ_1 is given using (5.16) by

$$\frac{\partial V_L}{\partial \phi_1} = \frac{-V_S \frac{\partial Q_{11}}{\partial \phi_1}}{Q_{11}^2} \quad (5.17)$$

Differentiating (5.17) w.r.t. ϕ_2 we get

$$\begin{aligned} \frac{\partial^2 V_L}{\partial \phi_2 \partial \phi_1} &= -V_S \frac{\partial}{\partial \phi_2} \left[\frac{\partial Q_{11}}{\partial \phi_1} / Q_{11}^2 \right] \\ &= -V_L \frac{Q_{11} \frac{\partial^2 Q_{11}}{\partial \phi_2 \partial \phi_1} - 2 \frac{\partial Q_{11}}{\partial \phi_1} \frac{\partial Q_{11}}{\partial \phi_2}}{Q_{11}^3} \quad (5.18) \end{aligned}$$

The evaluation of $\partial Q_{11}/\partial \phi_1$ and $\partial Q_{11}/\partial \phi_2$ is straightforward (see Table 5.4). For the evaluation of the term $\partial^2 Q_{11}/\partial \phi_2 \partial \phi_1$, we assume that the variables are numbered consecutively from the source end to the load end so that this term is expressed, for example, by

$$\frac{\partial^2 Q_{11}}{\partial \phi_2 \partial \phi_1} = \frac{\partial}{\partial \phi_1} \left(\frac{-\tilde{u}_1^T}{\tilde{u}_1} \right) \frac{\partial A}{\partial \phi_2} \tilde{v}_1 \quad (5.19)$$

Note that \bar{u}_1^T is a function of a certain chain matrix which contains the variable ϕ_1 , A is the chain matrix containing ϕ_2 and v_1 is evaluated at the reference plane following A .

5.5 The Evaluation of V_L and its Sensitivities w.r.t. Design Parameters at all Vertices of the Tolerance Region

Algorithms concerned with finding worst vertices of the tolerance region need the value of the response at the vertices (Leung and Spence 1975) as well as the sensitivity of this response w.r.t. the design parameters (Bandler, Liu and Chen 1975, Tromp 1978).

Assume that we have partitioned the network by reference planes into subnetworks such that each subnetwork contains one chain matrix containing a variable parameter. Each reference plane is chosen to fall immediately after a variable element.

The Thevenin voltage/impedance of the i th subnetwork is considered as the source voltage/impedance of the $(i+1)$ th subnetwork, given by (5.10) and (5.11), respectively, where $j = i+1$. We have to note here that the terms Q_{11}^i , Q_{21}^i , Q_{12}^i and Q_{22}^i are as defined in (5.4) with v_1 and v_2 set to e_1 and e_2 , respectively, since the appropriate reference plane immediately follows the element A^i . The number of pairs of terms V_S^{i+1} and Z_S^{i+1} to be evaluated is 2^i , since each subnetwork contains one variable element with two extreme values (assuming that each A^i contains only one variable parameter).

Differentiating (5.10) w.r.t. ϕ_h , where ϕ_h does not belong to A^i , but V_S^i and Z_S^i are functions of ϕ_h (i.e., ϕ_h is in a subnetwork h before the i th subnetwork) we get

$$\frac{\partial V_S^{i+1}}{\partial \phi_h} = \frac{(Q_{11}^i + Z_S^i Q_{21}^i) \frac{\partial V_S^i}{\partial \phi_h} - V_S^i \frac{\partial Z_S^i}{\partial \phi_h} Q_{21}^i}{(Q_{11}^i + Z_S^i Q_{21}^i)^2}, \quad (5.20)$$

and differentiating (5.11) w.r.t. ϕ_h , we get

$$\begin{aligned} \frac{\partial Z_S^{i+1}}{\partial \phi_h} &= \frac{(Q_{11}^i + Z_S^i Q_{21}^i) \frac{\partial Z_S^i}{\partial \phi_h} Q_{22}^i - (Q_{21}^i + Z_S^i Q_{22}^i) \frac{\partial Z_S^i}{\partial \phi_h} Q_{21}^i}{(Q_{11}^i + Z_S^i Q_{21}^i)^2} \\ &= \frac{\partial Z_S^i (Q_{11}^i Q_{22}^i - Q_{12}^i Q_{21}^i)}{\partial \phi_h (Q_{11}^i + Z_S^i Q_{21}^i)^2}. \end{aligned} \quad (5.21)$$

On the other hand, the derivatives w.r.t. ϕ_i which is contained in A^i (Z_S^i and V_S^i are not functions of ϕ_i), are

$$\frac{\partial V_S^{i+1}}{\partial \phi_i} = \frac{-V_S^i \left(\frac{\partial Q_{11}^i}{\partial \phi_i} + Z_S^i \frac{\partial Q_{21}^i}{\partial \phi_i} \right)}{(Q_{11}^i + Z_S^i Q_{21}^i)^2} \quad (5.22)$$

and

$$\frac{\partial Z_S^{i+1}}{\partial \phi_i} = \frac{(Q_{11}^i + Z_S^i Q_{21}^i) \left(\frac{\partial Q_{21}^i}{\partial \phi_i} + Z_S^i \frac{\partial Q_{22}^i}{\partial \phi_i} \right) - (Q_{12}^i + Z_S^i Q_{22}^i) \left(\frac{\partial Q_{11}^i}{\partial \phi_i} + Z_S^i \frac{\partial Q_{21}^i}{\partial \phi_i} \right)}{(Q_{11}^i + Z_S^i Q_{21}^i)^2}, \quad (5.23)$$

where $\frac{\partial Q_{11}^i}{\partial \phi_i}$, $\frac{\partial Q_{21}^i}{\partial \phi_i}$, $\frac{\partial Q_{12}^i}{\partial \phi_i}$ and $\frac{\partial Q_{22}^i}{\partial \phi_i}$ correspond to (5.6) and Table 5.2. This sensitivity information is carried out through the analysis for each subnetwork. The number of variables for which sensitivities of V_S^{i+1} and Z_S^{i+1} exist at the (i+1)th subnetwork is i so that $2^i \cdot i$ sensitivity calculations are performed. Having V_L and I_L as zeros, the expression relating V_L and the last sets of V_S and Z_S , is given by (5.10), so that 2^k values for V_L and its sensitivities can be obtained from appropriate values of V_S , Z_S and A.

5.6 Branched Circuits

Consider, as an example, the cascaded circuit shown in Fig. 5.6, which has two branches, one connected in series and one in parallel. In the series and parallel branches we highlight, for example, the elements B and C, respectively. The series branch can be thought of equivalently as an element consisting of a series impedance connected in cascade with the main circuit as




Fig. 5.6 An example of a cascaded circuit with a branch connected in series and a branch connected in parallel. Branches are represented in the cascade by their equivalents. Reference planes where different analyses are initiated are labelled.

shown in Fig. 5.6. This impedance Z may be taken as the inverse of the input admittance derived in (5.12) and is given by

$$Z = \frac{\begin{matrix} -T \\ \tilde{u}_{1B} \end{matrix} \begin{matrix} B \\ \tilde{v}_{1B} \end{matrix}}{\begin{matrix} -T \\ \tilde{u}_{2B} \end{matrix} \begin{matrix} B \\ \tilde{v}_{1B} \end{matrix}}, \quad (5.24)$$

where the subscript B distinguishes terms associated with the branch from that of the cascaded main circuit. The forward analysis is initiated at reference plane d and the reverse analysis is initiated at reference plane b . (See Fig. 5.6.)

Similarly, the parallel branch can be thought of equivalently as an admittance Y connected in shunt in the cascade. The admittance Y (as in (5.12)) is given by

$$Y = \frac{\begin{matrix} -T \\ \tilde{u}_{2C} \end{matrix} \begin{matrix} C \\ \tilde{v}_{1C} \end{matrix}}{\begin{matrix} -T \\ \tilde{u}_{1C} \end{matrix} \begin{matrix} C \\ \tilde{v}_{1C} \end{matrix}}, \quad (5.25)$$

where the forward analysis is initiated at reference plane e and the reverse analysis is initiated at reference plane c .

Different formulas relating the load voltages of the branches to the variables can be derived. The load voltage of the series branch can be derived (Appendix C.1) as a function of B as

$$V_{BL} \sim (B) = \frac{e_{\sim 2}^T \sim v_{1Z} V_S}{\begin{matrix} \bar{u}_{\sim 2B}^T & B & \bar{u}_{\sim 1B}^T \\ \bar{u}_{\sim 1Z}^T & & \end{matrix} \begin{bmatrix} 1 & Z \\ 0 & 1 \end{bmatrix} \sim v_{1Z}}, \quad (5.26)$$

where

$\bar{u}_{\sim 1Z}^T$ is the result at reference plane f of a forward analysis initiated at the source,

$\sim v_{1Z}$ is the result at reference plane g of a reverse analysis initiated at the load reference plane a.

It can also be obtained (Appendix C.2) as a function of C as

$$V_{BL} \sim (C) = \frac{\begin{bmatrix} \bar{u}_{\sim 1Yf}^T & - \bar{u}_{\sim 1Yg}^T \end{bmatrix} \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} \sim v_{1Y} V_S}{\begin{matrix} \bar{u}_{\sim 1B}^T & B & \bar{u}_{\sim 1B}^T \\ \bar{u}_{\sim 1Y}^T & & \end{matrix} \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} \sim v_{1Y}}, \quad (5.27)$$

where

$\bar{u}_{\sim 1Y}^T$ is the result at reference plane h of a forward analysis,

$\sim v_{1Y}$ is the result at reference plane k of a reverse analysis,

$\bar{u}_{\sim 1Yf}^T$ is the result at reference plane h of a forward analysis initiated at reference plane f,

$\bar{u}_{\sim 1Yg}^T$ is the result at reference plane h of a forward analysis initiated at reference plane g.

The load voltage of the parallel branch can also be derived

(Appendix C.3) as a function of \tilde{C} as

$$V_{CL}(\tilde{C}) = \frac{e_1^T \tilde{v}_{1Y} V_S}{\tilde{u}_{1C}^T \tilde{C} \tilde{v}_{1C} \tilde{u}_{1Y}^T \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} \tilde{v}_{1Y}}, \quad (5.28)$$

and (Appendix C.4) as a function of \tilde{B} as

$$V_{CL}(\tilde{B}) = \frac{e_1^T \tilde{v}_{1Y} V_S}{\tilde{u}_{1C}^T \tilde{C} \tilde{v}_{1C} \tilde{u}_{1Z}^T \begin{bmatrix} 1 & Z \\ 0 & 1 \end{bmatrix} \tilde{v}_{1Z}}. \quad (5.29)$$

5.7 Algorithms

5.7.1 Two Algorithms for Evaluation of Large Changes

The two following algorithms are used to obtain responses at the base points for the multidimensional quadratic interpolation (Bandler and Abdel-Malek 1979). The first is used when one parameter at a time is perturbed and the second is used when pairs of parameters are perturbed simultaneously.

Algorithm 1 Multiple One-at-a-time Changes

Step 1 Initialize \tilde{u} and \tilde{v} .
Set $i \leftarrow 1$, $m \leftarrow 1$, $j \leftarrow n$.

Comment n is the total number of elements in the cascade and m is a counter for the variable elements.

- Step 2 If $i = l_m$ go to Step 5.
- Comment l_m is an element of L, an index set containing superscripts of the k matrices containing the k variable parameters and ordered consecutively. It is assumed that each matrix contains only one variable.
- Step 3 $\bar{u}^T + \bar{u}^T A^i$.
 $i \leftarrow i + 1$.
- Step 4 If $i = l_m$ go to Step 5.
 Go to Step 3.
- Step 5 Let $x^m \leftarrow \bar{u}$.
 If $i = l_k$ go to Step 7.
- Comment x^1, x^2, \dots, x^k are working arrays to store the \bar{u} vectors required in the evaluation of the large changes taking place.
- Step 6 $m \leftarrow m + 1$. Go to Step 3.
- Step 7 If $n = l_k$ go to Step 10.
- Step 8 $v = A^j v$.
 $j \leftarrow j - 1$.
- Step 9 If $j = l_m$ go to Step 10.
 Go to Step 8.
- Step 10 Evaluate Q using the stored x^m, v and the perturbed A^j . If $j = l_1$ stop.
- Comment Positive and negative extremes of the variable in A^j are considered simultaneously.

Step 11 $m \leftarrow m - 1$. Go to Step 8.

Algorithm 2 Multiple Pairwise Changes

This algorithm is for evaluating the response at the $k(k-1)/2$ base points where two parameters are perturbed at a time. At the first $k-1$ points following those considered in Algorithm 1 the parameters indicated by the subscripts

1,2 1,3 ... 1,k

are changed; at the next $k-2$ points the parameters indicated by the subscripts

2,3 2,4 ... 2,k

are changed, and so on, until the final point at which parameters $k-1$ and k are perturbed. Figure 5.7 serves to illustrate the analyses involved.

Step 1 Initialize $\bar{u}_1^0, \bar{u}_2^0, \bar{u}_1^1$ and \bar{u}_2^1 .

Set $i \leftarrow 1, m \leftarrow 1, q \leftarrow 0, r \leftarrow 1$ and $s \leftarrow k - 1$.

Comment \bar{u}_1^1 and \bar{u}_2^1 are vectors to be initialized as \bar{u}_1^0 and \bar{u}_2^0 , respectively. They have the same role as \bar{u}_1^0 and \bar{u}_2^0 in the forward analysis initiated at a reference plane immediately following the first variable element.




Fig. 5.7 Illustration for a cascade of 6 two-ports of the principal stages in the calculations involved in the multiple pairwise changes algorithm. Three variable elements are considered, hence three sets of simultaneous analyses are effectively performed.

Step 2 If $i = l_m$ go to Step 4.

Comment l_m is an element of L, an index set containing superscripts of the k matrices containing the k variable parameters as indicated in Algorithm 1.

Step 3
$$\begin{aligned} \tilde{u}_1^{0T} &\leftarrow \tilde{u}_1^{0T} \tilde{A}^i. \\ \tilde{u}_2^{0T} &\leftarrow \tilde{u}_2^{0T} \tilde{A}^i. \end{aligned}$$

Step 4 If $m = 1$ go to Step 5.

$$\begin{aligned} \tilde{u}_1^{1T} &\leftarrow \tilde{u}_1^{1T} \tilde{A}^i. \\ \tilde{u}_2^{1T} &\leftarrow \tilde{u}_2^{1T} \tilde{A}^i. \\ &\vdots \\ \tilde{u}_1^{qT} &\leftarrow \tilde{u}_1^{qT} \tilde{A}^i. \\ \tilde{u}_2^{qT} &\leftarrow \tilde{u}_2^{qT} \tilde{A}^i. \end{aligned}$$

Comment This step is not performed until we reach a variable element, since the analyses involving the \tilde{u}^j do not begin until the jth variable element has been considered.

Step 5 Set $i \leftarrow i + 1$.

Step 6 If $i = l_m$ go to Step 7.

Go to Step 3.

Step 7 If $m = k$ go to Step 9.

Calculate the Thevenin impedances and voltages

$$Z_S(m,1), \dots, Z_S(m,s),$$

$$V_S(m,1), \dots, V_S(m,s).$$

$s \leftarrow s - 1$.

Comment For the first variable element k-1 sets of Z_S and V_S have to be evaluated since changes in this element will be coupled one at a time with changes in the next k-1 variable elements. For the second variable element k-2 sets of Z_S and V_S are calculated and so on. See Fig. 5.7.

Step 8 If $m = 1$ go to Step 13.

Step 9 Set $p \leftarrow 1$.

Comment p is an internal counter.

Step 10 $\tilde{x}^r \leftarrow \tilde{u}^p$.
If $p = q$ go to Step 12.

Comment When the analysis has reached a reference plane immediately preceding an element containing a variable whose change is to be associated with any previously encountered variable a snapshot of the appropriate \tilde{u} vectors is taken and stored in the \tilde{x} arrays. See Fig. 5.7.

Step 11 Set $r \leftarrow r + 1$.

$p \leftarrow p + 1$.

Go to Step 10.

Step 12 Set $r \leftarrow r + 1$.

Step 13 If $m = k$ go to Step 16.

$$\begin{aligned} \tilde{u}_1^{OT} &\leftarrow \tilde{u}_1^{OT} \tilde{A}^i. \\ \tilde{u}_2^{OT} &\leftarrow \tilde{u}_2^{OT} \tilde{A}^i. \end{aligned}$$

Step 14 If $m = 1$ go to Step 15.

$$u_{\sim 1}^{1T} \leftarrow u_{\sim 1}^{1T} A_{\sim}^i.$$

$$u_{\sim 2}^{1T} \leftarrow u_{\sim 2}^{1T} A_{\sim}^i.$$

.

$$u_{\sim 1}^{qT} \leftarrow u_{\sim 1}^{qT} A_{\sim}^i.$$

$$u_{\sim 2}^{qT} \leftarrow u_{\sim 2}^{qT} A_{\sim}^i.$$

Comment

In Step 7 we calculated sets of Z_S and V_S accounting for variations in A_{\sim}^i . In Steps 13 and 14, however, we carry forward the analyses for which A_{\sim}^i is considered fixed.

Step 15 Set $i \leftarrow i + 1$.

$$m \leftarrow m + 1.$$

$$q \leftarrow q + 1.$$

Initialize $u_{\sim 1}^{qT}$ and $u_{\sim 2}^{qT}$ and go to Step 6.

Comment

$u_{\sim 1}^{qT}$ and $u_{\sim 2}^{qT}$ are initialized to start a forward analysis at a reference plane immediately following a variable element A_{\sim}^i .

Step 16 Set $r \leftarrow r - 1$.

$$m \leftarrow m - 1.$$

Initialize $v_{\sim 1}$ and $v_{\sim 2}$.

Comment

At this step we start the analysis from the load end.

Step 17 If $n = k$ go to Step 20.

$$\text{Set } j \leftarrow n.$$

Comment

n is the total number of elements in the cascade.

- Step 18 $\tilde{v}_1 \leftarrow A^j \tilde{v}_1.$
 $\tilde{v}_2 \leftarrow A^j \tilde{v}_2.$
 $j \leftarrow j - 1.$
- Step 19 If $j = k_m$ go to Step 20.
 Go to Step 18.
- Step 20 $p \leftarrow 1.$
- Step 21 Calculate Q using V_S , Z_S , A^j and v and the
 appropriate x .
- Comment When we reach the kth variable element we calculate
 k-1 values of Q, and when the variable element k-1
 is reached we calculate k-2 values of Q and so on as
 illustrated in Fig. 5.7.
- Step 22 If $p = q$ go to Step 23.
 Set $r \leftarrow r - 1.$
 $p \leftarrow p + 1.$
 Go to Step 21.
- Step 23 If $m = 1$ Stop.
 Set $q \leftarrow q - 1.$
 $m \leftarrow m - 1.$
 Go to Step 18.

5.7.2 First- and Second-order Sensitivities

The following algorithm, which is similar to Algorithm 2 can be used to obtain the first- and second-order sensitivities of

V_L w.r.t. the design variables. Figure 5.8 illustrates the main stages of the algorithm.

Algorithm 3

Step 1 Initialize \underline{u}^0 and \underline{v} .

Set $i \leftarrow 1, m \leftarrow 1, q \leftarrow 0, r \leftarrow 1, j \leftarrow n$.

Comment n is the total number of elements in the cascade.

Step 2 If $i = \ell_m$ go to Step 6.

Comment ℓ_m is an element of L , an index set containing superscripts of the k matrices containing the k variable parameters and ordered consecutively.

Step 3 $\underline{u}^{0T} \leftarrow \underline{u}^{0T} \underline{A}^i$.

If $m = 1$ go to Step 4.

$\underline{u}^{1T} \leftarrow \underline{u}^{1T} \underline{A}^i$.

⋮

$\underline{u}^{qT} \leftarrow \underline{u}^{qT} \underline{A}^i$.

Comment $\underline{u}^1, \underline{u}^2, \dots, \underline{u}^q$ are working arrays used to proceed with the evaluation of the gradients of \underline{u}^0 w.r.t. the q variables already passed by the forward analysis.

Step 4 Set $i \leftarrow i+1$.

Step 5 If $i = \ell_m$ go to Step 6.

Go to Step 3.




Fig. 5.8 Illustration of the principal stages in the calculation of first- and second-order sensitivities w.r.t. three variable elements.

$$g_i \triangleq \partial Q_{11} / \partial \phi_i, \quad i = 1, 2, 3,$$

$$S_{ij} \triangleq \partial^2 Q_{11} / \partial \phi_i \partial \phi_j, \quad i, j = 1, 2, 3.$$

Step 6 $\tilde{x}^m \leftarrow \tilde{u}^0$.

If $m = 1$ go to Step 10.

Comment Once a variable element is reached the \tilde{u}^0 is stored in \tilde{x}^m to be used in the calculation of the first-order sensitivity.

Step 7 Set $p \leftarrow 1$.

Step 8 $\tilde{w}^r \leftarrow \tilde{u}^p$.

$r \leftarrow r+1$.

If $p = q$ go to Step 10.

Comment The \tilde{w} arrays are used to store the appropriate gradients of \tilde{u}^0 , namely, $\tilde{u}^1, \tilde{u}^2, \dots$, for the calculation of second-order sensitivities.

Step 9 Set $p \leftarrow p+1$.

Go to Step 8.

Step 10 If $m=k$ go to Step 12.

$$\tilde{u}^{mT} \leftarrow \tilde{u}^{0T} \frac{\partial A^i}{\partial \phi_m}$$

$$\tilde{u}^{0T} \leftarrow \tilde{u}^{0T} A^i$$

$$\tilde{u}^{1T} \leftarrow \tilde{u}^{1T} A^i$$

.

.

.

$$\tilde{u}^{(m-1)T} \leftarrow \tilde{u}^{(m-1)T} A^i$$

Comment At this step a new \tilde{u} is introduced which is equal to \tilde{u}^0 multiplied by the derivative of A^i w.r.t. ϕ_m , where A^i is a function of ϕ_m only.

Step 11 Set $i \leftarrow i+1$.

$m \leftarrow m+1$.

$q \leftarrow q+1$.

Go to Step 5.

Step 12 Set $r \leftarrow r-1$.

If $n = k$ go to Step 15.

Step 13 $\tilde{v} \leftarrow A^j \tilde{v}$.

$j \leftarrow j-1$.

Comment This step is concerned with the reverse analysis.

Step 14 If $j = m$ go to Step 15.

Go to Step 13.

Step 15 Calculate $\partial Q / \partial \phi_m$ and $\partial^2 Q / \partial \phi_m^2$.

Comment At this point the first-order derivative of Q w.r.t. ϕ_m can be evaluated, since u^0 and v at the reference planes before and after the element are known. $\partial^2 Q / \partial \phi_m^2$ is evaluated using u^0 , v and $\partial^2 A^j / \partial \phi_m^2$.

Step 16 If $m = 1$ stop.

Set $s \leftarrow m - 1$. $p \leftarrow 1$.

Step 17 Calculate $\partial^2 Q / \partial \phi_s \partial \phi_m$.

If $p=q$ go to Step 19.

Comment $\partial^2 Q / \partial \phi_s \partial \phi_m$ is evaluated using the appropriate w^r , $\partial A^j / \partial \phi_m$ and v , where $s = 1, \dots, m-1$.

Step 18 Set $p \leftarrow p + 1$.

$r \leftarrow r - 1$.

$s \leftarrow s - 1$.

Go to Step 17.

Step 19 Set $q \leftarrow q - 1$.

$m \leftarrow m - 1$.

$r \leftarrow r - 1$.

 Go to Step 14.

5.7.3 Response Value and its Derivatives w.r.t. all Variable Parameters, at all Vertices of the Tolerance Region

Figure 5.9 shows an example of the stages involved in the following algorithm to obtain the response and its sensitivities at the vertices (3 variables ==> 8 vertices) of the tolerance region.

Algorithm 4

Step 1 Initialize $\underline{u}_1, \underline{u}_2$ and \underline{v} .

 Set $i \leftarrow 1, m \leftarrow 1, j \leftarrow n$.

Step 2 If $i = k_m$ go to Step 6.

Step 3 $\underline{u}_1^T \leftarrow \underline{u}_1^T A^i$.

$\underline{u}_2^T \leftarrow \underline{u}_2^T A^i$.

 Set $i \leftarrow i + 1$.


Step 4 If $i = k_m$ go to Step 5.

 Go to Step 3.

Step 5 If $m=k$ go to Step 7.

Step 6 Calculate V_S, Z_S ,

$\frac{\partial V_S}{\partial \phi_1}, \dots, \frac{\partial V_S}{\partial \phi_m}$,



* denotes initialization of u_1, u_2

Fig. 5.9 Illustration of the principal stages of Algorithm 4.

$$\frac{\partial Z_S}{\partial \phi_1}, \dots, \frac{\partial Z_S}{\partial \phi_m},$$

2^m sets all together.

Set $m \leftarrow m + 1$.

$i \leftarrow i + 1$.

Initialize u_1 and u_2 and go to Step 4.

Step 7 If $n = k$ go to Step 10.

Step 8 $\tilde{v} = A^j \tilde{v}$.

Set $j \leftarrow j-1$.

Step 9 If $j = k$ go to Step 10.

Go to Step 8.

Step 10 Calculate $Q, \partial Q/\partial \phi_1, \dots, \partial Q/\partial \phi_k$ 2^k times.

Stop.

5.8 Numerical Example

The cascaded seven-section bandpass filter shown in Fig. 5.10 (Horton and Wenzel 1965, Bandler, Charalambous, Chen and Chu 1976) serves as a numerical example. All sections are quarter-wave at 2.175 GHz. The normalized minimax characteristic impedances are (Bandler, Charalambous, Chen and Chu 1976)

$$Z_1^0 = Z_7^0 = 0.606463$$

$$Z_2^0 = Z_6^0 = 0.303051$$

$$Z_3^0 = Z_5^0 = 0.722061$$

$$Z_4^0 = 0.235593$$




Fig. 5.10 Seven-section filter containing unit elements and stubs. All sections are quarter-wave at 2.175 GHz.

The output voltage V_L at a normalized frequency of 0.7 is $0.49740790 - j3.9011594 \times 10^{-3}$, verified twice using (5.10): once associating A^i with Z_3 and once with Z_4 . Furthermore, one analysis yielded

$$\begin{aligned}V_L(Z_4^0 + 0.03) &= 0.49838950 - j 0.034901610 \\V_L(Z_4^0 - 0.03) &= 0.49062912 + j 0.034959186\end{aligned}$$

The open-circuit voltage at the load end was calculated using (5.10) as

$$V_{OC} = 0.98624507 + j 0.092266904$$

and the Thevenin impedance using (5.11) is

$$Z_{TH} = 0.98119253 + j 0.20103391$$

which further verified V_L .

One analysis taking $\epsilon_2 = 0.021$, $\epsilon_5 = 0.024$ yielded

$$\begin{aligned}V_L(Z_2^0 - \epsilon_2, Z_5^0 - \epsilon_5) &= 0.49719716 + j 2.2191360 \times 10^{-3} \\V_L(Z_2^0 + \epsilon_2, Z_5^0 - \epsilon_5) &= 0.49583538 - j 2.3636314 \times 10^{-2} \\V_L(Z_2^0 - \epsilon_2, Z_5^0 + \epsilon_5) &= 0.49732462 + j 1.7909912 \times 10^{-2} \\V_L(Z_2^0 + \epsilon_2, Z_5^0 + \epsilon_5) &= 0.49751427 - j 8.3726470 \times 10^{-3}\end{aligned}$$

A multidimensional quadratic approximation was carried out for V_L following the approach of Bandler and Abdel-Malek (1978a). The variables for the approximation were the characteristic impedances as well as the normalized frequency. The circuit responses at 45 base points (which is equal to $(k+1)(k+2)/2$, where k is 8) were needed to evaluate the coefficients of the quadratic polynomial approximating the response function (Bandler and Abdel-Malek 1978a). A base point is a point where the approximation and the actual function coincide. The center base point, which is the center of the interpolation region in which the approximation is assumed to be valid, had the characteristic impedances given before and a normalized frequency of 0.7. 16 base points were determined (using Algorithm 1) by varying one parameter at a time by $\pm\delta$ w.r.t. its value at the center of interpolation. For the characteristic impedances δ was chosen to be 0.03 and for the normalized frequency it was 0.01. At the remaining 28 base points only two parameters were perturbed at a time from their values at the center of interpolation by a percentage of their δ and Algorithm 2 was used to evaluate the response at these points.

Note that when the normalized frequency was perturbed a whole new analysis had to be performed.

The symmetry of the structure was taken into consideration in choosing these base points. Letting $\bar{\phi}$ be the center of the interpolation region, the base points can be expressed by (Abdel-

Malek and Bandler 1978b)

$$[\underset{\sim}{\phi}^1 \quad \underset{\sim}{\phi}^2 \quad \dots \quad \underset{\sim}{\phi}^N] = D [\underset{\sim}{1}_{\underset{\sim}{k}} \quad -\underset{\sim}{1}_{\underset{\sim}{k}} \quad B \quad \underset{\sim}{0}_{\underset{\sim}{k}}] + [\overline{\underset{\sim}{\phi}} \quad \overline{\underset{\sim}{\phi}} \quad \dots \quad \overline{\underset{\sim}{\phi}}], \quad (5.30)$$

where

N is equal to 45 in our case,

$\underset{\sim}{1}_{\underset{\sim}{k}}$ is a k-dimensional identity matrix,

$\underset{\sim}{0}_{\underset{\sim}{k}}$ is a zero vector of dimension k,

$$D = \begin{bmatrix} 0.03 & & & & & \\ & 0.03 & & & & \\ & & \cdot & & & \\ & & & \cdot & & \\ & & & & 0.03 & \\ & & & & & 0.01 \end{bmatrix},$$

and

$\underset{\sim}{B}$ is a k x [k(k-1)/2] matrix given by

$$B = \begin{bmatrix} .5 & -.2 & .9 & -.2 & .5 & .3 & .7 \\ .7 & & & & .7 & .5 & .7 & .9 & .7 & -.3 \\ & .8 & & & .8 & & .7 & -.4 & .8 & .8 & .8 \\ & & -.5 & & .9 & & -.9 & & -.9 & .9 & -.5 & .8 \\ & & & .8 & & .8 & & .8 & & .7 & & .8 & .8 & .8 \\ & & & & .7 & & & & .5 & & .7 & & .7 & -.3 \\ & & & & & -.9 & & .5 & & & & -.2 & .5 & .7 \\ & & & & & & .6 & & .4 & & .9 & & .4 & .6 \\ & & & & & & & & & .4 & & .9 & & .4 & .6 \end{bmatrix}$$

Examining this B matrix we note that the entries for perturbing two parameters at a time are the same as for their corresponding symmetrical parameters. The choice of base points given by (5.30) preserves symmetry in the appropriate coefficients of the multidimensional polynomials.

Taking the optimal minimax characteristic impedances (Bandler, Charalambous, Chen and Chu 1976):

$$Z_1 = Z_7 = 0.606595$$

$$Z_2 = Z_6 = 0.303547$$

$$Z_3 = Z_5 = 0.722287$$

$$Z_4 = 0.235183$$

and calculating the group delay using the derivative of V_L w.r.t. ω obtained from the quadratic approximation yielded

$$T_G = 0.893 \text{ ns,}$$

while the exact group delay is (Bandler, Rizk and Tromp 1976)

$$T_{G \text{ exact}} = 0.895 \text{ ns.}$$

The sensitivity of the output voltage V_L w.r.t. length l_4 of the fourth section and the sensitivity w.r.t. Z_4 are evaluated at a normalized frequency of 0.5 as

$$\frac{\partial V_L}{\partial x_4} = -0.2804064 + j0.5161026$$

$$\frac{\partial V_L}{\partial Z_4} = -2.617364 + j4.817395$$

Without any further effort (since the two parameters belong to the same element) we obtain

$$\frac{\partial^2 V_L}{\partial Z_4 \partial x_4} = 11.71675 + j5.415667$$

Table 5.5 compares the results obtained by this method and the one obtained by the adjoint-network method (Rizk 1975). Taking two parameters in different elements, for example Z_4 and Z_5 , we obtain the second-order term

$$\frac{\partial^2 V_L}{\partial Z_4 \partial Z_5} = -30.12383 - j7.516802.$$

A tolerance of ± 0.03 on Z_1 , Z_4 and Z_5 was chosen. Algorithm 4 was used to evaluate V_L , $\partial V_L / \partial Z_1$, $\partial V_L / \partial Z_4$ and $\partial V_L / \partial Z_5$ at the eight vertices of the tolerance region (2^3 vertices where 3 is the number of toleranced variables). The results are tabulated in Table 5.6. They were checked individually by reanalyzing the circuit at each vertex.

TABLE 5.5

COMPARISON OF SECOND-ORDER SENSITIVITIES WITH DIFFERENT APPROACHES

Term	Adjoint Network	1st Order Sensitivity by Adjoint Network 2nd Order Sensitivity by Perturbation	The New Approach
$\frac{\partial^2 V_L}{\partial Z_4 \partial \ell_4}$	11.71675+j5.415667	11.713232+j5.431066	11.71675+j5.415667

5.9 Cascaded Networks of 2p-port Elements

The approach we have developed can also be utilized in the analysis and design of cascaded networks consisting of 2p-port elements. Consider the 2p-port element shown in Fig. 5.11, possessing p input ports and p output ports. Its transmission matrix is given by

$$\tilde{A} \triangleq \begin{bmatrix} \tilde{A}_{11} & \tilde{A}_{12} \\ \tilde{A}_{21} & \tilde{A}_{22} \end{bmatrix},$$

where \tilde{A}_{11} , \tilde{A}_{12} , \tilde{A}_{21} and \tilde{A}_{22} are p x p matrices. The input quantities in this case are

TABLE 5.6

THE RESPONSE V_L AND ITS SENSITIVITIES AT THE VERTICES OF THE TOLERANCE REGION
AT NORMALIZED FREQUENCY 0.7

Vertex	V_L	$\partial V_L / \partial Z_1$	$\partial V_L / \partial Z_4$	$\partial V_L / \partial Z_5$	Sign of Tolerance Extreme		
1	0.49135+j0.02351	-0.02450+j0.05953	0.26004-j1.15934	0.02549+j0.32944	-	-	-
2	0.48819+j0.02571	-0.07761+j0.01588	0.28346-j1.05326	0.00954+j0.34878	+	-	-
3	0.49679-j0.04862	0.03751+j0.15916	-0.06631-j0.94430	0.04534+j0.29165	-	+	-
4	0.49677-j0.04046	-0.03384+j0.11417	-0.00426-j0.87724	0.03578+j0.31848	+	+	-
5	0.49209+j0.04341	-0.04367+j0.08072	0.29407-j1.19530	-0.00103+j0.33324	-	-	+
6	0.48786+j0.04670	-0.09378+j0.03123	0.32067-j1.07952	-0.02042+j0.35007	+	-	+
7	0.49889-j0.03101	0.02608+j0.18868	-0.05742-j0.97346	0.02462+j0.29494	-	+	+
8	0.49818-j0.02127	-0.04526+j0.13735	0.01132-j0.90191	0.01113+j0.32057	+	+	+




Fig. 5.11 A 2p-port element: a generalization of Fig. 5.1.

$$\bar{y} = \begin{bmatrix} \bar{y}_1 \\ \bar{y}_2 \\ \vdots \\ \bar{y}_p \\ \bar{y}_{p+1} \\ \bar{y}_{p+2} \\ \vdots \\ \bar{y}_{2p} \end{bmatrix},$$

and the output quantities are

$$y = \begin{bmatrix} y_1 \\ y_2 \\ \vdots \\ y_p \\ y_{p+1} \\ y_{p+2} \\ \vdots \\ y_{2p} \end{bmatrix},$$

where the elements with subscripts 1 to p denote voltages and from p+1 to 2p denote currents.

For the forward and reverse analyses the matrices $\bar{U}_1, \bar{U}_2, V_1$ and V_2 are initialized such that

$$\underline{E}_1 \Rightarrow \underline{U}_1 \text{ or } \underline{V}_1,$$

$$\underline{E}_2 \Rightarrow \underline{U}_2 \text{ or } \underline{V}_2,$$

where

$$\underline{E}_1 \triangleq \begin{bmatrix} \underline{1}_p \\ 0 \\ \underline{0}_p \end{bmatrix},$$

and

$$\underline{E}_2 \triangleq \begin{bmatrix} 0 \\ \underline{0}_p \\ \underline{1}_p \end{bmatrix},$$

and where

$\underline{1}_p$ is the unit matrix of order p,

$\underline{0}_p$ is the null matrix of order p.

We can now derive in an analogous manner to the derivation of (5.8)

$$\underline{V}_S = (\overline{\underline{U}}_1^T + \underline{Z}_S \overline{\underline{U}}_2^T) \underline{A} (\underline{V}_1 \underline{V}_L + \underline{V}_2 (\underline{Y}_L \underline{V}_L - \underline{I}_L)), \quad (5.31)$$

where

$\overline{\underline{U}}_1$, $\overline{\underline{U}}_2$, \underline{V}_1 and \underline{V}_2 are the matrices obtained from forward and reverse analyses,

\underline{V}_S is the vector containing the p source voltages,

\underline{V}_L is the vector of load voltages,

\underline{I}_L is the vector of current sources at the loads (if any),

\underline{Z}_S is a diagonal matrix containing the impedances of the sources,

\underline{Y}_L is a diagonal matrix containing the load admittances.

To evaluate the unknowns \underline{V}_L , having obtained numerical values for (5.31), a system of p linear equations is solved. When \underline{A} is perturbed or when derivatives are required, only $6p^3$ additional multiplications and the solution of a p -system of linear equations are needed and not a whole reanalysis of the entire cascaded circuit.

To obtain the Thevenin voltages of the subnetwork on the l.h.s. of the element \underline{A} , we let $\underline{I}_L = \underline{0}$ and $\underline{Y}_L = \underline{0}$ in (5.31), which gives

$$\underline{V}_S = (\underline{\bar{U}}_1^T + \underline{Z}_S \underline{\bar{U}}_2^T) \underline{A} \underline{V}_1 \underline{V}_L = (\underline{Q}_{11} + \underline{Z}_S \underline{Q}_{21}) \underline{V}_L, \quad (5.32)$$

where

$$\underline{Q}_{11} = \underline{\bar{U}}_1^T \underline{A} \underline{V}_1, \quad (5.33)$$

$$\underline{Q}_{21} = \underline{\bar{U}}_2^T \underline{A} \underline{V}_1, \quad (5.34)$$

and from (5.32)

$$\underline{V}_{TH} = \underline{V}_L = (\underline{Q}_{11} + \underline{Z}_S \underline{Q}_{21})^{-1} \underline{V}_S. \quad (5.35)$$

The output impedance matrix or the Thevenin impedance is obtained one column at a time by letting $\tilde{V}_S = 0$, $\tilde{Y}_L = 0$ and $\tilde{I}_L = 0$ except \tilde{I}_{Li} (which is the current source at the load end for the i th port) which leads to

$$\tilde{0} = (\tilde{Q}_{11} + \tilde{Z}_S \tilde{Q}_{21}) \tilde{V}_L - (\tilde{Q}_{12} + \tilde{Z}_S \tilde{Q}_{22}) \begin{bmatrix} 0 \\ \vdots \\ \tilde{I}_{Li} \\ \vdots \\ 0 \end{bmatrix}, \quad (5.36)$$

where \tilde{Q}_{11} and \tilde{Q}_{21} are as defined in (5.33) and (5.34) respectively, and

$$\tilde{Q}_{12} = \tilde{U}_1^T \tilde{A} \tilde{V}_2. \quad (5.37)$$

$$\tilde{Q}_{22} = \tilde{U}_2^T \tilde{A} \tilde{V}_2. \quad (5.38)$$

Equation (5.36) can be written as

$$(\tilde{Q}_{11} + \tilde{Z}_S \tilde{Q}_{21}) \tilde{V}_L = (\tilde{Q}_{12} + \tilde{Z}_S \tilde{Q}_{22}) \begin{bmatrix} 0 \\ \vdots \\ \tilde{I}_{Li} \\ \vdots \\ 0 \end{bmatrix} = \tilde{C}_i \tilde{I}_{Li} \quad (5.39)$$

where \tilde{C}_i is the i th column of the matrix $(\tilde{Q}_{12} + \tilde{Z}_S \tilde{Q}_{22})$. From

(5.39) we get

$$\underline{V}_L / \underline{I}_{Li} = (\underline{Q}_{11} + \underline{Z}_S \underline{Q}_{21})^{-1} \underline{C}_i = \begin{bmatrix} Z_{TH_{1i}} \\ Z_{TH_{2i}} \\ \vdots \\ Z_{TH_{pi}} \end{bmatrix}, \quad (5.40)$$

which is the i th column of the $p \times p$ \underline{Z}_{TH} matrix. Figure 5.12 shows the \underline{Z}_{TH} and \underline{V}_{TH} of the subnetwork preceding the element A . Similar formulas can be derived (analogous to (5.12) and (5.13)) for the input admittance matrix and the Norton current equivalent matrix.

5.10 Conclusions

An important claim we make is that equations (5.8) - (5.14) can be used to generate in a straightforward manner, following differencing or differentiating (as appropriate), any desired exact formulas for multiple network analyses, sensitivity and tolerance analysis with simultaneous large changes. All calculations are carried forward simultaneously and redundant calculations are obviated as demonstrated by the examples and algorithms presented.

The calculation of the first- and second-order sensitivities of a circuit response involves one additional




Fig. 5.12 Equivalent Thevenin voltages and impedances for a subnetwork consisting of 2p-port elements.

analysis of the adjoint network (assuming the analysis of the original network has already been performed) and $k(k+1)/2$ analyses to find second-order sensitivities calculated by finite differences. A more efficient approach is to calculate these second-order sensitivities using the adjoint-network concept by performing only k analyses. Using the new approach for the analysis of cascaded structures, however, less than k analyses are performed and no additional memory is required.

The algorithm for evaluating the response and its sensitivities at the vertices of the tolerance region proved to be very efficient. The seven-section filter example was run with tolerances on the characteristic impedances of the stubs and transmission lines (all seven). It took 0.269 s CPU time to evaluate only the response at the $128(2^7)$ vertices. Using the conventional method of reanalyzing the circuit for different component values would take $0.074 \times 128 = 9.472$ s CPU, where one analysis is performed in approximately 0.074 s. For the case of evaluating the response and its sensitivities at vertices discussed in Section 5.5 (Algorithm 4), it took 0.118 s CPU time compared with $8 \times 0.074 = 0.592$ s for 8 analyses. The savings in computational effort is substantial.

Symmetry of the networks analyzed can be exploited leading to saving of computational effort (Bandler, Biernacki and Rizk 1979). Branched circuits can be handled readily. Formulas,

similar to (5.26)-(5.29), can be derived for other branched structures using the same concepts so as to render the sensitivity analysis and design of these circuits as simple as possible. The approach should prove to be very suitable for computer-aided design of cascaded microwave circuits and systems consisting of 2-ports. It is also readily extendable to 2p-port networks.

CHAPTER 6

CONCLUSIONS

This thesis reflects the current state of the art in computer-aided design of electronic circuits. It clarifies the weaknesses, the disadvantages and advantages of the different methods of analysis, sensitivity evaluation, optimization and problem formulation.

The TLM method proved to be suitable for automated network design in the time domain. This is due to its ability to obtain the response sensitivities w.r.t. the design variables very easily. It avoids the formulation of the state equations which can be rather difficult for large networks. Another advantage of the TLM method is that it is stable for stiff networks which cause instability in most of the numerical methods. The use of more complicated transmission-line elements and models can improve the method's accuracy. The extension of the method to handle nonlinear networks is possible.

The multidimensional polynomial approximation facilitates the design of circuits by exploiting large and general simulation programs to conduct the analyses. Saving in the circuit designer's time and effort is achieved by using this approach.

The new approach for the analysis of cascaded structure, besides the substantial savings in computational effort, gives a

deep insight to the design problem. The design variables can be highlighted explicitly in different formulas from which we can extract the exact analysis, differential and large-change sensitivities. The approach permits the exploitation of network structure: symmetry, branches, etc. Different algorithms which employ this approach can be implemented easily on microcomputers since they are simple and compact.

Promising directions for further research and improvements in existing methods and approaches have been revealed by this work. All the algorithms which have been referred to are sequential algorithms. Aside from the human mind, which apparently has been taught to think sequentially, the computers which we now use are substantially sequential. It will not be very long before parallel machines will be widely available. The parallel processors will be much faster than present machines. New optimization algorithms suitable for the new computing machines have to emerge or the existing ones have to be modified. In some of the ill-conditioned problems, for example, it is required to run the problem from different starting points, which might be considered as running different problems in parallel. The tolerance-tuning problem can also be formulated to fit a parallel algorithm because it is inherently a parallel problem.

Automated optimal design of circuits where the topology is not fixed has often been suggested. Presently, the location and type of components to be added to the given network have to be

specified a priori. Fully automated design, where the topology can change arbitrarily, and criteria for augmenting or shrinking the circuit are not well established. This will need optimization methods where the number of variables can be automatically increased or decreased in an effective manner during the process.

Other design aids would be

- (a) Algorithms which indicate and act upon the existence of symmetry.
- (b) Algorithms which stack the constraints in the order of complexity to avoid unnecessary calculations, starting with sets of crude but not necessarily linear approximations.
- (c) Algorithms which permit the flexibility of examining the effects of alternative objectives and weights without rerunning the whole problem each time a change is made.

In centering, tolerancing, and tuning problems several concepts need further development. Efficient vertex selection schemes will lead to an enormous reduction of the tolerance problem as well as the possibility of full automation of the whole process. This concept is related to determining active constraints.

The reliability problem is an extension to the tolerance assignment problem. The main difference, we feel, is the redundancy which enhances system reliability and observation that not every component fails simultaneously. Parameter changes to be considered might be much larger than in tolerance assignment.

APPENDIX A
CENTRAL DIFFERENCE FORMULA APPROXIMATING
FIRST-ORDER DERIVATIVE

The formula used to obtain $\partial f/\partial t$ from the response is
(Kelly 1967)

$$hf'_j = (\mu \delta - \frac{1}{6} \mu^3 \delta^3) f_j, \quad (A1)$$

where

$$\mu f(t) = \frac{1}{2} [f(t + \frac{h}{2}) + f(t - \frac{h}{2})] \quad (A2)$$

and

$$\delta f(t) = f(t + \frac{h}{2}) - f(t - \frac{h}{2}). \quad (A3)$$

Equation (A1) can be rewritten as

$$f'_j = \frac{2}{3h} [f(t+h) - f(t-h)] - \frac{1}{12h} [f(t+2h) - f(t-2h)] \quad (A4)$$

In Tables 3.4-3.7 (Chapter 3) h was equal to 2T.

APPENDIX B

DATA SUPPLIED TO SPICE2 FOR THE CSEF CIRCUIT

B.1 With the Equivalent Circuit of the Emitter Junction.

CURRENT SWITCH EMITTER FOLLOWER

```
=====
R1 4 5 281.33
R2 7 0 75.
R3 2 0 78.24
R4 10 1 45.533
C1 10 0 1.248E-12
T1 2 0 8 0 Z0=92.004 TD=.25NS
VE2 0 5 DC 4.03
VE3 0 6 DC 1.13
VE4 0 1 DC 1.655
VE1 3 0 PWL(0 -.776 .05NS -.776 .2NS -1.55 .45NS -1.55 .6NS
+-.776 .85NS -.776 1.NS -1.55 1.25NS -1.55 1.4NS -.776)
D1 9 10 DMOD
D2 13 4 DMOD
D3 14 4 DMOD
D4 15 9 DMOD
CE1 11 4 0.12P
CC1 11 2 0.5P
CE2 12 4 0.12P
CC2 12 7 0.5P
CE3 8 9 0.12P
RB1 3 11 50.
RB2 12 6 50.
RT1 17 0 1.
RT2 20 0 1.
RT3 23 0 1.
CT1 25 0 1.E-8
CT2 26 0 1.E-8
CT3 27 0 1.E-8
VT1 11 13 DC 0.
VT2 12 14 DC 0.
VT3 8 15 DC 0.
VT4 16 17 DC 0.
VT5 19 20 DC 0.
VT6 22 23 DC 0.
VT7 18 25 DC 0.
VT8 21 26 DC 0.
VT9 24 27 DC 0.
E1 18 0 13 4 1
E2 21 0 14 4 1
E3 24 0 15 9 1
F1 2 11 VT1 0.99
F2 7 12 VT2 0.99
F3 0 8 VT3 0.99
F4 0 16 VT1 2.3200E-10 3.8668E-2
F5 0 19 VT2 2.3200E-10 3.8668E-2
F6 0 22 VT3 2.3200E-10 3.8668E-2
F7 11 4 POLY(2) VT4 VT7 0 0 0 0 1
F8 12 4 POLY(2) VT5 VT8 0 0 0 0 1
F9 8 9 POLY(2) VT6 VT9 0 0 0 0 1
.TRAN 0.0125NS 1.4NS
.PRINT TRAN V(10,0)
.PLOT TRAN V(10,0)
.MODEL DMOD D IS=.6E-9
.END
```

B.2 With Built-in Transistor Models

CURRENT SWITCH EMITTER FOLLOWER

=====

```
R1 4 5 281.33
R2 7 0 75.
R3 2 0 78.24
R4 10 1 45.533
C1 10 0 1.248E-12
T1 2 0 8 0 Z0=92.004 TD=.25NS
VE2 0 5 DC 4.03
VE3 0 6 DC 1.13
VE4 0 1 DC 1.655
VE1 3 0 PWL(0 -.776 .05NS -.776 .2NS -1.55 .45NS -1.55 .6NS
+-.776 .85NS -.776 1.NS -1.55 1.25NS -1.55 1.4NS -.776)
D1 9 10 DMOD
QT1 2 3 4 QMOD
QT2 7 6 4 QMOD
QT3 0 8 9 QM1
.TRAN 0.0125NS 1.4NS
.PRINT TRAN V(10,0)
.PLOT TRAN V(10,0)
.MODEL DMOD D IS=.6E-9
.MODEL QMOD NPN BF=99. IS=.6E-9 RB=50. TF=.01NS CJE=0.12PF
+ CJC=0.5PF MC=0. ME=0.
.MODEL QM1 NPN BF=99. IS=.6E-9 TF=.01NS CJE=0.12PF ME=0.
+ MC=0.
.END
```

APPENDIX C

FORMULAS RELATING THE LOAD VOLTAGES OF THE BRANCHES
TO THE VARIABLE ELEMENTS

C.1 To Obtain V_{BL} as a Function of V_S and B

The voltage across the impedance Z , representing the branched circuit, in terms of V_{BL} is given by

$$V_Z = \bar{u}_{1B}^{-T} B \bar{v}_{1B} V_{BL}, \quad (C1)$$

and it can be expressed in terms of voltages in the main cascaded circuit as

$$V_Z = \bar{e}_1^T [\bar{v}_{1Z} - \bar{v}_{1Z}] V_L, \quad (C2)$$

where \bar{v}_{1Z} is the result of the reverse analysis at reference plane f . So (C2) can be written, substituting for the chain matrix of the element representing the branch, as

$$V_Z = \bar{e}_1^T \begin{bmatrix} 1 & Z \\ 0 & 1 \end{bmatrix} [\bar{v}_{1Z} - \bar{v}_{1Z}] V_L \quad (C3)$$

$$= [1 \quad 0] \left(\begin{bmatrix} 1 & Z \\ 0 & 1 \end{bmatrix} - \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \right) \tilde{v}_{1Z} V_L \quad (C4)$$

$$= \tilde{e}_2^T \tilde{v}_{1Z} Z V_L \quad (C5)$$

The load voltage of the main cascade V_L can be expressed by

$$V_L = \frac{V_S}{\tilde{u}_{1Z}^T \begin{bmatrix} 1 & Z \\ 0 & 1 \end{bmatrix} \tilde{v}_{1Z}} \quad (C6)$$

and (C1) can be rewritten as

$$V_{BL} = \frac{V_Z}{\tilde{u}_{1B}^T B \tilde{v}_{1B}} \quad (C7)$$

Substituting for V_Z of (C5) we have

$$V_{BL} = \frac{\tilde{e}_2^T \tilde{v}_{1Z} Z V_L}{\tilde{u}_{1B}^T B \tilde{v}_{1B}} \quad (C8)$$

and substituting for V_L from (C6) and Z from (5.24), we get

$$V_{BL} = \frac{\tilde{e}_2^T \tilde{v}_{1Z} \frac{\tilde{u}_{1B}^T B \tilde{v}_{1B}}{\tilde{u}_{2B}^T B \tilde{v}_{1B}} V_S}{\tilde{u}_{1B}^T B \tilde{v}_{1B} \tilde{u}_{1Z}^T \begin{bmatrix} 1 & Z \\ 0 & 1 \end{bmatrix} \tilde{v}_{1Z}}, \quad (C9)$$

hence

$$V_{BL} \sim = \frac{e_{\sim 2}^T v_{\sim 1Z} V_S}{\bar{u}_{\sim 2B}^T \sim B v_{\sim 1B} \bar{u}_{\sim 1Z}^T \begin{bmatrix} 1 & Z \\ 0 & 1 \end{bmatrix} v_{\sim 1Z}} .$$

C.2 To Obtain V_{BL} as a Function of V_S and C
 From (C7) and (C2) we can write V_{BL} as

$$V_{BL} = \frac{e_{\sim 1}^T [\bar{v}_{\sim 1Z} - v_{\sim 1Z}] V_L}{\bar{u}_{\sim 1B}^T \sim B v_{\sim 1B}} . \quad (C10)$$

The load voltage V_L can be expressed (compare with (C6)) by

$$V_L = \frac{V_S}{\bar{u}_{\sim 1Y}^T \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} v_{\sim 1Y}} . \quad (C11)$$

We can write, using notation defined for (5.27),

$$e_{\sim 1}^T \bar{v}_{\sim 1Z} = \bar{u}_{\sim 1Yf}^T \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} v_{\sim 1Y} . \quad (C12)$$

Similarly,

$$e_{\sim 1}^T v_{\sim 1Z} = \bar{u}_{\sim 1Yg}^T \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} v_{\sim 1Y} . \quad (C13)$$

Substituting these terms and V_L of (C11) into (C10) we obtain

$$V_{BL}(\tilde{C}) = \frac{[\tilde{u}_{1Yf}^{-T} - \tilde{u}_{1Yg}^{-T}] \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} \tilde{v}_{1Y} V_S}{\tilde{u}_{1B}^{-T} \tilde{v}_{1B} - \tilde{u}_{1Y}^{-T} \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} \tilde{v}_{1Y}} \quad (C14)$$

C.3 To Obtain V_{CL} as a Function of V_S and \tilde{C}

The voltage across Y in terms of V_{CL} is given by

$$V_Y = \tilde{u}_{1C}^{-T} \tilde{C} \tilde{v}_{1C} V_{CL}, \quad (C15)$$

and in terms of V_L , as

$$V_Y = e_1^T \tilde{v}_{1Y} V_L. \quad (C16)$$

But V_L is also given by

$$V_L = \frac{V_S}{\tilde{u}_{1Y}^{-T} \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} \tilde{v}_{1Y}} \quad (C17)$$

So, substituting this V_L into (C16) and the resulting V_Y into (C15) we get

$$V_{CL}^{(C)} = \frac{e_1^T \tilde{v}_{1Y} V_S}{\tilde{u}_{1C}^T C \tilde{v}_{1C} \tilde{u}_{1Y}^T \begin{bmatrix} 1 & 0 \\ Y & 1 \end{bmatrix} \tilde{v}_{1Y}} \quad (C18)$$

C.4 To Obtain V_{CL} as a Function of V_S and B

From (C15), (C16) and (C6) we can write V_{CL} as

$$V_{CL}^{(B)} = \frac{e_1^T \tilde{v}_{1Y} V_S}{\tilde{u}_{1C}^T C \tilde{v}_{1C} \tilde{u}_{1Z}^T \begin{bmatrix} 1 & Z \\ 0 & 1 \end{bmatrix} \tilde{v}_{1Z}} \quad (C19)$$

REFERENCES

- H.L. Abdel-Malek (1977), "A unified treatment of yield analysis, worst-case design and yield optimization", Ph.D. Thesis, McMaster University, Hamilton, Canada.
- H.L. Abdel-Malek and J.W. Bandler (1978a), "Yield estimation for efficient design centering assuming arbitrary statistical distributions", Int. J. Circuit Theory and Applications, vol. 6, pp. 289-303.
- H.L. Abdel-Malek and J.W. Bandler (1978b), "Yield optimization for arbitrary statistical distributions, part I: theory", Proc. IEEE Int. Symp. Circuits and Systems (New York), pp. 664-669.
- H.L. Abdel-Malek and J.W. Bandler (1978c), "Yield optimization for arbitrary statistical distributions, part II: implementation", Proc. IEEE Int. Symp. Circuits and Systems (New York), pp. 670-674.
- S. Akhtarzad and P.B. Johns (1975), "The solution of Maxwell's equations in three space dimensions and time by the TLM method of numerical analysis", Proc. IEE, vol. 122, pp. 1349-1352.
- J.W. Bandler (1969), "Optimization methods for computer-aided design", IEEE Trans. Microwave Theory Tech., vol. MTT-17, pp. 533-552.
- J.W. Bandler (1971), "Conditions for a minimax optimum", IEEE Trans. Circuit Theory, vol. CT-18, pp. 476-479.
- J.W. Bandler (1974), "Optimization of design tolerances using nonlinear programming", J. Optimization Theory and Applications, vol. 14, pp. 99-114.
- J.W. Bandler (1977), "Nonlinear optimization of engineering design with emphasis on centering, tolerancing and tuning", in Large Engineering Systems, A. Wexler, Ed., Oxford, England: Pergamon.
- J.W. Bandler, H.L. Abdel-Malek, P.B. Johns and M.R.M. Rizk (1976), "Optimal design via modeling and approximation", Proc. IEEE Int. Symp. Circuits and Systems (Munich), pp. 767-770.
- J.W. Bandler and H.L. Abdel-Malek (1978a), "Optimal centering, tolerancing and yield determination via updated approximations and cuts", IEEE Trans. Circuits and Systems, vol. CAS-25, pp. 853-871.

J.W. Bandler and H.L. Abdel-Malek (1978b), "Advances in the mathematical programming approach to design centering, tolerancing and tuning", Proc. Joint Automatic Control Conf. (Philadelphia, PA), pp. 329-344.

J.W. Bandler, H.L. Abdel-Malek, P. Dalsgaard, Z.S. El-Razaz and M.R.M. Rizk (1978), "Optimization and design centering of active and nonlinear circuits including component tolerances and model uncertainties", Proc. Int. Symp. Large Engineering Systems (Waterloo, Canada, 1978), pp. 127-132.

J.W. Bandler, R.M. Biernacki and M.R.M. Rizk (1979), "The impact of generalized symmetry on computer-aided design of cascaded structures", IEEE Int. Microwave Symp. Digest, (Orlando, FL).

J.W. Bandler and C. Charalambous (1971), "Practical least pth approximation with extremely large values of p", 5th Asilomar Conf. on Circuits and Systems Conf. Record (Pacific Grove, CA), pp. 66-70.

J.W. Bandler and C. Charalambous (1972a), "Conditions for minimax approximation obtained from the $\ell_p(n)$ norm", IEEE Trans. Automatic Control, vol. AC-17, pp. 257-258.

J.W. Bandler and C. Charalambous (1972b), "Theory of generalized least pth approximation", IEEE Trans. Circuit Theory, vol. CT-19, pp. 287-289.

J.W. Bandler and C. Charalambous (1972c), "Practical least pth optimization of networks", IEEE Trans. Microwave Theory Tech., vol. MTT-20, pp. 834-840.

J.W. Bandler and C. Charalambous (1973), "On conditions for optimality in least pth approximation with $p \rightarrow \infty$ ", J. Optimization Theory and Applications, vol. 11, pp. 556-566.

J.W. Bandler and C. Charalambous (1974), "Nonlinear programming using minimax techniques", J. Optimization Theory and Applications, vol. 13, pp. 607-619.

J.W. Bandler and W.Y. Chu (1976), "FLOPT2 - a program for least pth optimization with extrapolation to minimax solutions", IEEE Trans. Microwave Theory Tech., vol. MTT-24, pp. 543-544.

J.W. Bandler, C. Charalambous and J.H.K. Chen (1976), "MINOPT - an optimization program based on recent minimax results", IEEE Trans. Microwave Theory Tech., vol. MTT-24, p. 543.

J.W. Bandler, C. Charalambous, J.H.K. Chen and W.Y. Chu (1976), "New results in the least pth approach to minimax design", IEEE Trans. Microwave Theory Tech., vol. MTT-24, pp. 116-119.

J.W. Bandler, P.B. Johns and M.R.M. Rizk (1977), "Transmission-line modeling and sensitivity evaluation for lumped network simulation and design in the time domain", J. Franklin Inst., vol. 304, No. 1, pp. 15-32.

J.W. Bandler and P.C. Liu (1974), "Automated network design with optimal tolerances", IEEE Trans. Circuits and Systems, vol. CAS-21, pp. 219-222.

J.W. Bandler and P.C. Liu (1975), "Some implications of biquadratic functions in the tolerance problem", IEEE Trans. Circuits and Systems, vol. CAS-22, pp. 385-390.

J.W. Bandler, P.C. Liu and J.H.K. Chen (1975), "Worst case network tolerance optimization", IEEE Trans. Microwave Theory Tech., vol. MTT-23, pp. 630-641.

J.W. Bandler, P.C. Liu and H. Tromp (1976a), "A nonlinear programming approach to optimal design centering, tolerancing and tuning", IEEE Trans. Circuits and Systems, vol. CAS-23, pp. 155-165.

J.W. Bandler, P.C. Liu and H. Tromp (1976b), "Efficient, automated design centering and tolerancing", Proc. IEEE Int. Symp. Circuits and Systems (Munich), pp. 710-713.

J.W. Bandler, P.C. Liu and H. Tromp (1976c), "Integrated approach to microwave design", IEEE Trans. Microwave Theory Tech., vol. MTT-24, pp. 584-591.

J.W. Bandler, J.R. Popović and V.K. Jha (1974), "Cascaded network optimization program", IEEE Trans. Microwave Theory Tech., vol. MTT-22, pp. 300-308.

J.W. Bandler, M.R.M. Rizk and H. Tromp (1976), "Efficient calculation of exact group delay sensitivities", IEEE trans. Microwave Theory Tech., vol. MTT-24, pp. 188-194.

J.W. Bandler and R.E. Seviara (1970), "Current trends in network optimization", IEEE Trans. Microwave Theory Tech., vol. MTT-18, pp. 1159-1170.

J.W. Bandler and T.V. Srinivasan (1974), "Automated minimax system modelling", Int. J. Systems Science, vol. 5, pp. 1097-1106.

J.W. Bandler, T.V. Srinivasan and C. Charalambous (1972), "Minimax optimization of networks by grazor search", IEEE Trans. Microwave Theory Tech., vol. MTT-20, pp. 596-604.

P.W. Becker and F. Jensen (1974), Design of Systems and Circuits for Maximum Reliability or Maximum Production Yield. Lyngby, Denmark: Polyteknisk Forlag.

F.H. Branin, Jr. (1972), "Widely convergent method for finding multiple solutions of simultaneous nonlinear equations", IBM J. Research and Development, vol. 16, No. 5.

F.H. Branin, Jr. (1973), "Network sensitivity and noise analysis simplified", IEEE Trans. Circuit Theory, vol. CT-20, pp. 285-288.

R.K. Brayton, A.J. Hoffman and T.R. Scott (1977), "A theorem on inverses of convex sets of real matrices with application to the worst-case D.C. problem", IEEE Trans. Circuits and Systems, vol. CAS-24, pp. 409-415.

C.G. Broyden (1965), "A class of methods for solving nonlinear simultaneous equations", Math. Comp., vol. 19, pp. 577-593.

A. Budak and E.R. Zeller (1972), "Practical design considerations for a variable center frequency, constant bandwidth, and constant peak-value active filter", IEEE J. Solid-State Circuits, vol. SC-7, pp. 308-311.

E.M. Butler (1971), "Realistic design using large-change sensitivities and performance contours", IEEE Trans. Circuit Theory, vol. CT-18, pp. 58-66.

E.M. Butler (1973), "Large-change sensitivities for statistical design", in Computer-Aided Filter Design, G. Szentirmai, Ed. New York: IEEE Press.

D.A. Calahan (1972), Computer-Aided Network Design (Revised Edition). New York: McGraw Hill.

C. Charalambous (1973), "Nonlinear least pth approximation and nonlinear programming with applications in the design of networks and systems", Ph.D. Thesis, McMaster University, Hamilton, Canada.

C. Charalambous (1974), "A unified review of optimization", IEEE Trans. Microwave Theory Tech., vol. MTT-22, pp. 289-300.

- C. Charalambous (1975a), "A method to overcome the ill-conditioning problem of differentiable penalty functions", Proc. 18th Midwest Symp. Circuits and Systems (Montreal), pp. 535-539.
- C. Charalambous (1975b), "Minimax optimization of recursive digital filters using recent minimax results", IEEE Trans. Acoustics, Speech and Signal Processing, vol. ASSP-23, pp. 333-345.
- C. Charalambous (1977a), "Nonlinear least pth optimization and nonlinear programming", Mathematical Programming, vol. 12, pp. 195-225.
- C. Charalambous (1977b), "Acceleration of the least pth algorithm for minimax optimization", Dept. of Systems Design, Univ. of Waterloo, Waterloo, Canada, Report 28-0-280677.
- C. Charalambous and J.W. Bandler (1973), "New algorithms for network optimization", IEEE Trans. Microwave Theory Tech., vol. MTT-21, pp. 815-818.
- C. Charalambous and J.W. Bandler (1976), "Nonlinear minimax optimization as a sequence of least pth optimization with finite values of p", Int. J. Systems Science, vol. 7, pp. 377-391.
- C. Charalambous and A.R. Conn (1975), "Optimization of microwave networks", IEEE Trans. Microwave Theory Tech., vol. MTT-23, pp. 834-838.
- C. Charalambous and A.R. Conn (1978), "An efficient method to solve the minimax problem directly", SIAM J. Numerical Analysis, vol. 15, pp. 162-187.
- K.S. Chao, D.K. Liu and C.T. Pan (1975), "A systematic search method for obtaining multiple solutions of simultaneous nonlinear equations", IEEE Trans. Circuits and Systems, vol. CAS-22, pp. 748-753.
- E.W. Cheney (1966), Introduction to Approximation Theory. New York: McGraw-Hill.
- W.Y. Chu (1974), "Extrapolation in least pth approximation and nonlinear programming", M. Eng. Thesis, McMaster University, Hamilton, Canada.
- L.O. Chua (1971), "Efficient computer algorithms for piecewise-linear analysis of resistive nonlinear networks", IEEE Trans. Circuit Theory, vol. CT-18, pp. 73-85.

L.O. Chua and A. Ushida (1976), "A switching-parameter algorithm for finding multiple solutions of nonlinear resistive circuits", Int. J. Circuit Theory and Applications, vol. 4, pp. 215-239.

L.O. Chua and P.M. Lin (1975), Computer-aided Analysis of Electronic Circuits. Englewood Cliffs, NJ: Prentice-Hall.

V.F. Dem'yanov and V.N. Malozemov (1972), Introduction to Minimax. New York: Wiley.

P.M. DeRusso, R.J. Roy and C.M. Close (1966), State Variables for Engineers. New York: Wiley.

S.W. Director (1971), "LU factorization in network sensitivity computations", IEEE Trans. Circuit Theory, vol. CT-18, pp. 184-185.

S.W. Director and G.D. Hachtel (1977), "The simplicial approximation approach to design centering", IEEE Trans. Circuits and Systems, vol. CAS-24, pp. 363-372.

S.W. Director, G.D. Hachtel and L.M. Vidigal (1978), "Computationally efficient yield estimation procedures based on simplicial approximation", IEEE Trans. Circuits and Systems, vol. CAS-25, pp. 121-130.

S.W. Director and R.A. Rohrer (1969a), "Generalized adjoint network and network sensitivities", IEEE Trans. Circuit Theory, vol. CT-16, pp. 318-323.

S.W. Director and R.A. Rohrer (1969b), "Automated network design: The frequency-domain case", IEEE Trans. Circuit Theory, vol. CT-16, pp. 330-337.

I.S. Duff (1977), "A survey of sparse matrix research", Proc. IEEE, vol. 65, pp. 500-535.

S.R.K. Dutta and M. Vidyasagar (1977), "New algorithms for constrained minimax optimization", Mathematical Programming, vol. 13, pp. 140-155.

O. Einarsson (1975), "Minimax optimization by algorithms employing modified Lagrangians", IEEE Trans. Microwave Theory Tech., vol. MTT-23, pp. 838-841.

N.J. Elias (1975), "New statistical methods for assigning device tolerances", Proc. IEEE Int. Symp. Circuits and Systems (Newton, MA), pp. 329-332.

A.V. Fiacco and G.P. McCormick (1968), Nonlinear Programming Sequential Unconstrained Minimization Techniques. New York: Wiley.

J.K. Fidler (1976), "Network sensitivity calculation", IEEE Trans. Circuits and Systems, vol. CAS-23, pp. 567-571.

R. Fletcher and M.J.D. Powell (1963), "A rapidly convergent descent method for minimization", Computer J., vol. 6, pp. 163-168.

R.N. Gadenz, M.G. Rezai-Fakhr and G.C. Temes (1973), "A method for the computation of large-tolerance effects", IEEE Trans. Circuit Theory, vol. CT-20, pp. 704-708.

C.W. Gear (1971), "The automatic integration of differential equations", Comm. ACM., vol. 14, pp. 176-179.

K. Geher (1971), Theory of Network Tolerances. Budapest, Hungary: Akademiai Kiado.

P.J. Goddard, P.A. Villalaz and R. Spence (1971), "Method for the efficient computation of the large-change sensitivity of linear nonreciprocal networks", Electronics Letters, vol. 7, pp. 112-113.

P.E. Green (1969), "General purpose programs for the frequency domain analysis of microwave circuits", IEEE Trans. Microwave Theory Tech., vol. MTT-17, pp. 506-514.

G.D. Hachtel, R.K. Brayton and F.G. Gustavson (1971), "The sparse tableau approach to network analysis and design", IEEE Trans. Circuit Theory, vol. CT-18, pp. 101-113.

G.D. Hachtel and R.A. Rohrer (1967), "Design and synthesis of switching circuits", Proc. IEEE, vol. 55, pp. 1864-1876.

M.D. Hebden (1971), "A bound on the difference between the Chebyshev norm and the Holder norms of a function", SIAM J. Num. Anal., vol. 8, pp. 270-277.

L.G. Kelly (1967), Handbook of Numerical Methods and Applications. New York: Addison-Wesley.

S.E. Herson (1971), "Optimisation methods in engineering design", Numerical Optimisation Centre, Hatfield, England, Tech. Report No. 25.

M.R. Hestenes (1969), "Multiplier and gradient methods", J. Optimization Theory and Applications, vol. 4, pp. 303-320.

C.W. Ho (1971), "Time-domain sensitivity computation for networks containing transmission lines", IEEE Trans. Circuit Theory, vol. CT-18, pp. 114-122.

M.C. Horton and R.J. Wenzel (1965), "General theory and design of optimum quarter-wave TEM filters", IEEE Trans. Microwave Theory Tech., vol. MTT-13, pp. 316-327.

Y. Ishizaki and H. Watanabe (1968), "An iterative Chebyshev approximation method for network design", IEEE Trans. Circuit Theory, vol. CT-15, pp. 326-336.

P.B. Johns (1975), "Solution of the lossy wave equation by the TLM method", Proc. AICA Int. Symp. Computer Methods for Partial Differential Equations (Bethlehem, Penn.), pp. 247-250.

P.B. Johns (1976), "Numerical modelling by the TLM method", Proc. Int. Symp. Large Engineering Systems (Winnipeg, Canada).

B.J. Karafin (1974), "The general component tolerance assignment problem in electrical networks", Ph.D. Thesis, Univ. of Pennsylvania, Philadelphia, PA.

L.S. Lasdon, D.F. Suchman and A.D. Waren (1966), "Nonlinear programming applied to linear array design", J. Acoust. Soc. Am., vol. 40, pp. 1197-1200.

L.S. Lasdon and A.D. Waren (1966), "Optimal design of filters with bounded, lossy elements", IEEE Trans. Circuit Theory, vol. CT-13, pp. 175-187.

L.S. Lasdon, A.D. Waren and D. Suchman (1973), "Optimal design of acoustic sonar transducer arrays", Dept. of Operations Research, School of Management, Case Western Reserve University, Cleveland, OH, Technical Memorandum No. 326.

K.H. Leung and R. Spence (1975), "Multiparameter large-change sensitivity analysis and systematic exploration", IEEE Trans. Circuits and Systems, vol. CAS-22, pp. 796-804.

K. Levenberg (1944), "A method for the solution of certain non-linear problems in least squares", Quart. App. Math., vol. 2, pp. 164-168.

P.C. Liu (1975), "A theory for optimal worst-case design embodying centering, tolerancing and tuning, with circuit applications", Ph.D. Thesis, McMaster University, Hamilton, Canada.

- K. Madsen, O. Nielsen, H. Schjaer-Jacobsen and L. Thrane (1975a), "Efficient minimax design of networks without using derivatives", IEEE Trans. Microwave Theory Tech., vol. MTT-23, 1975, pp. 803-809.
- K. Madsen, H. Schjaer-Jacobsen and J. Voldby (1975b), "Automated minimax design of networks", IEEE Trans. Circuits and Systems, vol. CAS-22, pp. 791-796.
- K. Madsen and H. Schjaer-Jacobsen (1976), "Singularities in minimax optimization of networks", IEEE Trans. Circuits and Systems, vol. CAS-23, pp. 456-460.
- K. Madsen and H. Schjaer-Jacobsen (1978a), "Linearly constrained minimax optimization", Mathematical Programming, vol. 14, pp. 208-223.
- K. Madsen and H. Schjaer-Jacobsen (1978b), "Algorithms for worst case tolerance optimization", Institute for Numerical Analysis, Technical University of Denmark, Lyngby, Denmark, Report NI-78-05.
- K. Madsen and H. Schjaer-Jacobsen (1978c), "New algorithms for worst-case tolerance optimization", Proc. IEEE Int. Symp. Circuits and Systems (New York), pp. 681-685.
- D.W. Marquardt (1963), "An algorithm for least-squares estimation of nonlinear parameters", J. SIAM, vol. 11, pp. 431-441.
- G.L. Matthaei, L. Young and E.M.T. Jones (1964), Microwave Filters Impedance - matching Networks, and Coupling Structures. New York: McGraw-Hill.
- D.D. Morrison (1968), "Optimization by least squares", SIAM J. Numerical Analysis, vol. 5, pp. 83-88.
- L.W. Nagel (1975), "SPICE2: A program to simulate semiconductor circuits", Electronics Research Lab., Univ. of California, Berkeley, Memo. No. ERL-M520.
- W.N. Parker (1969), "DIPNET: A general distributed parameter network analysis program", IEEE Trans. Microwave Theory Tech., vol. MTT-17, pp. 495-505.
- S.R. Parker (1971), "Sensitivity: old questions, some new answers", IEEE Trans. Circuit Theory, vol. CT-18, pp. 27-35.
- J.F. Pinel and K.A. Roberts (1972), "Tolerance assignment in linear networks using nonlinear programming", IEEE Trans. Circuit Theory, vol. CT-19, pp. 475-479.

E. Polak and A. Sangiovanni-Vincentelli (1978), "An algorithm for design centering, tolerancing and tuning (DCTT)", Electronic Research Lab., University of California, Berkeley.

M.J.D. Powell (1969), "A method for nonlinear constraints in minimization problems", in Optimization, R. Fletcher, Ed. New York: Academic Press.

L.R. Rabiner, J.H. McClellan and T.W. Parks (1975), "FIR digital filter design techniques using weighted Chebyshev approximation", Proc. IEEE, vol. 63, pp. 595-610.

M.G. Rezai-Fakhr and G.C. Temes (1975), "Statistical large-tolerance analysis of nonlinear circuits in the time domain", IEEE Trans. Circuits and Systems, vol. CAS-22, pp. 15-21.

M.R.M. Rizk (1975), "Efficient simulation of circuits for amplitude and delay optimization in the frequency domain", M.Eng. Thesis, McMaster University, Hamilton, Canada.

M.R.M. Rizk (1978), "Analysis of a current switch emitter follower using the companion-network approach", Faculty of Engineering, McMaster University, Hamilton, Canada, Report SOC-193.

R.T. Rockafellar (1974), "Augmented Lagrange multiplier functions and duality in non-convex programming", SIAM J. Control, vol. 12, pp. 268-285.

A.F. Schwarz (1977), "Large-change and differential network sensitivity", IEEE Trans. Circuits and Systems, vol. CAS-24.

A.K. Seth (1972), "Electrical network tolerance optimization", Ph.D. Thesis, University of Waterloo, Waterloo, Canada.

K. Singhal, J. Vlach and P.R. Bryant (1973), "Efficient computation of large-change multiparameter sensitivity", Int. J. Circuit Theory and Applications, vol. 1, pp. 237-247.

G.C. Temes and D.A. Calahan (1967), "Computer-aided network optimization the state-of-the-art", Proc. IEEE, vol. 55, pp. 1832-1863.

G.C. Temes and D.Y.F. Zai (1969), "Least pth approximation", IEEE Trans. Circuit Theory, vol. CT-16, pp. 235-237.

C.W. Therrien (1974), "Use of the adjoint for computing exact changes in response of cascaded two-port networks", IEEE Trans. Circuits and Systems, vol. CAS-21, pp. 217-218.

H. Tromp (1977), "The generalized tolerance problem and worst case search", Conf. Computer-aided Design of Electronic and Microwave Circuits and Systems (Hull, England), pp. 72-77.

H. Tromp (1978), "Generalized worst-case design, with applications to microwave networks", Doctoral Thesis (in Dutch), Faculty of Engineering, University of Ghent, Ghent, Belgium.

A.D. Waren, L.S. Lasdon, L.B. Stotts and D.C. McCall (1977), "Recent developments in nonlinear optimization and their use in engineering design", in Large Engineering Systems, A. Wexler, Ed. Oxford, England: Pergamon.

A.D. Waren, L.S. Lasdon and D.F. Suchman (1967), "Optimization in engineering design", Proc. IEEE, vol. 55, pp. 1885-1897.

W.I. Zangwill (1967), "Nonlinear programming via penalty functions", Management Science, vol. 13, pp. 344-358.

AUTHOR INDEX

H.L. Abdel-Malek	15, 18, 19, 64, 65, 67, 81, 103, 104, 113, 118, 144, 161, 162
S. Akhtarzad	67
J.W. Bandler	8, 10, 14, 15, 16, 18, 19, 21, 34, 36, 38, 39, 43, 46, 48, 53, 55, 56, 57, 60, 64, 65, 67, 81, 92, 103, 104, 113, 123, 133, 138, 144, 158, 161, 162, 164
P.W. Becker	63
R.M. Biernacki	123
F.H. Branin, Jr.	12, 14
R.K. Brayton	7, 12, 54
C.G. Broyden	45
P.R. Bryant	17
A. Budak	106
E.M. Butler	56
D.A. Calahan	10, 43
C. Charalambous	31, 34, 36, 38, 39, 40, 41, 43, 47, 158, 164
K.S. Chao	12
J.H.K. Chen	56, 138, 158, 164
E.W. Cheney	36
W.Y. Chu	38, 92, 158, 164
L.O. Chua	9, 10, 12
C.M. Close	10

A.R. Conn	47
P. Dalsgaard	19, 104
V.F. Demy'anov	36
P.M. DeRusso	10
S.W. Director	13, 14, 57, 63
I.S. Duff	7
S.R.K. Dutta	47
O. Einarsson	48
N.J. Elias	63
Z.S. Elrazaz	19, 104
A.V. Fiacco	30
J.K. Fidler	16
R. Fletcher	30
R.N. Gadenz	17
C.W. Gear	12
K. Geher	48
P.J. Goddard	17
P.E. Green	8
F.G. Gustavson	7, 12
G.D. Hachtel	7, 12, 15, 57, 63
M.D. Hebden	34
L.G. Kelly	180
S.E. Hersom	48
M.R. Hestenes	48
C.W. Ho	113

A.J. Hoffman	54
M.C. Horton	158
Y. Ishizaki	42
F. Jensen	63
V.K. Jha	8
P.B. Johns	10, 15, 67, 73, 74, 81
E.M.T. Jones	85
B.J. Karafin	48, 63
L.S. Lasdon	29, 30
K.H. Leung	18, 138
K. Levenberg	33
P.M. Lin	9, 10
D.K. Liu	12
P.C. Liu	53, 55, 56, 60, 65, 138
K. Madsen	45, 46, 57, 66
V.N. Malozemov	36
D.W. Marquardt	33
G.L. Matthaei	85
D.C. McCall	31
J.H. McClellan	25
G.P. McCormick	30
D.D. Morrison	47
L.W. Nagel	104
O. Nielsen	45
C.T. Pan	12

S.R. Parker	15
W.N. Parker	8
T.W. Parks	25
J.F. Pinel	55
E. Polak	65
J.R. Popović	8
M.J.D. Powell	30, 31, 48
L.R. Rabiner	25
M.G. Rezai-Fakhr	17, 18
M.R.M. Rizk	8, 10, 15, 16, 19, 67, 81, 104, 118, 123, 165
K.A. Roberts	55
R.T. Rockafellar	48
R.A. Rohrer	13, 14, 15
R.J. Roy	10
A. Sangiovanni-Vincentelli	65
H. Schjaer-Jacobsen	45, 46, 57, 66
A.F. Schwarz	16
R.T. Scott	54
A.K. Seth	48
R.E. Seviora	14, 133
K. Singhal	17
R. Spence	17, 18, 138
T.V. Srinivasan	43, 46
L.B. Stotts	31
D.F. Suchman	29, 30

G.C. Temes	17, 18, 33, 43
C.W. Therrien	133
L. Thrane	45
H. Tromp	8, 16, 56, 60, 64, 65, 138
A. Ushida	12
L.M. Vidigal	63
M. Vidyasagar	47
P.A. Villalaz	17
J. Vlach	17
J. Voldby	45
A.D. Waren	29, 30, 31
H. Watanabe	42
R.J. Wenzel	158
L. Young	85
D.Y.F. Zai	33
W.I. Zangwill	30
E.R. Zeller	106

SUBJECT INDEX

Adjoint network, 13, 165

Analysis,

- frequency domain, 6
- time domain, 9, 67
- nonlinear networks (D.C.), 10
- nonlinear networks in the time domain, 12

Base points, 104, 161

Bilinear function, 53

Branched circuits, 140

- admittance, 142
- impedance, 142

Cascaded networks, 124

- analysis, 7
- design, 122
- input impedance, 132
- forward analysis, 126
- of 2p-port elements, 166
- reverse analysis, 127

Centering problem, 56

Conditions,

- optimality, 36
- Kuhn-Tucker, 40, 56

SUBJECT INDEX (continued)

Constraint,

equality, 30, 32, 48
inequality, 32
region, 51

Convexity, 38

one-dimensional, 53, 66

Derivatives of response function, 13

Design with yield less than 100%, 62

Equivalent sources,

Thevenin, 131, 171
Norton, 131

Error,

compensation, 83
functions, 19, 54

Finite difference, 97, 98

General simulator, 103

Generalized,

least-pth objective, 34
reduced gradient, 31
tolerance assignment, 64

Ill-conditioning, 30, 31, 38

SUBJECT INDEX (continued)

Impedance, 142

 output, 131

Interval arithmetic, 66

Least pth optimization, 33

Linear,

 cuts, 64

 programming, 42

Minimax optimization, 40, 42, 46, 47

 of constrained problem, 46

Modeling,

 transmission-line, 68

 link, 68

 stub, 75

Multidimensional approximation, 18, 103, 161

Nonlinear programming, 29, 39

Objective function, 33, 34, 35, 39, 41, 55, 58

Pairwise changes, 146

Penalty function, 29

SUBJECT INDEX (continued)

Quadratic,

approximation, 18, 161
models, 103

Reference planes, 128

Scattering matrix, 79

Sensitivity, 13

at vertices of tolerance region, 138, 156
differential (1st order), 13, 88, 137, 151
large change, 16, 144
second order, 16, 90, 137, 151
time domain, 85
w.r.t. time step, 92

Simplicial approximation, 63

Specifications, 9

Tolerance,

fixed, 54
problem, 54
region, 50
variable, 55

Transmission-line matrix method, 67

Tuning, 57

region, 58

Uncertainties, 60

SUBJECT INDEX (continued)

Vertex, 50

 selection scheme, 56

Worst-case design, 53

Yield, 53, 63

 sensitivities, 64